

HCV Directly Acting Antivirals & RBV

Charts revised June 2023. Full information available at www.hep-druginteractions.org

Page 1 of 6

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; SMV, Simeprevir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Anaesthetics & Muscle Relaxants											
Bupivacaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Analgesics											
Acetofenac	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alfentanil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aspirin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Celecoxib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Codeine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexketoprofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diamorphine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diffunisal	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etoricoxib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fentanyl (Prescribed)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flurbiprofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydrocodone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydromorphone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indometacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ketoprofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meloxicam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metamizole (Dipyrone)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metadone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Morphine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxycodone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paracetamol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Piroxicam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anthelmintics											
Albendazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyrantel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antiarrhythmics											
Amiodarone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bepidil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Digoxin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Disopyramide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dofetilide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dronedarone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flecainide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mexiletine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quinidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vernakalant	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Antibacterials											
Amikacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Azithromycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aztreonam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bedaquiline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benzyloxyphenol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bezlotoxumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Capreomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefaclor	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefadroxil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefradine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftaroline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefuroxime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antifungals											
Ciprofloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clarithromycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clofazimine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erythromycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ethambutol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gentamicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Imipenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levofloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lymecycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methenamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norfloracin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Penicillin V	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Piperacillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pivmecillinam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rifabutin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rifampicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rifapentine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rifaximin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tazobactam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Telithromycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Temocillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tetracyclines	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ticarclillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Troleandomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vancomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

HCV Directly Acting Antivirals & RBV

Charts revised June 2023. Full information available at www.hep-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; SMV, Simeprevir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Anticoagulant, Antiplatelet & Fibrinolytic											
Acenocoumarol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anagrelide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Apixaban	▲	▲	▲	▲	◆	◆	◆	◆	◆	◆	◆
Caplacizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clopidogrel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dabigatran	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Danaparoid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eltrombopag	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluindione	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Natalizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ticlopidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tinzaparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Warfarin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anticonvulsants											
Carbamazepine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clonazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eslicarbazepine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ethosuximide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gabapentin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxcarbazepine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perampanel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenobarbital	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenytoin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pregabalin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Primidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Retigabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Anticonvulsants continued											
Rufinamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sultiame	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiagabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Topiramate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valproic acid (Divalproex)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antidepressants											
Agomelatine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Citalopram	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clomipramine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desipramine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desvenlafaxine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dosulepin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Imipramine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lithium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Maprotiline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mianserin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moclobemide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nefazodone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nortriptyline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paroxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tianeptine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trimipramine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Venlafaxine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vortioxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

HCV Directly Acting Antivirals & RBV

Charts revised June 2023. Full information available at www.hep-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; SMV, Simeprevir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Antidiabetics											
Acarbose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Albiglutide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Exenatide	◆	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gliclazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Lixisenatide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Repaglinide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antifungals											
Amphotericin B	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isavuconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Itraconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ketoconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Miconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antihistamines											
Astemizole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bilastine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desloratadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxylamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ebastine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antimigraine Agents											
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eletriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erenumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fremanezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Frovatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Galcanezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylergonovine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naratriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pizotifen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Antiprotozoals											
Amodiaquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Artemether	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Artemisinin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Artesunate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydroartemisinin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxycycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Halofantrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydroxychloroquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lumefantrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mefloquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitazoxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Primaquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quinine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sodium stibogluconate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antipsychotics/Neuroleptics											
Amisulpride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Asenapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorpromazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorprothixene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clozapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flupentixol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluphenazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Haloperidol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iloperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levomepromazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lurasidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pericazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perphenazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pimozide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pipotiazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Promazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quetiapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Risperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulpiride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiapride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trifluoperazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zucloptentixol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antivirals											
Aciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brincidofovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cidofovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Favipiravir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nirmatrelvir/ritonavir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Osetamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Palivizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sotrovimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tecovirimat	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tixagevimab/cilgavimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

HCV Directly Acting Antivirals & RBV

Charts revised June 2023. Full information available at www.hep-druginteractions.org

Page 4 of 6

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; SMV, Simeprevir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Anxiolytics/Hypnotics/Sedatives											
Alprazolam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Amobarbital	●	●	●	●	●	●	●	●	●	●	♦
Bromazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bromperidol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Buspirone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clobazam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clorazepate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clotiapine	♦	▲	▲	▲	♦	♦	♦	♦	♦	♦	♦
Diazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Estazolam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Flurazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Lorazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Lormetazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Midazolam (oral)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Midazolam (parenteral)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Quazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Temazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Triazolam	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Zaleplon	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Zolpidem	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Zopiclone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Beta Blockers											
Atenolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bisoprolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Carvedilol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Celiprolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Labetalol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Metoprolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nebivolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxprenolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pindolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Propranolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sotalol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Timolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bisphosphonates											
Alendronic acid	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clodronate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ibandronic acid	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pamidronate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Risedronate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bronchodilators											
Formoterol	♦	♦	♦	♦	▲	▲	♦	♦	♦	♦	♦
Indacaterol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ipratropium bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Montelukast	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Omalizumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Reslizumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Salbutamol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Salmeterol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Theophylline	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tiotropium	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Umeclidinium bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Vilanterol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Calcium Channel Blockers											
Amlodipine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Diltiazem	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Felodipine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nicardipine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nifedipine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nisoldipine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nitrendipine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Verapamil	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦

For personal use only. Not for distribution.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Cancer Therapies											
Abiraterone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Acalabrutinib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Anastrozole	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Apalutamide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Avelumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Axitinib	♦	▲	▲	♦	♦	♦	♦	♦	♦	♦	♦
Belantamab mafodotin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	▲
Bevacizumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Blinatumomab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bortezomib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bosutinib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Brentuximab vedotin	♦	▲	▲	♦	♦	♦	♦	♦	♦	♦	♦
Capecitabine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Carboplatin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cemiplimab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	▲
Cetuximab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Chlorambucil	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cisplatin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cyclophosphamide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Daratumumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dasatinib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dinutuximab beta	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	▲
Doxorubicin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Durvalumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	▲
Erlotinib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Flotuzumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Enzalutamide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Estramustine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Etoposide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Everolimus	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Exemestane	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fludarabine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Gefitinib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Gemcitabine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Idarubicin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Imatinib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ipilimumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Irinotecan	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Isatuximab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ixazomib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Lapatinib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Letrozole	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Medroxyprogesterone (oncology)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mercaptopurine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mesna	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Methotrexate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mitoxantrone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mogamulizumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nilotinib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Niraparib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nivolumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Obinutuzumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ofatumumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Olaparib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Olaratumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxaliplatin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Paclitaxel	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Panitumumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pertuzumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ramucirumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rituximab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ruxolitinib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sacituzumab govitecan	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sunitinib	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tamoxifen	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Temsirolimus	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Trastuzumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Trastuzumab deruxtecan	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Trastuzumab emtansine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Vinblastine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Vincristine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Vinorelbine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
♦	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

HCV Directly Acting Antivirals & RBV

Charts revised June 2023. Full information available at www.hep-druginteractions.org

Page 5 of 6

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; SMV, Simeprevir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Contraceptives and Hormone Replacements											
Conjugated Estrogens	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desogestrel (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desogestrel/ethinylestradiol (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dienogest	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone/estradiol (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone/ethinylestradiol (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dydrogesterone/estradiol (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ethinylestradiol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etonogestrel (implant)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gestodene/ethinylestradiol (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (Emergency Contraception)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (implant)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel/ethinylestradiol (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (depot)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (oral)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone/conjugated estrogens (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone/estradiol (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Micronized progesterone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norelgestromin/ethinylestradiol (patch)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone (Norethindrone) (depot injection)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone (Norethindrone) (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone (Norethindrone)/estradiol (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone (Norethindrone)/ethinylestradiol (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone (Norethindrone)/mestranol (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norgestimate/ethinylestradiol (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norgestrel/conjugated estrogens (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norgestrel/ethinylestradiol (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Testosterone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erectile Dysfunction Agents											
Sildenafil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vardenafil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Gastrointestinal Agents											
Aluminium hydroxide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alverine citrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aprepitant	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyclizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dantron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Domperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Droperidol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Granisetron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hyoscine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ispaghula husk	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linacotide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lubiprostone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Macrogol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mebeverine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylcellulose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metoclopramide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naloxegol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ondansetron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Simeticone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulfasalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trimebutine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
HCC Therapies											
Lenvatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pembrolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Regorafenib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sorafenib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hepatitis B Drugs											
Adefovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lamivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2a	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2b	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Telbivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tenofovir-DF	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hepatitis C Drugs (Direct Acting Antivirals)											
Daclatasvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
OBV/PTV/r	◆	◆	◆	◆	◆	n/a	◆	◆	◆	◆	◆
OBV/PTV/r + DSV	◆	◆	◆	◆	n/a	◆	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Simeprevir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
SOF/Velpatasvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
SOF/Velpatasvir/Voxilaprevir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hepatitis D Entry Inhibitors											
Bulevirtide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to symbols

◆	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

HCV Directly Acting Antivirals & RBV

Charts revised June 2023. Full information available at www.hep-druginteractions.org

Page 6 of 6

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; SMV, Simeprevir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Herbals/Supplements/Vitamins											
Aloe vera	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic acid (Vitamin C)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Black cohosh	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cat's claw (<i>U. tomentosa</i>)	■	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol (Vitamin D3)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin (B12)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diosmin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Echinacea	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Folic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Garlic	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ginger (<i>Z. officinale</i>)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ginkgo biloba	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ginseng	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Goldenseal (<i>H. canadensis</i>)	■	■	■	◆	■	■	◆	◆	◆	◆	◆
Grape seed extract	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	■	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Green tea (<i>C. sinensis</i>)	▲	▲	▲	◆	▲	▲	▲	◆	◆	◆	◆
Homeopathic remedies	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Inula racemosa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iodine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ferrous sulphate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Kava kava	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
L-lysine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Milk thistle	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Omega-3-6-9 fatty acids	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oregano oil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Retinol (Vitamin A)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Riboflavin (Vitamin B2)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Saw Palmetto (<i>S. repens</i>)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
St John's wort	●	●	●	●	●	●	●	●	●	●	◆
Thiamine (Vitamin B1)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Turmeric (curcumin)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vitamin E	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
HIV Drugs											
<i>Entry/Integrase Inhibitors</i>											
Albuvirtide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bictegravir/FTC/TAF	◆	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Cabotegravir (oral)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cabotegravir/rilpivirine (LA)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dolutegravir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dolutegravir/rilpivirine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Elvitegravir/cobi /FTC/TAF	■	●	◆	◆	●	●	●	◆	◆	◆	◆
Elvitegravir/cobi/FTC/TDF	■	●	◆	◆	●	●	●	◆	◆	◆	◆
Enfuvirtide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fostemsavir	◆	●	▲	▲	▲	▲	▲	▲	▲	■	◆
Ibalizumab-uiyk	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Maraviroc	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Raltegravir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<i>NNRTIs</i>											
Dapivirine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doravirine	◆	◆	◆	◆	▲	▲	◆	◆	◆	◆	◆
Doravirine/3TC/TDF	◆	◆	◆	◆	▲	▲	◆	◆	◆	◆	◆
Efavirenz	■	●	●	◆	●	●	●	◆	◆	◆	◆
Etravirine	■	●	●	◆	●	●	●	◆	◆	◆	◆
Nevirapine	■	●	●	◆	●	●	●	◆	◆	◆	◆
Rilpivirine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rilpivirine/dolutegravir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rilpivirine/FTC/TAF	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<i>NRTIs</i>											
Abacavir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Didanosine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Emtricitabine (FTC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Emtricitabine + TAF	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Emtricitabine + TDF	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lamivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Stavudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tenofovir-DF (TDF)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zidovudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<i>Protease Inhibitors</i>											
Atazanavir alone	◆	●	●	◆	■	■	●	◆	◆	◆	◆
Atazanavir/cobicistat	■	●	●	◆	●	●	●	◆	◆	◆	◆
Atazanavir + ritonavir	■	●	●	◆	●	●	●	◆	◆	◆	◆
Darunavir/cobicistat	◆	●	●	◆	●	●	●	◆	◆	◆	◆
Darunavir/cobi/FTC/TAF	◆	●	●	◆	●	●	●	◆	◆	◆	◆
Darunavir + ritonavir	◆	●	●	◆	■	■	●	◆	◆	◆	◆
Fosamprenavir	■	●	●	◆	■	■	●	◆	◆	◆	◆
Indinavir	■	●	●	◆	●	●	●	◆	◆	◆	◆
Lopinavir	◆	●	●	◆	●	●	●	◆	◆	◆	◆
Ritonavir	■	●	●	◆	●	●	●	◆	◆	◆	◆
Tipranavir	■	●	●	◆	●	●	●	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

HCV Directly Acting Antivirals & RBV

Charts revised June 2023. Full information available at www.hep-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; SMV, Simeprevir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Hypertension/Heart Failure Agents											
Acebutolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aliskiren	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Azilsartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bosentan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bumetanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Candesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorothiazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clevidipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Irbesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isradipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ivabradine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lercanidipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olmесartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rilmenidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Riociguat	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sacubitril/valsartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Selexipag	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sildenafil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Torsemide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zofenopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Illicit/Recreational											
Alcohol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carfentanil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cocaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fentanyl (Recreational)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Immunosuppressants											
Adalimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alemtuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anakinra	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Baricitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Belimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bimekizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brodalumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eculizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etanercept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fingolimod	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Golimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Guselkumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lenalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pirfenidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ravulizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Risankizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Secukinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Siltuximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tacrolimus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tildrakizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tralokinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Upadacitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ustekinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vedolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lipid Lowering Agents											
Alirocumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atorvastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Evolocumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lovastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

HCV Directly Acting Antivirals & RBV

Charts revised June 2023. Full information available at www.hep-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; SMV, Simeprevir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Other Drugs											
Acamprosate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Acetazolamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Activated charcoal	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Allopurinol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atomoxetine	◆	◆	◆	◆	▲	▲	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bamlanivimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benralizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bimatoprost	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brinzolamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brolucizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bromocriptine	◆	◆	◆	◆	◆	◆	▲	◆	◆	◆	◆
Calcitonin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium carbimide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium resonium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cannabidiol (CBD)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carbamazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carisoprodol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Casirivimab/imdevimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cilostazol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clomifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colestyramine	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Conivaptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Convalescent plasma (COVID-19)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
COVID-19 vaccines	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Crizanlizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyclobenzaprime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyproterone acetate	▲	▲	▲	◆	◆	◆	◆	◆	◆	◆	◆
Cytisine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Darbepoetin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Deferiprone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexamfetamine	▲	▲	▲	▲	◆	◆	◆	◆	◆	◆	◆
Dextromethorphan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Donepezil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dorzolamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dupilumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eliquis	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Emicizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Epoetin alfa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etelcalcetide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Febuxostat	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flibanserin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gadopentetate (gadolinium)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glycerol phenylbutyrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Goserelin acetate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Idarucizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Influenza vaccine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Other Drugs continued											
Interferon beta	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isosorbide mononitrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isotretinoin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lanadelumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lanreotide	▲	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Leuprorelin acetate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levofloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lisdexamfetamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lofexidine	▲	▲	▲	▲	▲	▲	▲	◆	▲	▲	◆
Lumacaftor/Ivacaftor	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Magnesium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Memantine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mepolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Minoxidil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Modafinil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naftidrofuryl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nalmefene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nusinersen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ocrelizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Orlistat	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Penicillamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenylephrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Piracetam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propylthiouracil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pseudoephedrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Raloxifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ranibizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Romosozumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sevelamer	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Strontium ranelate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Varenicline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

HCV Directly Acting Antivirals & RBV

Charts revised June 2023. Full information available at www.hep-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; SMV, Simeprevir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/GZR	G/P	LED/SOF	OBV/PTV/r	OBV/PTV/r+DSV	SMV	SOF	SOF/VEL	SOF/VEL/VOX	RBV
Oxytocics											
Ergometrine (ergonovine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mifepristone	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Misoprostol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Parkinsonism Agents											
Benzotropine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Orphenadrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Procyclidine	◆	◆	◆	◆	▲	▲	◆	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
PBC Agents											
Obeticholic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ursodeoxycholic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Steroids											
Beclometasone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betamethasone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Budesonide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ciclesonide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clobetasol (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clobetasone (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexamethasone ≤16 mg	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexamethasone >16 mg	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fludrocortisone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flunisolide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mometasone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prednicarbate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Urological Agents											
Alfuzosin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desmopressin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mirabegron	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sildenafil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Solifenacin	◆	▲	▲	◆	◆	◆	◆	◆	◆	◆	◆
Tamsulosin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tolterodine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.