HCV Directly Acting Antivirals & RBV

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; RDV, Ravidasvir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Anaesthetics and muscle relaxants											
Bupivacaine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etidocaine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Remifentanil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rocuronium	△	△	△	△	■	■	◆	◆	△	△	◆
Sevoflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Analgesics											
Aceclofenac	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alfentanil	◆	■	■	◆	■	■	◆	◆	◆	◆	◆
Aspirin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Celecoxib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Codeine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Dexketoprofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Diamorphine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diflunisal	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Etodolac	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etoricoxib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fentanyl (Prescribed)	◆	■	■	◆	■	■	◆	◆	◆	◆	◆
Flurbiprofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydrocodone	◆	◆	■	◆	■	■	◆	◆	◆	◆	◆
Hydromorphone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indometacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ketoprofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meloxicam	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Metamizole (Dipyrone)	■	■	■	◆	■	■	◆	◆	■	■	●
Methadone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Morphine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nefopam	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Oxycodone	◆	■	■	◆	■	■	◆	◆	◆	◆	◆
Paracetamol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Piroxicam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Anthelmintics											
Albendazole	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Pyrantel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antiarrhythmics											
Amiodarone	●	■	■	●	●	●	◆	●	●	●	◆
Bepridil	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Digoxin	■	◆	■	■	■	■	◆	◆	■	■	◆
Disopyramide	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Dofetilide	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Dronedarone	●	■	■	●	●	●	◆	●	●	●	◆
Flecainide	◆	◆	◆	△	■	■	◆	◆	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Mexiletine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Quinidine	■	■	■	■	●	●	◆	◆	■	■	◆
Vernakalant	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Antibacterials											
Amikacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Azithromycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aztreonam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bedaquiline	◆	■	■	■	■	■	◆	◆	◆	◆	◆
Benzylpenicillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bezlotoxumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Capreomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefaclor	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefadroxil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefradine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftaroline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefuroxime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	△	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clarithromycin	■	◆	△	◆	●	●	◆	◆	◆	△	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Clofazimine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daptomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erythromycin	◆	◆	■	◆	■	■	◆	◆	◆	■	◆
Ethambutol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	△	△	△	△	△	△	△	△	△	△	◆
Fosfomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gatifloxacin (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gentamicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Imipenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoniazid	△	△	△	△	△	△	◆	△	△	△	△
Levofloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Lymecycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methenamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Minocycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norfloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Penicillin V	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Piperacillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pivmecillinam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pretomanid	◆	●	■	◆	△	△	◆	◆	◆	■	■
Pyrazinamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rifabutin	●	●	●	●	■	■	●	△	●	●	◆
Rifampicin	●	●	●	●	●	●	●	●	●	●	◆
Rifapentine	●	●	●	●	■	■	●	●	●	●	◆
Rifaximin	△	△	△	△	△	△	◆	◆	△	△	◆
Spectinomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tazobactam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Telithromycin	■	■	■	■	●	●	◆	◆	◆	■	◆
Temocillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tetracyclines	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ticarcillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tobramycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Troleandomycin	■	●	●	◆	■	■	◆	◆	■	●	◆
Vancomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

HCV Directly Acting Antivirals & RBV

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; RDV, Ravidasvir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Anticoagulant, anti-platelet and fibrinolytic											
Abciximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Acenocoumarol	■	■	■	■	■	■	■	■	■	■	◆
Anagrelide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Apixaban	△	△	△	△	■	■	◆	◆	△	△	◆
Caplacizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clopidogrel	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Dabigatran	■	■	●	■	■	■	◆	◆	■	●	◆
Dalteparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Danaparoid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Edoxaban	■	■	■	■	■	■	◆	◆	■	●	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluindione	◆	■	■	■	■	■	■	■	■	■	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Natalizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	■	■	■	■	■	■	■	■	■	■	◆
Prasugrel	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Rivaroxaban	■	■	■	■	●	●	◆	◆	■	■	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	■	■	■	■	●	●	◆	◆	■	■	◆
Ticlopidine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Tinzaparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Warfarin	■	■	■	■	■	■	■	■	■	■	■
Anticonvulsants											
Brivaracetam	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Carbamazepine	■	●	■	■	●	●	●	■	■	●	◆
Clonazepam	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Eslicarbazepine	■	●	■	◆	●	●	◆	◆	■	●	◆
Ethosuximide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Gabapentin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxcarbazepine	■	●	■	■	●	●	●	■	■	●	◆
Perampanel	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Phenobarbital	■	●	■	■	●	●	●	■	■	●	◆
Phenytoin	■	●	■	■	●	●	●	■	■	●	◆
Pregabalin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Primidone	■	●	■	■	●	●	●	■	■	●	◆
Retigabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Anticonvulsants continued											
Rufinamide	■	■	■	■	■	■	●	■	■	■	◆
Sodium valproate	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Sultiame	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Tiagabine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Topiramate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valproate semisodium	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Valproic acid (Divalproex)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antidepressants											
Agomelatine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Citalopram	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clomipramine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Desipramine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desvenlafaxine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Dosulepin	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Imipramine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Lithium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Maprotiline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mianserin	◆	△	△	◆	■	■	◆	◆	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Moclobemide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nefazodone	■	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Nortriptyline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Opipramol	◆	◆	◆	◆	△	△	◆	◆	◆	◆	■
Paroxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenelzine	●	●	●	●	●	●	●	●	●	●	●
Reboxetine	◆	■	■	■	●	●	◆	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Tianeptine	◆	■	■	■	■	■	◆	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Trimipramine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Venlafaxine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Vortioxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; RDV, Ravidasvir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Antidiabetics											
Acarbose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Albiglutide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Exenatide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	■	◆	■	■	◆	◆	◆	◆	◆
Gliclazide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lixisenatide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Repaglinide	■	◆	■	◆	■	■	◆	◆	△	■	◆
Rosiglitazone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Semaglutide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tirzepatide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	△	◆	◆	◆	◆	◆	■	◆	◆
Antifungals											
Amphotericin B	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Anidulafungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clotrimazole (pessary)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clotrimazole (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Isavuconazole	△	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Itraconazole	■	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Ketoconazole	■	●	■	◆	●	●	◆	◆	◆	◆	◆
Miconazole	△	◆	◆	△	◆	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Posaconazole	■	◆	■	◆	●	●	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Voriconazole	■	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Antihaemorrhagics											
Avatrombopag	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Eltrombopag	■	●	●	◆	◆	◆	◆	◆	△	●	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antihistamines											
Astemizole	◆	◆	■	◆	●	●	◆	◆	◆	◆	◆
Bilastine	■	■	△	■	■	◆	◆	◆	■	■	◆
Cetirizine	△	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Clemastine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Desloratadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxylamine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Ebastine	◆	■	■	◆	■	■	◆	◆	◆	◆	◆
Fexofenadine	■	◆	△	◆	■	■	◆	◆	◆	△	◆
Hydroxyzine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	■	◆	●	●	◆	◆	◆	◆	◆
Antimigraine Agents											
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	■	■	■	●	●	◆	◆	◆	◆	◆
Eletriptan	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Eptinezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erenumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ergotamine	◆	■	■	■	●	●	◆	◆	◆	◆	◆
Fremanezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Frovatriptan	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Galcanezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylergonovine	◆	■	■	■	●	●	◆	◆	◆	◆	◆
Naratriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pizotifen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Antiprotozoals											
Amodiaquine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Artemether	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Artemisinin	■	■	◆	◆	■	■	◆	◆	■	■	◆
Artesunate	■	■	◆	◆	■	■	◆	◆	■	■	◆
Atovaquone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	■
Chloroquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydroartemisinin	■	■	◆	◆	■	■	◆	◆	■	■	◆
Doxycycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Halofantrine	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Hydroxychloroquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lumefantrine	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Mefloquine	■	◆	■	■	■	■	◆	◆	◆	■	◆
Nitazoxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Primaquine	△	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quinine	■	△	■	■	■	■	◆	◆	◆	■	◆
Sodium stibogluconate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antipsychotics/neuroleptics											
Amisulpride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	■	■	◆	■	■	◆	◆	◆	◆	◆
Asenapine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Brexpiprazole	◆	△	△	△	■	■	◆	◆	◆	◆	■
Cariprazine	◆	△	△	△	●	●	◆	◆	◆	◆	■
Chlorpromazine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Chlorprothixene	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Clozapine	◆	◆	■	◆	■	■	◆	◆	◆	◆	■
Flupentixol	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Fluphenazine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Haloperidol	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Iloperidone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Levomepromazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loxapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lurasidone	◆	△	△	◆	●	●	◆	◆	◆	◆	◆
Olanzapine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Paliperidone	■	◆	■	■	■	■	◆	◆	■	■	◆
Perazine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Periciazine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Perphenazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pimozide	◆	●	●	●	●	●	◆	◆	◆	◆	◆
Pipotiazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Promazine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	■
Quetiapine	◆	■	■	◆	●	●	◆	◆	◆	◆	◆
Risperidone	△	◆	△	△	■	■	◆	◆	△	△	◆
Sulpiride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiapride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trifluoperazine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Zuclopentixol	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Antivirals											
Aciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Ansuvimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brincidofovir	◆	●	■	◆	■	■	◆	◆	■	■	■
Brivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cidofovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Favipiravir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nirmatrelvir/ritonavir	◆	●	●	◆	■	■	◆	◆	◆	■	◆
Oseltamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Palivizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sotrovimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tecovirimat	△	△	△	◆	△	△	◆	◆	△	△	◆
Tixagevimab/cilgavimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; RDV, Ravidasvir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Anxiolytics/hypnotics/sedatives											
Alprazolam	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Amobarbital	●	●	●	●	●	●	●	●	●	●	◆
Bromazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bromperidol	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Clobazam	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Clorazepate	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Clotiapine	◆	△	△	△	■	■	◆	◆	◆	◆	◆
Daridorexant	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Diazepam	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Midazolam (oral)	◆	■	◆	◆	●	●	◆	◆	◆	◆	◆
Midazolam (parenteral)	◆	■	◆	◆	■	■	◆	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Quazepam	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Zaleplon	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zopiclone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Beta Blockers											
Atenolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Carvedilol	■	◆	■	■	■	■	◆	◆	■	■	■
Celiprolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Labetalol	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sotalol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bisphosphonates											
Alendronic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clodronate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ibandronic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pamidronate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Risedronate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zoledronic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bronchodilators											
Aclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Omalizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Reslizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Theophylline	◆	◆	■	◆	■	■	◆	◆	◆	◆	◆
Tiotropium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Calcium channel blockers											
Amlodipine	■	◆	◆	■	■	■	◆	◆	◆	◆	◆
Diltiazem	■	◆	■	■	■	■	◆	◆	■	■	◆
Felodipine	■	■	◆	■	■	■	◆	◆	◆	◆	◆
Nicardipine	■	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Nifedipine	■	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Nisoldipine	■	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Verapamil	◆	◆	■	◆	■	■	◆	◆	◆	■	◆

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Cancer Therapies											
Abiraterone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Acalabrutinib	◆	■	■	■	●	●	◆	◆	■	■	■
Afatinib	■	■	■	■	■	■	■	◆	■	■	◆
Alectinib	◆	◆	◆	◆	△	△	◆	◆	◆	◆	■
Alpelisib	■	■	■	■	■	■	■	◆	■	■	■
Amivantamab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anastrozole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Apalutamide	●	●	●	■	●	●	■	■	●	●	◆
Asciminib	◆	●	■	◆	■	■	◆	◆	◆	●	■
Asparaginase	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atezolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	△
Avapritinib	◆	■	■	◆	●	●	◆	◆	◆	◆	■
Avelumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Axitinib	◆	△	△	◆	●	●	◆	◆	◆	◆	■
Azacitidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Belantamab mafodotin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	△
Bendamustine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	■
Bevacizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Bexarotene	■	■	■	◆	●	●	◆	◆	■	■	■
Bicalutamide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Binimetinib	◆	◆	◆	◆	■	■	■	◆	◆	◆	◆
Blinatumomab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Bortezomib	◆	◆	◆	◆	■	■	◆	◆	◆	◆	■
Bosutinib	◆	■	■	◆	●	●	◆	◆	◆	◆	■
Brentuximab vedotin	◆	△	△	◆	■	■	◆	◆	◆	△	■
Brigatinib	△	■	■	◆	■	■	◆	◆	△	△	■
Capecitabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Capmatinib	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Carfilzomib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	△
Cedazuridine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cemiplimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	△
Ceritinib	■	●	■	■	●	●	◆	◆	■	■	■
Cetuximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Cisplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Cladribine (IV)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Cobimetinib	■	◆	■	■	●	●	◆	◆	■	■	■
Cyclophosphamide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	■
Cytarabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Daratumumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Dasatinib	■	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Decitabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Dinutuximab beta	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	△
Dostarlimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Doxorubicin	◆	◆	■	◆	◆	◆	◆	◆	◆	◆	■
Durvalumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	△
Elotuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Elranatamab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Enzalutamide	●	●	■	◆	●	●	◆	◆	●	●	◆
Epcoritamab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Epirubicin	◆	◆	◆	◆	■	■	△	◆	◆	◆	◆
Erlotinib	■	■	■	■	●	●	◆	◆	■	■	◆
Estramustine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	■
Everolimus	■	■	■	■	●	●	◆	◆	■	■	◆
Exemestane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Fluorouracil (5-FU)	◆	◆	◆	△	◆	◆	◆	△	△	△	■
Gefitinib	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Gemtuzumab ozogamicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Glofitamab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

HCV Directly Acting Antivirals & RBV

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; RDV, Ravidasvir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Cancer Therapies continued											
Hydroxyurea (Hydroxycarbamide)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Ibrutinib	■	■	■	◆	●	●	◆	◆	◆	◆	△
Idarubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Idelalisib	■	■	■	■	●	●	■	◆	■	■	△
Imatinib	◆	■	■	◆	■	■	◆	◆	■	●	■
Inotuzumab ozogamicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Ipilimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Irinotecan	■	■	■	■	■	■	◆	◆	■	●	■
Isatuximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Ixazomib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Lapatinib	■	■	■	■	■	■	■	◆	■	●	◆
Letrozole	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Loncastuximab tesirine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Medroxyprogesterone (oncology)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Mercaptopurine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	●
Mesna	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methotrexate	■	■	■	◆	△	△	■	◆	■	●	■
Mitoxantrone	■	■	■	■	■	■	■	◆	■	●	■
Mogamulizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nilotinib	■	■	■	◆	■	■	◆	◆	■	●	◆
Niraparib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Nivolumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Obinutuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ofatumumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Olaparib	◆	●	■	■	■	■	◆	◆	◆	■	△
Olaratumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Osimertinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Oxaliplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Paclitaxel	◆	■	■	◆	■	■	◆	◆	◆	◆	■
Panitumumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Panobinostat	◆	●	■	■	■	■	◆	◆	△	●	△
Pertuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Polatuzumab vedotin	◆	△	△	◆	■	■	◆	◆	◆	△	■
Pomalidomide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	■
Ponatinib	◆	■	■	◆	■	■	■	◆	◆	◆	■
Ramucirumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Retifanlimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Ribociclib	■	●	■	■	●	●	◆	◆	◆	●	■
Rituximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Rucaparib	■	■	■	■	■	■	■	◆	■	■	■
Ruxolitinib	◆	△	△	△	■	■	◆	◆	◆	◆	■
Sacituzumab govitecan	◆	◆	◆	◆	●	●	◆	◆	◆	◆	■
Selpercatinib	■	△	△	◆	■	●	◆	◆	◆	◆	◆
Sunitinib	◆	◆	■	◆	■	■	■	◆	◆	◆	■
Talazoparib	■	■	■	■	■	■	■	◆	■	■	■
Tamoxifen	△	△	△	△	■	■	◆	◆	△	△	◆
Tegafur/Gimeracil/Oteracil	◆	◆	◆	△	◆	◆	◆	△	△	△	■
Temsirolimus	■	■	■	■	■	■	◆	◆	■	■	◆
Tepotinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thioguanine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Tisotumab vedotin	◆	△	△	◆	■	■	◆	◆	◆	△	■
Tivozanib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Topotecan (IV)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Topotecan (oral)	■	■	■	■	■	■	■	◆	■	●	■
Trametinib	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Trastuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Trastuzumab deruxtecan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trastuzumab emtansine	◆	■	◆	◆	●	●	◆	◆	◆	◆	■
Trifluridine/tipiracil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Venetoclax	◆	■	■	◆	●	●	■	◆	◆	◆	■
Vinblastine	◆	■	●	■	■	■	◆	◆	■	●	■
Vincristine	◆	■	●	■	■	■	◆	◆	■	●	■
Vinorelbine	■	■	■	■	■	■	◆	◆	■	■	■

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Contraceptives and hormone replacement											
Conjugated Estrogens	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Desogestrel (POP)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Desogestrel/ethinylestradiol (COC) (>20 µg)	◆	◆	●	◆	●	●	◆	◆	◆	●	◆
Desogestrel/ethinylestradiol (COC) (≤20 µg)	◆	◆	■	◆	●	●	◆	◆	◆	●	◆
Dienogest	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Drospirenone (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone/estradiol (HRT)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Drospirenone/Ethinyl-estradiol (COC) (>20 µg)	◆	◆	●	◆	●	●	◆	◆	◆	●	◆
Drospirenone/Ethinyl-estradiol (COC) (≤20 µg)	◆	◆	■	◆	●	●	◆	◆	◆	●	◆
Dydrogesterone/estradiol (HRT)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Estradiol	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Ethinylestradiol (>20 µg)	◆	◆	●	◆	●	●	◆	◆	◆	●	◆
Ethinylestradiol (≤20 µg)	◆	◆	■	◆	●	●	◆	◆	◆	●	◆
Etonogestrel (implant)	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	◆	●	◆	●	●	◆	◆	◆	●	◆
Gestodene/ethinylestradiol (COC) (>20 µg)	◆	◆	●	◆	●	●	◆	◆	◆	●	◆
Gestodene/ethinylestradiol (COC) (≤20 µg)	◆	◆	■	◆	●	●	◆	◆	◆	●	◆
Levonorgestrel (Emergency Contraception)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (HRT)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Levonorgestrel (implant)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel/ethinyl-estradiol (COC) (>20 µg)	◆	◆	●	◆	●	●	◆	◆	◆	●	◆
Levonorgestrel/ethinyl-estradiol (COC) (≤20 µg)	◆	◆	■	◆	●	●	◆	◆	◆	●	◆
Medroxyprogesterone (depot)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (oral)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone/conjugated estrogens (HRT)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Medroxyprogesterone/estradiol (HRT)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Micronized progesterone (HRT)	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Norelgestromin/ ethinylestradiol (patch)	◆	◆	●	◆	●	●	◆	◆	◆	●	◆
Norethisterone (Norethindrone) (depot injection)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone (Norethindrone) (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone (Norethindrone)/estradiol (HRT)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Norethisterone (Norethindrone)/ ethinylestradiol (COC)	◆	◆	●	◆	●	●	◆	◆	◆	●	◆
Norethisterone (Norethindrone)/ mestranol (COC)	◆	◆	●	◆	●	●	◆	◆	◆	●	◆
Norgestimate/ ethinylestradiol (COC)	◆	◆	●	◆	●	●	◆	◆	◆	●	◆
Norgestrel/conjugated estrogens (HRT)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Norgestrel/ethinylestradiol (COC)	◆	◆	●	◆	●	●	◆	◆	◆	●	◆
Testosterone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Erectile dysfunction agents											
Sildenafil	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Tadalafil	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Vardenafil	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Yohimbine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

HCV Directly Acting Antivirals & RBV

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; RDV, Ravidasvir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Gastrointestinal agents											
Aluminium hydroxide	◆	◆	◆	■	◆	◆	■	△	■	■	◆
Alverine citrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	■	◆	◆	■	△	■	■	◆
Aprepitant	△	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bismuth subsalicylate	◆	◆	◆	△	◆	◆	△	◆	△	△	◆
Cimetidine	△	◆	△	■	◆	◆	■	◆	■	■	◆
Cisapride	◆	■	■	■	●	●	◆	◆	◆	◆	◆
Cyclizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dantron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Docusate sodium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Domperidone	◆	◆	■	◆	●	●	◆	◆	◆	◆	◆
Droperidol	◆	◆	■	◆	■	■	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	△	■	△	△	△	◆	■	■	◆
Famotidine	◆	◆	△	■	◆	◆	■	◆	■	■	◆
Granisetron	◆	△	△	◆	■	■	◆	◆	◆	◆	◆
Hyoscine (Scopolamine)	◆	△	△	△	■	■	◆	◆	◆	◆	◆
Hyoscine butylbromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hyoscine hydrobromide (Scopolamine hydrobromide)	◆	△	△	△	■	■	◆	◆	◆	◆	◆
Ispaghula husk	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lafutidine	◆	◆	△	■	△	△	■	◆	■	■	◆
Lansoprazole	◆	◆	△	■	△	△	△	◆	■	■	◆
Linaclotide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loperamide	■	△	△	■	■	◆	◆	◆	◆	△	◆
Lubiprostone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Macrogol	△	△	△	△	△	△	△	△	△	△	△
Mebeverine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylcellulose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metoclopramide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naloxegol	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Nizatidine	◆	◆	△	■	◆	◆	■	◆	■	■	◆
Omeprazole	◆	◆	△	■	△	△	△	◆	■	■	◆
Ondansetron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	△	■	△	△	△	◆	■	■	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	△	■	△	△	△	◆	■	■	◆
Ranitidine	◆	◆	△	■	◆	◆	■	◆	■	■	◆
Roxatidine	◆	◆	△	■	◆	◆	■	◆	■	■	◆
Senna	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Simeticone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulfasalazine	◆	◆	■	◆	■	■	◆	◆	■	●	◆
Trimebutine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vonoprazan	◆	◆	△	■	△	△	■	◆	■	■	◆
HCC Therapies											
Atezolizumab + bevacizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Lenvatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	△
Pembrolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Regorafenib	◆	△	△	■	●	●	■	◆	■	■	△
Sorafenib	◆	■	◆	◆	■	■	◆	◆	◆	◆	△
Hepatitis B Drugs											
Adefovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lamivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2a	◆	■	■	■	■	■	◆	◆	■	■	◆
Peginterferon alfa-2b	◆	■	■	■	■	■	◆	◆	■	■	◆
Telbivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Tenofovir-DF	◆	◆	◆	■	◆	◆	◆	◆	■	■	◆
Hepatitis C Directly Acting Antivirals (DAAs)											
Daclatasvir		●	●	◆	●	●	●	◆	●	●	◆
Elbasvir/Grazoprevir	●		●	●	●	●	●	◆	●	●	◆
Glecaprevir/Pibrentasvir	●	●		●	●	●	●	◆	●	●	◆
Ledipasvir/Sofosbuvir	◆	●	●		●	●	●	●	●	●	◆
OBV/PTV/r	●	●	●	●		n/a	●	●	●	●	◆
OBV/PTV/r + DSV	●	●	●	●	n/a		●	◆	●	●	◆
Ravidasvir	●	●	●	●	●	●		◆	●	●	◆
Ribavirin	◆	◆	◆	◆	◆	◆	◆		◆	■	
Sofosbuvir	◆	◆	◆	●	●	◆	◆		●	●	◆
SOF/Velpatasvir	●	●	●	●	●	●	●	●		●	◆
SOF/Velpatasvir/Voxilaprevir	●	●	●	●	●	●	●	●	●		■
Hepatitis D Directly Acting Antivirals (DAAs)											
Bulevirtide	◆	△	△	◆	●	●	◆	◆	◆	△	◆

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Herbals/Supplements/Vitamins											
Aloe vera	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic acid (Vitamin C)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ashwagandha (Withania somnifera)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Black cohosh	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium carbonate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cat's claw (*U. tomentosa*)	■	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Colecalciferol (Vitamin D3)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin (B12)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diosmin	◆	◆	◆	◆	◆	■	◆	◆	◆	◆	◆
Echinacea	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enteral feeds	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ferrous sulphate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Folic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Garlic	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ginger (*Z. officinale*)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ginkgo biloba	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ginseng	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Goldenseal (*H. canadensis*)	■	■	■	◆	■	■	◆	◆	◆	◆	◆
Grape seed extract	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	■	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Green tea (*C. sinensis*)	△	△	△	◆	△	△	◆	◆	◆	◆	◆
Homeopathic remedies	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydroxocobalamin (Vitamin B12)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Inula racemosa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iodine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Kava kava	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
L-lysine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Menthol	△	△	△	◆	△	△	◆	◆	◆	◆	◆
Milk thistle	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mucuna pruriens	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Niacin (Vitamin B3)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oral nutritional supplements	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oregano oil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridoxine (Vitamin B6)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Retinol (Vitamin A)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Riboflavin (Vitamin B2)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Saw Palmetto (*S. repens*)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
St John's wort	●	●	●	●	●	●	●	●	●	●	◆
Thiamine (Vitamin B1)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Turmeric (curcumin)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vitamin E	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zinc	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

HCV Directly Acting Antivirals & RBV

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; RDV, Ravidasvir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
HIV Drugs											
Entry/Integrase Inhibitors											
Albuvirtide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bictegravir/FTC/TAF	◆	◆	△	◆	■	■	◆	◆	◆	◆	◆
Cabotegravir (oral)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cabotegravir/rilpivirine (LA)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Dolutegravir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dolutegravir/3TC	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dolutegravir/ABC/3TC	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dolutegravir/rilpivirine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Elvitegravir/cobi /FTC/TAF	■	●	◆	◆	●	●	◆	◆	◆	◆	◆
Elvitegravir/cobi/FTC/TDF	■	●	◆	■	●	●	◆	◆	■	■	◆
Enfuvirtide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fostemsavir	◆	●	△	△	△	△	◆	△	△	■	◆
Ibalizumab-uiyk	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lenacapavir	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Maraviroc	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Raltegravir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
NNRTIs											
Dapivirine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doravirine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Doravirine/3TC/TDF	◆	◆	◆	■	△	△	◆	◆	■	■	◆
Efavirenz	■	●	●	◆	●	●	◆	◆	●	●	◆
Etravirine	■	●	●	◆	●	●	◆	◆	●	●	◆
Nevirapine	■	●	●	◆	●	●	◆	◆	●	●	◆
Rilpivirine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Rilpivirine/FTC/TAF	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
NRTIs											
Abacavir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Didanosine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	●
Emtricitabine (FTC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Emtricitabine + TAF	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Emtricitabine + TDF	◆	◆	◆	■	◆	◆	◆	◆	■	■	◆
Lamivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Stavudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	●
Tenofovir-DF (TDF)	◆	◆	◆	■	◆	◆	◆	◆	■	■	◆
Zidovudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	●
Protease Inhibitors											
Atazanavir + ritonavir	■	●	●	◆	●	●	◆	◆	◆	●	■
Atazanavir alone	◆	●	●	◆	■	■	◆	◆	◆	●	■
Atazanavir/cobicistat	■	●	●	◆	●	●	◆	◆	◆	●	■
Darunavir + ritonavir	◆	●	●	◆	■	■	◆	◆	◆	■	◆
Darunavir/cobicistat	◆	●	●	◆	●	●	◆	◆	◆	◆	◆
Darunavir/cobi/FTC/TAF	◆	●	●	◆	●	●	◆	◆	◆	◆	◆
Fosamprenavir	■	●	●	◆	■	■	◆	◆	◆	●	◆
Indinavir	■	●	●	◆	●	●	◆	◆	◆	●	◆
Lopinavir	◆	●	●	■	●	●	◆	◆	◆	●	◆
Ritonavir	■	●	●	◆	●	●	◆	◆	◆	■	◆
Tipranavir	■	●	●	●	●	●	◆	●	●	●	◆

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Hypertension/heart failure agents											
Acebutolol	◆	◆	◆	◆	■	◆	◆	◆	◆	◆	◆
Aliskiren	■	◆	●	■	●	●	◆	◆	◆	■	◆
Ambrisentan	■	◆	■	◆	■	■	◆	◆	◆	■	◆
Amiloride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Azilsartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bosentan	■	●	●	◆	●	●	◆	◆	●	●	◆
Bumetanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Candesartan	◆	△	△	◆	◆	◆	◆	◆	◆	△	◆
Captopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorothiazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clevidipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Enalapril	◆	◆	■	◆	■	■	◆	◆	◆	■	◆
Eplerenone	◆	■	■	■	●	●	◆	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Irbesartan	◆	◆	■	■	■	■	◆	◆	◆	△	◆
Isradipine	■	■	■	■	■	■	◆	◆	◆	■	◆
Ivabradine	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Lercanidipine	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olmesartan	■	◆	■	◆	■	■	◆	◆	◆	■	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prazosin	◆	■	■	◆	◆	◆	◆	◆	■	■	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ranolazine	■	■	■	■	●	●	◆	◆	◆	■	◆
Rilmenidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Riociguat	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Sacubitril/valsartan	■	●	■	◆	■	■	◆	◆	◆	■	◆
Selexipag	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Sildenafil	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Telmisartan	◆	◆	■	◆	■	■	◆	◆	◆	■	◆
Torasemide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Valsartan	■	◆	◆	◆	■	■	◆	◆	◆	■	◆
Xipamide	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Zofenopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; RDV, Ravidasvir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Illicit/Recreational											
Alcohol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Bromazolam	◆	△	△	◆	■	■	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Carfentanil	◆	■	■	◆	●	●	◆	◆	◆	◆	◆
Cocaine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Etizolam	◆	△	△	◆	●	●	◆	◆	◆	◆	◆
Fentanyl (Recreational)	◆	△	△	◆	■	■	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Nicotine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitazenes	◆	△	△	△	●	●	△	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Xylazine	◆	△	△	◆	●	●	◆	◆	◆	◆	◆
Immunosuppressants											
Abatacept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Adalimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Alemtuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anakinra	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Apremilast	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Baricitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Basiliximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Belimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bimekizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brodalumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Ciclosporin	△	●	■	△	■	■	△	△	△	●	◆
Cladribine (oral)	■	■	■	■	■	■	■	■	■	■	●
Eculizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etanercept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fingolimod	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Golimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Guselkumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Ixekizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lenalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mirikizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	◆	■	■	◆	◆	◆	◆	■
Pirfenidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ravulizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Risankizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Secukinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Siltuximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Sirolimus	◆	■	■	◆	●	●	◆	◆	◆	■	◆
Tacrolimus	△	■	■	△	●	●	△	△	△	△	◆
Tildrakizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Tralokinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ublituximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Upadacitinib	◆	◆	◆	◆	■	■	◆	◆	◆	◆	■
Ustekinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vedolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Lipid Lowering Agents											
Alirocumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atorvastatin	■	■	●	■	●	●	■	◆	■	■	◆
Bempedoic acid	◆	●	■	◆	△	△	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Evolocumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	■	◆	■	■	◆	◆	◆	■	◆
Fenofibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluvastatin	■	■	■	■	■	■	■	◆	■	●	◆
Gemfibrozil	◆	■	■	◆	◆	●	◆	◆	◆	◆	◆
Icosapent ethyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lovastatin	■	■	●	■	●	●	■	◆	■	●	◆
Omega-3-6-9 fatty acids	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pitavastatin	■	◆	■	■	■	■	■	◆	■	●	◆
Pravastatin	■	◆	■	■	■	■	■	◆	◆	■	◆
Rosuvastatin	■	■	■	●	■	■	■	◆	■	●	◆
Simvastatin	■	■	●	■	●	●	■	◆	■	●	◆
Other Drugs											
Acamprosate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Acetazolamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Activated charcoal	△	△	△	△	△	△	△	△	△	△	△
Allopurinol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Atomoxetine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bamlanivimab/ Etesevimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benralizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bimatoprost	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brimonidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brinzolamide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Brolucizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bromocriptine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Burosumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcitonin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium carbimide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium resonium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cannabidiol (CBD)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Carbimazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carisoprodol	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Casirivimab/imdevimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cilostazol	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Clomifene	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Colchicine	■	■	■	■	■	■	◆	◆	■	■	◆
Colestyramine	△	△	△	△	△	△	△	△	△	△	△
Conivaptan	●	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Convalescent plasma (COVID-19)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
COVID-19 vaccines	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Crizanlizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyclobenzaprine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Cyproterone acetate	△	△	△	◆	■	■	◆	◆	◆	◆	■
Cytisine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Darbepoetin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Deferiprone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexamfetamine	△	△	△	△	■	■	◆	◆	△	△	◆
Dextromethorphan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Donepezil	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Dorzolamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dupilumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eliglustat	◆	■	■	◆	●	●	◆	◆	◆	◆	◆
Emicizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Epoetin alfa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etelcalcetide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Faricimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Febuxostat	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flibanserin	◆	■	■	◆	●	●	◆	◆	◆	◆	◆
Gadopentetate (gadolinium)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glucose monohydrate (IV)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glycerol phenylbutyrate	△	△	△	△	△	△	◆	◆	△	△	◆
Goserelin acetate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Guanfacine	◆	△	△	△	■	■	◆	◆	◆	◆	◆
Idarucizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Influenza vaccine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

DCV, Daclatasvir; ELB/GZR, Elbasvir/Grazoprevir; G/P, Glecaprevir/Pibrentasvir; LED, Ledipasvir; OBV/PTV/r + DSV, Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir; RDV, Ravidasvir; SOF, Sofosbuvir; VEL, Velpatasvir; VOX, Voxilaprevir; RBV, Ribavirin.

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Other Drugs continued											
Interferon beta	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Isosorbide mononitrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isotretinoin	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Lanadelumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lanreotide	△	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Lebrikizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Leuprorelin acetate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levothyroxine	△	◆	◆	◆	■	■	◆	◆	◆	◆	■
Lisdexamfetamine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Lofexidine	△	△	△	△	△	△	◆	◆	△	△	◆
Lumacaftor/Ivacaftor	●	●	●	●	●	●	◆	●	●	●	◆
Magnesium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Memantine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mepolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methimazole (Thiamazole)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Methylphenidate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midodrine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Minoxidil	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Modafinil	■	●	■	■	■	■	●	■	●	●	◆
Naftidrofuryl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nalmefene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nusinersen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ocrelizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Orlistat	△	△	△	△	△	△	◆	△	△	△	△
Penicillamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phentermine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenylephrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Piracetam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propylthiouracil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Protamine sulphate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pseudoephedrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Raloxifene	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Ranibizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Romosozumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rozanolixizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sevelamer	△	◆	△	△	△	△	◆	△	△	△	△
Sodium zirconium cyclosilicate	◆	◆	◆	△	◆	◆	△	◆	△	△	◆
Strontium ranelate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tetrabenazine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Thalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■
Triptorelin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Varenicline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	DCV	ELB/ GZR	G/P	LED/ SOF	OBV/ PTV/r	OBV/ PTV/r +DSV	RDV	SOF	SOF/ VEL	SOF/ VEL/ VOX	RBV
Oxytocics											
Ergometrine (ergonovine)	◆	■	■	■	●	●	◆	◆	◆	◆	◆
Mifepristone	△	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Misoprostol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Parkinsonism Agents											
Benzatropine (Benztropine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Orphenadrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Procyclidine	◆	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Selegiline	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Trihexyphenidyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
PBC Agents											
Obeticholic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Seladelpar	■	■	■	■	■	■	■	◆	■	■	◆
Ursodeoxycholic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Steroids											
Beclometasone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betamethasone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Budesonide	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Ciclesonide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Clobetasol (topical)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Clobetasone (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexamethasone ≤16 mg	◆	◆	◆	◆	■	■	●	◆	◆	◆	◆
Dexamethasone >16 mg	■	■	◆	◆	■	■	◆	◆	■	■	◆
Fludrocortisone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Flunisolide	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Mometasone	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Prednicarbate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Urological Agents											
Alfuzosin	◆	◆	◆	◆	●	●	◆	◆	◆	◆	◆
Desmopressin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mirabegron	◆	△	◆	◆	■	■	◆	◆	◆	◆	◆
Oxybutynin	◆	△	△	◆	■	■	◆	◆	◆	◆	◆
Silodosin	■	■	■	■	●	●	◆	◆	■	■	◆
Solifenacin	◆	△	△	◆	■	■	◆	◆	◆	◆	◆
Tamsulosin	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Tolterodine	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Trospium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.