

Charts revised July 2018. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

For personal use only. Not for distribution.

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
✦	There are no clear data, actual or theoretical, to indicate whether an interaction is likely to occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude

Interactions with Protease Inhibitors

Charts revised July 2018. Full information available at www.hiv-druginteractions.org

Page 2 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ATV	Cobi	DRV	FPV	IDV	LPV	RTV	SQV	TPV
Anti-diabetics									
Acarbose	◆	◆	◆	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gliclazide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Repaglinide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antifungals									
Amphotericin B	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Itraconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ketoconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Miconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antihistamines									
Astemizole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antimigraine Agents									
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antiprotozoals									
Amodiaquine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Artemisinin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diloxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Halofantrine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lumefantrine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mefloquine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meglumine antimoniate	◆	◆	◆	◆	◆	◆	◆	◆	◆
Melarsoprol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Primaquine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quinine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sodium stibogluconate	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antipsychotics/Neuroleptics									
Amisulpride	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Asenapine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorpromazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clozapine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluphenazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Haloperidol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iloperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levomopromazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

ATV	Atazanavir (Reyataz®)	IDV	Indinavir (Crixivan®)
Cobi	Cobicistat (Tybost®)	LPV	Lopinavir (Kaletra®)
DRV	Darunavir (Prezista®)	RTV	Ritonavir (Norvir®)
FPV	Fosamprenavir (Telzir®, Lexiva®)	SQV	Saquinavir (Invirase®)
		TPV	Tipranavir (Aptivus®)

Key to symbols

◆	These drugs should not be coadministered
◆	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◆	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
◆	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

	ATV	Cobi	DRV	FPV	IDV	LPV	RTV	SQV	TPV
Antipsychotics/Neuroleptics (continued)									
Paliperidone	▲	▲	▲	▲	▲	▲	▲	▲	▲
Perazine	■	■	■	■	■	■	■	■	■
Periciazine	■	▲	▲	▲	▲	■	▲	●	■
Perphenazine	■	▲	▲	▲	▲	■	▲	■	■
Pimozide	●	●	●	●	●	■	●	●	●
Pipotiazine	■	▲	▲	▲	▲	■	▲	■	■
Quetiapine	●	●	●	●	●	●	●	●	●
Risperidone	■	■	■	■	■	■	■	■	■
Sulpiride	■	◆	◆	◆	◆	■	◆	■	■
Thioridazine	■	▲	▲	▲	▲	■	▲	●	■
Tiapride	■	■	■	■	■	■	◆	■	■
Ziprasidone	●	■	■	■	■	●	■	●	■
Zotepine	■	■	■	■	■	■	■	■	■
Zuclophenthixol	■	■	■	■	■	■	■	●	■
Antivirals									
Aciclovir	◆	◆	◆	◆	■	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Boceprevir	■	■	■	■	■	■	■	■	■
Cidofovir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daclatasvir	■	■	■	■	■	■	■	■	■
Elbasvir/Grazoprevir	●	●	●	●	●	●	●	●	●
Entecavir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	●	■	●	●	●	■	●	●	●
Ledipasvir/Sofosbuvir	◆	◆	◆	◆	◆	■	◆	◆	◆
Ombitasvir/Paritaprevir/r	■	●	■	■	●	■	●	●	■
Ombitasvir/Paritaprevir/r + Dasabuvir	■	●	■	■	●	■	■	●	■
Osetamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ribavirin	■	◆	◆	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Simeprevir	●	●	●	●	●	●	●	●	●
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	◆	◆	◆	◆	◆	●
Sofosbuvir/Velpatasvir/Voxilaprevir	●	■	■	●	●	●	■	■	■
Telaprevir	■	■	■	■	■	■	■	■	■
Telbivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anxiolytics/Hypnotics/Sedatives									
Alprazolam	■	■	■	■	●	■	■	■	■
Bromazepam	▲	▲	▲	▲	▲	▲	▲	▲	■
Buspirone	■	■	■	■	■	■	■	■	■
Chlordiazepoxide	■	■	■	■	■	■	■	■	■
Clorazepate	■	■	■	■	●	■	■	■	■
Diazepam	■	■	■	■	●	■	■	■	■
Estazolam	■	■	■	■	●	■	■	■	■
Flunitrazepam	■	■	■	■	■	■	■	■	■
Flurazepam	■	■	■	■	●	■	■	■	■
Hydroxyzine	■	■	■	■	■	■	■	■	■
Lorazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (oral)	●	●	●	●	●	●	●	●	●
Midazolam (parenteral)	■	■	■	■	■	■	■	■	■
Oxazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triazolam	●	●	●	●	●	●	●	●	●
Zaleplon	▲	▲	▲	▲	▲	▲	▲	▲	▲
Zolpidem	■	■	■	■	■	■	■	■	■
Zopiclone	■	■	■	■	■	■	■	■	■
Beta Blockers									
Atenolol	▲	◆	◆	◆	◆	▲	▲	▲	◆
Bisoprolol	▲	▲	▲	▲	▲	▲	▲	▲	▲
Carvedilol	▲	▲	▲	▲	▲	▲	▲	▲	▲
Metoprolol	▲	▲	▲	▲	▲	▲	▲	▲	●
Nebivolol	▲	▲	▲	▲	▲	▲	▲	●	■
Oxprenolol	■	◆	■	■	■	■	■	■	■
Pindolol	▲	▲	▲	▲	▲	▲	▲	●	▲
Propranolol	▲	▲	▲	▲	▲	▲	▲	▲	▲
Timolol	▲	▲	▲	▲	▲	▲	▲	▲	■
Bronchodilators									
Acidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aminophylline	■	◆	■	■	■	■	■	■	■
Formoterol	◆	◆	◆	◆	◆	▲	◆	●	■
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Montelukast	▲	▲	▲	▲	▲	▲	▲	▲	▲
Olodaterol	▲	▲	▲	▲	▲	▲	▲	▲	▲
Roflumilast	▲	▲	▲	▲	▲	▲	▲	▲	▲
Salbutamol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salmeterol	■	■	■	■	■	■	■	■	■
Theophylline	◆	◆	■	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	▲	▲	▲	▲	▲	▲	▲	▲	▲
Vilanterol	▲	▲	▲	▲	▲	▲	▲	▲	■

Charts revised July 2018. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

For personal use only. Not for distribution.

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
✦	There are no clear data, actual or theoretical, to indicate

© Liverpool Drug Interaction Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude

Interactions with Protease Inhibitors

Charts revised July 2018. Full information available at www.hiv-druginteractions.org

Page 4 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ATV	Cobi	DRV	FPV	IDV	LPV	RTV	SQV	TPV
Hypertension / Heart Failure Agents									
Aliskiren	●	●	●	●	●	●	●	●	●
Ambrisentan	●	●	●	●	●	●	●	●	●
Amiloride	●	●	●	●	●	●	●	●	●
Bendroflumethiazide	●	●	●	●	●	●	●	●	●
Bosentan	●	●	●	●	●	●	●	●	●
Candesartan	●	●	●	●	●	●	●	●	●
Captopril	●	●	●	●	●	●	●	●	●
Chlorthalidone	●	●	●	●	●	●	●	●	●
Cilazapril	●	●	●	●	●	●	●	●	●
Clonidine	●	●	●	●	●	●	●	●	●
Digoxin	●	●	●	●	●	●	●	●	●
Dopamine	●	●	●	●	●	●	●	●	●
Doxazosin	●	●	●	●	●	●	●	●	●
Enalapril	●	●	●	●	●	●	●	●	●
Eplerenone	●	●	●	●	●	●	●	●	●
Epoprostenol	●	●	●	●	●	●	●	●	●
Eprosartan	●	●	●	●	●	●	●	●	●
Furosemide	●	●	●	●	●	●	●	●	●
Hydralazine	●	●	●	●	●	●	●	●	●
Hydrochlorothiazide	●	●	●	●	●	●	●	●	●
Iloprost	●	●	●	●	●	●	●	●	●
Indapamide	●	●	●	●	●	●	●	●	●
Irbesartan	●	●	●	●	●	●	●	●	●
Isosorbide dinitrate	●	●	●	●	●	●	●	●	●
Ivabradine	●	●	●	●	●	●	●	●	●
Labetalol	●	●	●	●	●	●	●	●	●
Lacidipine	●	●	●	●	●	●	●	●	●
Lercanidipine	●	●	●	●	●	●	●	●	●
Lisinopril	●	●	●	●	●	●	●	●	●
Losartan	●	●	●	●	●	●	●	●	●
Macitentan	●	●	●	●	●	●	●	●	●
Methyldopa	●	●	●	●	●	●	●	●	●
Metolazone	●	●	●	●	●	●	●	●	●
Olmesartan	●	●	●	●	●	●	●	●	●
Perindopril	●	●	●	●	●	●	●	●	●
Prazosin	●	●	●	●	●	●	●	●	●
Quinapril	●	●	●	●	●	●	●	●	●
Ramipril	●	●	●	●	●	●	●	●	●
Ranolazine	●	●	●	●	●	●	●	●	●
Riociguat	●	●	●	●	●	●	●	●	●
Sacubitril	●	●	●	●	●	●	●	●	●
Selexipag	●	●	●	●	●	●	●	●	●
Sildenafil (PAH)	●	●	●	●	●	●	●	●	●
Sodium nitroprusside	●	●	●	●	●	●	●	●	●
Spironolactone	●	●	●	●	●	●	●	●	●
Tadalafil (PAH)	●	●	●	●	●	●	●	●	●
Telmisartan	●	●	●	●	●	●	●	●	●
Terazosin	●	●	●	●	●	●	●	●	●
Torsemide	●	●	●	●	●	●	●	●	●
Trandolapril	●	●	●	●	●	●	●	●	●
Treprostinil	●	●	●	●	●	●	●	●	●
Valsartan	●	●	●	●	●	●	●	●	●
Xipamide	●	●	●	●	●	●	●	●	●
Illicit/Recreational									
Alcohol	●	●	●	●	●	●	●	●	●
Amphetamine	●	●	●	●	●	●	●	●	●
Cannabis	●	●	●	●	●	●	●	●	●
Cocaine	●	●	●	●	●	●	●	●	●
Ecstasy (MDMA)	●	●	●	●	●	●	●	●	●
GHB (Gamma-hydroxybutyrate)	●	●	●	●	●	●	●	●	●
Heroin	●	●	●	●	●	●	●	●	●
LSD (Lysergic acid diethylamide)	●	●	●	●	●	●	●	●	●
Mephedrone	●	●	●	●	●	●	●	●	●
Methamphetamine	●	●	●	●	●	●	●	●	●
Phencyclidine (PCP)	●	●	●	●	●	●	●	●	●
Poppers (Amyl nitrate)	●	●	●	●	●	●	●	●	●
Immune Modulators									
Hydroxyurea (Hydroxycarbamide)	●	●	●	●	●	●	●	●	●
Interferon alpha	●	●	●	●	●	●	●	●	●
Interleukin 2 (Aldesleukin)	●	●	●	●	●	●	●	●	●
Peginterferon alfa-2a	●	●	●	●	●	●	●	●	●
Immunosuppressants									
Anti-thymocyte globulin	●	●	●	●	●	●	●	●	●
Azathioprine	●	●	●	●	●	●	●	●	●
Basiliximab	●	●	●	●	●	●	●	●	●
Belatacept	●	●	●	●	●	●	●	●	●
Ciclosporin	●	●	●	●	●	●	●	●	●
Mycophenolate	●	●	●	●	●	●	●	●	●
Sirolimus	●	●	●	●	●	●	●	●	●
Tacrolimus	●	●	●	●	●	●	●	●	●
Lipid Lowering Agents									
Atorvastatin	●	●	●	●	●	●	●	●	●
Bezafibrate	●	●	●	●	●	●	●	●	●
Clofibrate	●	●	●	●	●	●	●	●	●
Ezetimibe	●	●	●	●	●	●	●	●	●
Fenofibrate	●	●	●	●	●	●	●	●	●
Fish oils	●	●	●	●	●	●	●	●	●
Fluvastatin	●	●	●	●	●	●	●	●	●
Gemfibrozil	●	●	●	●	●	●	●	●	●
Lovastatin	●	●	●	●	●	●	●	●	●
Pitavastatin	●	●	●	●	●	●	●	●	●
Pravastatin	●	●	●	●	●	●	●	●	●
Rosuvastatin	●	●	●	●	●	●	●	●	●
Simvastatin	●	●	●	●	●	●	●	●	●

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

	ATV	Cobi	DRV	FPV	IDV	LPV	RTV	SQV	TPV
Other									
Acetazolamide	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Acitretin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Adrenaline (Epinephrine)	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Alendronic Acid	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Alfuzosin	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Allopurinol	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Atropine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Baclofen	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Biperiden	⬛	⬛	⬛	⬛	⬛	⬛	⬛	⬛	⬛
Caffeine citrate	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Carbamazole	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Clomifene	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡
Colchicine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Cyproterone acetate	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠
Denosumab	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Disulfiram	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Dutasteride	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠
Finasteride	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Flibanserin	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Goserelin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Ibandronic acid	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Isotretinoin	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠
Leuprorelin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Levothyroxine	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠
Mannitol	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Methylphenidate	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Modafinil	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠
Naftidrofuryl	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Naltrexone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Neostigmine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Nicorandil	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Orlistat	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡
Penicillamine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Pentoxifylline	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Pilocarpine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Potassium	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Probenecid	🟠	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Propylthiouracil	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Protamine sulphate	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Pyridostigmine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Strontium ranelate	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡
Sulfasalazine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Tamsulosin	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠	🟠
Thalidomide	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Tranexamic acid	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Varenicline	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Zoledronic acid	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Overactive Bladder Agents									
Darifenacin	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Fesoterodine	🟠	🟢	🟠	🟢	🟢	🟢	🟢	🟢	🟢
Mirabegron	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Oxybutynin	🟠	🟠	🟠	🟢	🟢	🟢	🟢	🟢	🟢
Solifenacin	🟠	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Tolterodine	🟠	🟠	🟠	🟢	🟢	🟢	🟢	🔴	🟢
Trospium	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Oxytocics									
Ergometrine (Ergonovine)	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Mifepristone	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡
Misoprostol	🟡	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Oxytocin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Parkinsonism Agents									
Apomorphine	🟡	🟢	🟡	🟡	🟡	🟡	🟡	🟡	🟡
Benserazide	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Carbidopa	🟠	🟠	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Levodopa	🟠	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Pramipexole	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Rasagiline	🟠	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Ropinirole	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Steroids									
Beclometasone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Betamethasone	🟠	🟠	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Budesonide	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Clobetasol	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Dexamethasone	🟠	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Fludrocortisone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Fluocinolone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Fluticasone	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Hydrocortisone (oral)	🟠	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Hydrocortisone (topical)	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Megestrol acetate	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Methylprednisolone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Mometasone	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Nandrolone	⬛	⬛	⬛	⬛	⬛	⬛	⬛	⬛	⬛
Oxandrolone	⬛	⬛	⬛	⬛	⬛	⬛	⬛	⬛	⬛
Prednisolone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Prednisone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Stanozolol	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Testosterone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Triamcinolone	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴