

# Interactions with NNRTIs

Charts revised December 2018. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR + 3TC/TDF	EFV	ETV	NVP	RPV	RPV + DTG	RPV + F/TAF
<b>Anaesthetics &amp; Muscle Relaxants</b>								
Alcuronium	◆	▲	◆	◆	◆	◆	◆	▲
Bupivacaine	◆	◆	◆	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	▲	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	◆	◆	▲	▲	▲
Rocuronium	◆	◆	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	◆	◆	◆	▲	▲	▲
Sufentanil	◆	◆	◆	◆	◆	◆	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	◆	▲	▲	▲
Vecuronium	◆	◆	◆	◆	◆	◆	◆	◆
<b>Analgesics</b>								
Alfentanil	◆	◆	◆	◆	◆	◆	◆	◆
Aspirin	◆	◆	◆	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	◆	◆	◆	◆	◆
Celecoxib	◆	◆	◆	◆	◆	◆	◆	◆
Codeine	◆	◆	◆	◆	◆	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	◆	◆	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆	◆	◆	◆	◆
Fentanyl	◆	◆	◆	◆	◆	◆	◆	◆
Hydrocodone	◆	◆	◆	◆	◆	◆	◆	◆
Hydromorphone	◆	◆	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆	◆	◆
Methadone	◆	◆	◆	◆	◆	◆	◆	◆
Morphine	◆	◆	◆	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	◆	◆	◆	◆	◆
Nimesulide	◆	◆	◆	◆	◆	◆	◆	◆
Oxycodone	◆	◆	◆	◆	◆	◆	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	◆	◆	◆	◆
Piroxicam	◆	◆	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	◆	◆	◆	◆
<b>Anthelmintics</b>								
Albendazole	◆	◆	◆	◆	◆	◆	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆	◆	◆	◆
Nicosamide	◆	◆	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	◆	◆	◆	◆
Pyrantel	◆	◆	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	◆	◆	◆	◆	◆	◆
<b>Antiarrhythmics</b>								
Amiodarone	◆	◆	◆	◆	◆	◆	◆	◆
Bepriidil	◆	◆	◆	◆	◆	◆	◆	◆
Disopyramide	◆	◆	◆	◆	◆	◆	◆	◆
Dofetilide	◆	◆	◆	◆	◆	◆	◆	◆
Flecainide	◆	◆	◆	◆	◆	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	◆	◆	◆	◆
Mexiletine	◆	◆	◆	◆	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆	◆	◆	◆	◆
Quinidine	◆	◆	◆	◆	◆	◆	◆	◆

	DOR	DOR + 3TC/TDF	EFV	ETV	NVP	RPV	RPV + DTG	RPV + F/TAF
<b>Antibacterials</b>								
Amikacin	◆	◆	◆	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	◆	◆	◆	◆
Azithromycin	◆	◆	◆	◆	◆	◆	◆	◆
Bedaquiline	◆	◆	◆	◆	◆	◆	◆	◆
Capreomycin	◆	◆	◆	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	◆	◆	◆	◆	◆	◆
Clarithromycin	◆	◆	◆	◆	◆	◆	◆	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	◆	◆	◆	◆
Clofazimine	◆	◆	◆	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	◆	◆	◆	◆	◆	◆
Doxycycline	◆	◆	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆	◆	◆
Erythromycin	◆	◆	◆	◆	◆	◆	◆	◆
Ethambutol	◆	◆	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	◆	◆	◆	◆	◆	◆	◆	◆
Gentamicin	◆	◆	◆	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	◆	◆	◆	◆
Levofloxacin	◆	◆	◆	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	◆	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	◆	◆	◆	◆	◆
Para-aminosalicylic acid	◆	◆	◆	◆	◆	◆	◆	◆
Penicillins	◆	◆	◆	◆	◆	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆	◆	◆	◆
Rifabutin	◆	◆	◆	◆	◆	◆	◆	◆
Rifampicin	◆	◆	◆	◆	◆	◆	◆	◆
Rifapentine	◆	◆	◆	◆	◆	◆	◆	◆
Rifaximin	◆	◆	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆	◆	◆	◆	◆
Telithromycin	◆	◆	◆	◆	◆	◆	◆	◆
Tetracyclines	◆	◆	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆	◆	◆	◆	◆
Vancomycin	◆	◆	◆	◆	◆	◆	◆	◆
<b>Anti-coagulant, Anti-platelet and Fibrinolytic</b>								
Acenocoumarol	◆	◆	◆	◆	◆	◆	◆	◆
Apixaban	◆	◆	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆	◆	◆
Betrixaban	◆	◆	◆	◆	◆	◆	◆	◆
Clopidogrel	◆	◆	◆	◆	◆	◆	◆	◆
Dabigatran	◆	◆	◆	◆	◆	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	◆	◆	◆	◆
Eltrombopag	◆	◆	◆	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	◆	◆	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	◆	◆	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	◆	◆	◆	◆
Warfarin	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

**Key to abbreviations**

DOR	Doravirine (Pifeltro <sup>®</sup> )	RPV	Rilpivirine (Edurant <sup>®</sup> )
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo <sup>®</sup> )	RPV + DTG	Rilpivirine + Dolutegravir (Juluca <sup>®</sup> )
EFV	Efavirenz (Sustiva <sup>®</sup> /Stocrin <sup>®</sup> )	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey <sup>®</sup> )
ETV	Etravirine (Intelence <sup>®</sup> )		
NVP	Nevirapine (Viramune <sup>®</sup> )		

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool  
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with NNRTIs

Charts revised December 2018. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR + 3TC/TDF	EFV	ETV	NVP	RPV	RPV + DTG	RPV + F/TAf
<b>Anticonvulsants</b>								
Carbamazepine	●	●	■	●	■	●	●	●
Clonazepam	◆	◆	■	■	■	◆	◆	◆
Ethosuximide	◆	◆	■	■	■	◆	◆	◆
Gabapentin	◆	◆	■	■	■	◆	◆	◆
Lacosamide	◆	◆	■	■	■	◆	◆	◆
Lamotrigine	◆	◆	■	■	■	◆	◆	◆
Levetiracetam	◆	◆	■	■	■	◆	◆	◆
Oxcarbazepine	●	●	■	▲	▲	●	●	●
Phenobarbital (Phenobarbitone)	●	●	■	●	■	●	●	●
Phenytoin	●	●	■	●	■	●	●	●
Pregabalin	◆	◆	■	■	■	◆	◆	◆
Topiramate	◆	■	◆	◆	◆	◆	◆	◆
Valproate (Divalproex)	◆	◆	■	■	■	◆	◆	◆
Vigabatrin	◆	◆	■	■	■	◆	◆	◆
Zonisamide	◆	◆	■	■	■	◆	◆	◆
<b>Antidepressants</b>								
Agomelatine	◆	◆	◆	◆	◆	◆	◆	◆
Amisulpride	◆	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	■	◆	◆	▲	▲	▲
Bupropion	◆	◆	■	■	■	◆	◆	◆
Citalopram	◆	◆	▲	▲	▲	▲	▲	▲
Clomipramine	◆	◆	▲	▲	▲	▲	▲	▲
Desipramine	◆	◆	▲	▲	▲	▲	▲	▲
Doxepin	◆	◆	■	■	■	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	▲	▲	▲	▲	▲	▲
Fluoxetine	◆	◆	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆	◆	◆
Imipramine	◆	◆	■	■	■	▲	▲	▲
Lithium	◆	■	◆	◆	◆	▲	▲	▲
Maprotiline	◆	◆	◆	◆	◆	◆	◆	◆
Mianserine	◆	◆	▲	▲	▲	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	■	▲	■	◆	◆	◆
Nefazodone	▲	▲	■	■	■	■	■	■
Nortriptyline	◆	◆	◆	◆	◆	▲	▲	▲
Paroxetine	◆	◆	◆	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	■	■	■	◆	◆	◆
Sertraline	◆	◆	▲	▲	▲	◆	◆	◆
Tranylcypromine	◆	◆	■	■	■	◆	◆	◆
Trazodone	◆	◆	■	■	■	▲	▲	▲
Trimipramine	◆	◆	■	■	■	◆	◆	◆
Venlafaxine	◆	◆	▲	▲	▲	◆	◆	◆
<b>Anti-diabetics</b>								
Acarbose	◆	◆	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	■	◆	◆	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	■	■	■
Empagliflozin	◆	■	◆	◆	◆	◆	◆	◆
Exanatide	◆	◆	◆	◆	◆	■	■	■
Glibenclamide (Glyburide)	◆	◆	■	■	■	◆	◆	◆
Glizalide	◆	◆	■	■	■	◆	◆	◆
Glimepiride	◆	◆	■	■	■	◆	◆	◆
Glipizide	◆	◆	■	■	■	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	■	■	■	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	■	■	■
Metformin	◆	◆	◆	◆	◆	■	■	■
Nateglinide	◆	◆	■	■	■	◆	◆	◆
Proglitazone	◆	◆	■	■	■	◆	◆	◆
Repaglinide	◆	◆	■	■	■	◆	◆	◆
Rosiglitazone	◆	◆	■	■	■	◆	◆	◆
Saxagliptin	◆	◆	■	■	■	◆	◆	◆
Sitagliptin	◆	◆	■	■	■	◆	◆	◆
Tolbutamide	◆	◆	■	■	■	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆	◆	◆
<b>Antifungals</b>								
Amphotericin B	◆	■	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	■	■	■	◆	◆	◆
Caspofungin	◆	◆	■	■	■	◆	◆	◆
Fluconazole	▲	▲	◆	◆	◆	■	■	■
Flucytosine	◆	◆	◆	◆	◆	◆	◆	◆
Griseofulvin	■	■	■	■	■	■	■	■
Itraconazole	▲	▲	■	■	■	■	■	■
Ketoconazole	▲	▲	●	■	■	■	■	■
Miconazole	▲	▲	◆	▲	◆	▲	▲	▲
Nystatin	◆	◆	◆	◆	◆	◆	◆	◆
Posaconazole	▲	▲	■	■	■	■	■	■
Terbinafine	◆	◆	▲	▲	▲	◆	◆	◆
Voriconazole	▲	▲	■	■	■	■	■	■

For personal use only. Not for distribution.

	DOR	DOR + 3TC/TDF	EFV	ETV	NVP	RPV	RPV + DTG	RPV + F/TAf
<b>Antihistamines</b>								
Astemizole	◆	◆	●	●	●	▲	▲	▲
Cetirizine	◆	▲	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	▲	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	●	●	●	■	■	■
<b>Antimigraine Agents</b>								
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	▲	▲	▲	●	●	▲	▲	▲
Ergotamine	▲	▲	▲	●	●	▲	▲	▲
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆
<b>Antiprotozoals</b>								
Amodiaquine	◆	◆	●	▲	■	◆	◆	◆
Artemisinin	▲	▲	■	■	■	▲	▲	▲
Atovaquone	◆	◆	■	■	■	◆	◆	◆
Benznidazole	◆	◆	+	+	+	◆	◆	◆
Chloroquine	◆	◆	◆	◆	◆	▲	▲	▲
Dioxanide	◆	◆	◆	◆	◆	◆	◆	◆
Eflornithine	◆	▲	◆	◆	◆	◆	◆	◆
Halofantrine	◆	◆	■	■	■	■	■	■
Lumefantrine	◆	◆	■	■	■	▲	▲	▲
Mefloquine	◆	◆	■	■	■	▲	▲	▲
Meglumine antimoniate	◆	■	◆	◆	◆	▲	▲	▲
Melarsoprol	◆	◆	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	■	◆	◆	◆	▲	▲	▲
Primaquine	◆	◆	■	■	■	◆	◆	◆
Proguanil	◆	◆	■	■	■	◆	◆	◆
Pyrimethamine	◆	▲	◆	◆	◆	◆	◆	▲
Quinine	◆	◆	■	■	■	▲	▲	▲
Sodium stibogluconate	◆	◆	◆	◆	◆	▲	▲	▲
Sulfadoxine	◆	▲	◆	◆	◆	◆	◆	▲
<b>Antipsychotics/Neuroleptics</b>								
Amisulpride	◆	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	■	■	■	◆	◆	◆
Asenapine	◆	◆	■	▲	▲	◆	◆	◆
Chlorpromazine	◆	◆	◆	◆	◆	▲	▲	▲
Clozapine	◆	◆	■	■	■	▲	▲	▲
Fluphenazine	◆	◆	■	■	■	▲	▲	▲
Haloperidol	◆	◆	▲	▲	▲	▲	▲	▲
Iloperidone	◆	◆	■	■	■	▲	▲	▲
Levomepromazine	◆	◆	◆	◆	◆	▲	▲	▲
Olanzapine	◆	◆	■	◆	◆	◆	◆	◆
Paliperidone	◆	◆	▲	▲	▲	▲	▲	▲
Perazine	◆	◆	■	■	■	▲	▲	▲
Periciazine	◆	◆	◆	◆	◆	▲	▲	▲
Perphenazine	◆	◆	◆	◆	◆	▲	▲	▲
Pimozide	◆	◆	●	■	■	▲	▲	▲
Pipotiazine	◆	◆	◆	◆	◆	▲	▲	▲
Quetiapine	◆	◆	■	■	■	▲	▲	▲
Risperidone	◆	◆	■	■	■	◆	◆	◆
Sulpiride	◆	◆	◆	◆	◆	▲	▲	▲
Thioridazine	■	■	▲	▲	▲	■	■	■
Tiapride	◆	◆	◆	◆	◆	▲	▲	▲
Ziprasidone	◆	◆	■	■	■	●	●	●
Zotepine	◆	◆	■	■	■	◆	◆	◆
Zuclopenthixol	◆	◆	■	■	■	▲	▲	▲

**Key to abbreviations**

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
EFV	Efavirenz (Sustiva®/Stocrin®)	RPV + F/TAf	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
ETV	Etravirine (Intenceo®)		
NVP	Nevirapine (Viramune®)		

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool  
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with NNRTIs

Charts revised December 2018. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR + 3TC/TDF	EFV	ETV	NVP	RPV	RPV + DTG	RPV + F/TAF
<b>Antivirals</b>								
Aciclovir	◆	◆	◆	◆	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆	◆	◆
Boceprevir	◆	◆	◆	◆	◆	◆	◆	◆
Cidofovir	◆	◆	◆	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	◆	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	◆	◆	◆	◆	◆	◆
Ledipasvir/sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	◆	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	◆	◆	◆	◆	◆	◆
Oseltamivir	◆	◆	◆	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆	◆	◆
Simeprevir	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	◆	◆	◆	◆	◆
Telaprevir	◆	◆	◆	◆	◆	◆	◆	◆
Telbivudine	◆	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆	◆	◆
<b>Anxiolytics/Hypnotics/ Sedatives</b>								
Alprazolam	◆	◆	◆	◆	◆	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆	◆	◆	◆	◆
Clorazepate	◆	◆	◆	◆	◆	◆	◆	◆
Diazepam	◆	◆	◆	◆	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	◆	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	◆	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	◆	◆	◆	◆
Zaleplon	◆	◆	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	◆	◆	◆	◆
Zopiclone	◆	◆	◆	◆	◆	◆	◆	◆
<b>Beta Blockers</b>								
Atenolol	◆	◆	◆	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	◆	◆	◆	◆
<b>Bronchodilators</b>								
Acclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	◆	◆	◆	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆	◆	◆

	DOR	DOR + 3TC/TDF	EFV	ETV	NVP	RPV	RPV + DTG	RPV + F/TAF
<b>Calcium Channel Blockers</b>								
Amlodipine	◆	◆	◆	◆	◆	◆	◆	◆
Diltiazem	◆	◆	◆	◆	◆	◆	◆	◆
Felodipine	◆	◆	◆	◆	◆	◆	◆	◆
Nicardipine	◆	◆	◆	◆	◆	◆	◆	◆
Nifedipine	◆	◆	◆	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆	◆	◆	◆	◆
Verapamil	◆	◆	◆	◆	◆	◆	◆	◆
<b>Cancer Therapies</b>								
Anastrozole	◆	◆	◆	◆	◆	◆	◆	◆
Asparaginase	◆	◆	◆	◆	◆	◆	◆	◆
Bevacizumab	◆	◆	◆	◆	◆	◆	◆	◆
Bexarotene	◆	◆	◆	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆	◆	◆
Bortezomib	◆	◆	◆	◆	◆	◆	◆	◆
Capecitabine	◆	◆	◆	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆	◆	◆
Cisplatin	◆	◆	◆	◆	◆	◆	◆	◆
Cyclophosphamide	◆	◆	◆	◆	◆	◆	◆	◆
Cytarabine	◆	◆	◆	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆	◆	◆
Dasatinib	◆	◆	◆	◆	◆	◆	◆	◆
Daunorubicin	◆	◆	◆	◆	◆	◆	◆	◆
Docetaxel	◆	◆	◆	◆	◆	◆	◆	◆
Doxorubicin	◆	◆	◆	◆	◆	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	◆	◆	◆	◆	◆
Erlotinib	◆	◆	◆	◆	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	◆	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	◆	◆	◆	◆	◆	◆
Formestane	◆	◆	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆	◆	◆	◆	◆
Ifosfamide	◆	◆	◆	◆	◆	◆	◆	◆
Imatinib	◆	◆	◆	◆	◆	◆	◆	◆
Irinotecan	◆	◆	◆	◆	◆	◆	◆	◆
Lapatinib	◆	◆	◆	◆	◆	◆	◆	◆
Letrozole	◆	◆	◆	◆	◆	◆	◆	◆
Mercaptopurine	◆	◆	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆	◆	◆
Mitoxantrone	◆	◆	◆	◆	◆	◆	◆	◆
Nilotinib	◆	◆	◆	◆	◆	◆	◆	◆
Oxaliplatin	◆	◆	◆	◆	◆	◆	◆	◆
Paclitaxel	◆	◆	◆	◆	◆	◆	◆	◆
Pazopanib	◆	◆	◆	◆	◆	◆	◆	◆
Procarbazine	◆	◆	◆	◆	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆	◆	◆	◆
Sorafenib	◆	◆	◆	◆	◆	◆	◆	◆
Sunitinib	◆	◆	◆	◆	◆	◆	◆	◆
Tamoxifen	◆	◆	◆	◆	◆	◆	◆	◆
Temsirolimus	◆	◆	◆	◆	◆	◆	◆	◆
Topotecan	◆	◆	◆	◆	◆	◆	◆	◆
Toremifene	◆	◆	◆	◆	◆	◆	◆	◆
Vinblastine	◆	◆	◆	◆	◆	◆	◆	◆
Vincristine	◆	◆	◆	◆	◆	◆	◆	◆
Vorinostat	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

**Key to abbreviations**

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR + 3TC+ TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
EFV	Efavirenz (Sustiva®/Stocrin®)	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
ETV	Etravirine (Intelence®)		
NVP	Nevirapine (Viramune®)		

**Key to symbols**

◆	These drugs should not be coadministered
◆	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◆	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
◆	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool  
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with NNRTIs

Charts revised December 2018. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR + 3TC/TDF	EFV	ETV	NVP	RPV	RPV + DTG	RPV + F/TAf
<b>Contraceptives/HRT</b>								
Desogestrel (COC)	◆	◆	●	▲	▲	◆	◆	◆
Desogestrel (POP)	◆	◆	●	▲	▲	◆	◆	◆
Drospirenone (COC)	◆	◆	●	▲	▲	◆	◆	◆
Drospirenone (HRT)	◆	◆	■	■	■	◆	◆	◆
Dydrogesterone (HRT)	◆	◆	■	■	■	◆	◆	◆
Estradiol	◆	◆	■	■	■	◆	◆	◆
Ethinylestradiol	◆	◆	■	■	■	◆	◆	◆
Etonogestrel (implant)	◆	◆	●	▲	▲	◆	◆	◆
Etonogestrel (vaginal ring)	◆	◆	●	▲	▲	◆	◆	◆
Gestodene (COC)	◆	◆	●	▲	▲	◆	◆	◆
Levonorgestrel (COC)	◆	◆	●	▲	▲	◆	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	■	■	■	◆	◆	◆
Levonorgestrel (HRT)	◆	◆	■	■	■	◆	◆	◆
Levonorgestrel (implant)	◆	◆	●	▲	▲	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	■	■	■	◆	◆	◆
Levonorgestrel (POP)	◆	◆	●	▲	▲	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	■	■	■	◆	◆	◆
Medroxyprogesterone (oral)	◆	◆	■	■	■	◆	◆	◆
Norelgestromin (patch)	◆	◆	●	▲	▲	◆	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	●	▲	▲	◆	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	■	■	■	◆	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	■	■	■	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	●	▲	▲	◆	◆	◆
Norgestimate (COC)	◆	◆	●	▲	▲	◆	◆	◆
Norgestrel (COC)	◆	◆	●	▲	▲	◆	◆	◆
Norgestrel (HRT)	◆	◆	■	■	■	◆	◆	◆
Ulipristal	◆	◆	■	■	■	◆	◆	◆
<b>Erectile Dysfunctional Agents</b>								
Sildenafil (Erectile Dysfunction)	◆	◆	■	■	■	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	■	■	■	◆	◆	◆
Vardenafil	◆	◆	■	■	■	◆	◆	◆
<b>Gastrointestinal Agents</b>								
Alosetron	◆	◆	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	■	■	■
Bisacodyl	◆	◆	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆	■	■	■
Cisapride	◆	◆	●	▲	▲	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	●	●	●
Famotidine	◆	◆	◆	◆	◆	■	■	■
Lactulose	◆	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	●	●	●
Loperamide	◆	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	●	●	●
Pantoprazole	◆	◆	◆	◆	◆	●	●	●
Prucalopride	◆	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	●	●	●
Ranitidine	◆	◆	◆	◆	◆	■	■	■
Senna	◆	◆	◆	◆	◆	◆	◆	◆
<b>Gastrointestinal Agents (anti-emetics)</b>								
Aprepitant	▲	▲	■	■	■	▲	▲	▲
Dolasetron	▲	▲	◆	◆	◆	▲	▲	▲
Domperidone	◆	◆	■	■	■	▲	▲	▲
Dronabinol	◆	◆	■	■	■	◆	◆	◆
Granisetron	◆	◆	■	■	■	▲	▲	▲
Metoclopramide	◆	◆	◆	◆	◆	▲	▲	▲
Ondansetron	◆	◆	◆	◆	◆	▲	▲	▲
Prochlorperazine	◆	◆	◆	◆	◆	▲	▲	▲
<b>Herbals/Supplements/Vitamins</b>								
African potato	■	■	◆	◆	◆	■	■	■
Aloe vera	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C)	◆	◆	◆	◆	◆	■	■	■
Calcium supplements	◆	◆	◆	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	▲	▲	■	■	■	■	■	■
Colecalciferol (vitamin D3)	◆	◆	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	▲	▲	◆	◆	◆	▲	▲	▲
Cyanocobalamin	◆	◆	◆	◆	◆	■	■	■
Echinacea	▲	▲	◆	◆	◆	▲	▲	▲
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆	◆
Folic acid	◆	◆	◆	◆	◆	■	■	■
Garlic	◆	◆	◆	◆	◆	◆	◆	◆
Ginger (Zingiber officinale)	▲	▲	◆	◆	◆	▲	▲	▲
Ginkgo biloba	◆	◆	■	■	■	▲	▲	▲
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	▲	▲	◆	◆	◆	▲	▲	▲

	DOR	DOR + 3TC/TDF	EFV	ETV	NVP	RPV	RPV + DTG	RPV + F/TAf
<b>Herbals/Supplements/Vitamins (continued)</b>								
Hops (Humulus lupulus)	■	■	■	■	■	■	■	■
Inula racemosa	▲	▲	◆	◆	◆	▲	▲	▲
Iodine	◆	◆	◆	◆	◆	◆	◆	◆
Iron supplements	◆	◆	◆	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	▲	▲	◆	◆	◆	▲	▲	▲
Magnesium supplements	◆	◆	◆	◆	◆	■	■	■
Malabar nut tree	■	■	■	■	■	■	■	■
Menthol	▲	▲	◆	◆	◆	▲	▲	▲
Milk thistle (silymarin)	◆	◆	◆	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆	■	■	■
Nicotinamide	◆	◆	◆	◆	◆	◆	◆	◆
Phytomenadione (vitamin K)	◆	◆	◆	◆	◆	■	■	■
Pyridoxine (vitamin B6)	◆	◆	◆	◆	◆	◆	◆	◆
Quercetin	▲	▲	■	■	■	■	■	■
Retinol (vitamin A)	◆	◆	◆	◆	◆	◆	◆	◆
Riboflavin (vitamin B2)	◆	◆	◆	◆	◆	■	■	■
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆	◆	◆
Seville orange juice	▲	▲	◆	◆	◆	▲	▲	▲
St John's Wort	●	●	●	●	●	●	●	●
Thiamine (vitamin B1)	◆	◆	◆	◆	◆	■	■	■
Turmeric (Curcuma longa)	◆	◆	◆	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆	◆	◆	◆
Vitamin E	◆	◆	◆	◆	◆	■	■	■
<b>Hypertension / Heart Failure Agents</b>								
Aliskiren	◆	◆	◆	■	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	+	+	+	◆	◆	◆
Bosentan	■	■	◆	◆	◆	■	■	■
Candesartan	◆	◆	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆	◆	◆
Chlorthalidone	◆	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆	◆	◆
Digoxin	◆	◆	◆	■	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	■	■	■	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	■	■	■	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	▲	◆	◆	◆	◆	◆	◆
Hydralazine	◆	■	◆	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	■	■	■	◆	◆	◆
Irbesartan	◆	◆	▲	▲	▲	◆	◆	◆
Isosorbide dinitrate	◆	◆	▲	▲	▲	◆	◆	◆
Ivabradine	◆	◆	■	■	■	■	■	■
Labetalol	◆	◆	■	■	■	◆	◆	◆
Lacidipine	◆	◆	■	■	■	◆	◆	◆
Lercanidipine	◆	◆	■	■	■	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	▲	▲	▲	◆	◆	◆
Macitentan	◆	◆	■	■	■	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆	◆	◆
Olmesartan	◆	◆	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	■	■	■	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆	◆
Ranolazine	◆	■	◆	◆	◆	■	■	■
Riociguat	◆	◆	■	■	■	◆	◆	◆
Sacubitril	◆	▲	◆	◆	◆	◆	◆	◆
Selexipag	◆	◆	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	■	■	■	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆	◆	◆
Spirolactone	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	■	■	■	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	■	■	■	◆	◆	◆
Torasemide	◆	◆	▲	▲	▲	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	■	■	■	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

**Key to abbreviations**

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR + 3TC+ TDF	Doravirine + Lamivudine+Tenofovir-DF (Delstrigo®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
EFV	Efavirenz (Sustiva® Stocrin®)	RPV + F/TAf	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
ETV	Etravirine (Intelence®)		
NVP	Nevirapine (Viramune®)		

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool  
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with NNRTIs

Charts revised December 2018. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR + 3TC/TDF	EFV	ETV	NVP	RPV	RPV + DTG	RPV + F/TAF
<b>Illicit/Recreational</b>								
Alcohol	◆	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	◆	◆	◆	◆
Cocaine	◆	◆	◆	◆	◆	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	◆	◆	◆	◆
Poppers(Amyl nitrate)	◆	◆	◆	◆	◆	◆	◆	◆
<b>Immune Modulators</b>								
Hydroxyurea (Hydroxycarbamide)	◆	◆	◆	◆	◆	◆	◆	◆
Interferon alpha	◆	◆	◆	◆	◆	◆	◆	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2a	◆	◆	◆	◆	◆	◆	◆	◆
<b>Immunosuppressants</b>								
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	◆	◆	◆	◆	◆
Tacrolimus	◆	◆	◆	◆	◆	◆	◆	◆
<b>Lipid Lowering Agents</b>								
Atorvastatin	◆	◆	◆	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆	◆	◆
Lovastatin	◆	◆	◆	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	◆	◆	◆	◆	◆
<b>Overactive Bladder Agents</b>								
Darifenacin	◆	◆	◆	◆	◆	◆	◆	◆
Fesoterodine	◆	◆	◆	◆	◆	◆	◆	◆
Mirabegron	◆	◆	◆	◆	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	◆	◆	◆	◆	◆
Solifenacin	◆	◆	◆	◆	◆	◆	◆	◆
Tolterodine	◆	◆	◆	◆	◆	◆	◆	◆
Trospium	◆	◆	◆	◆	◆	◆	◆	◆
<b>Oxytocics</b>								
Ergometrine (Ergonovine)	◆	◆	◆	◆	◆	◆	◆	◆
Mifepristone	◆	◆	◆	◆	◆	◆	◆	◆
Misoprostol	◆	◆	◆	◆	◆	◆	◆	◆
Oxytocin	◆	◆	◆	◆	◆	◆	◆	◆
<b>Parkinsonism Agents</b>								
Apomorphine	◆	◆	◆	◆	◆	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆	◆	◆	◆
<b>Steroids</b>								
Beclometasone	◆	◆	◆	◆	◆	◆	◆	◆
Betamethasone	◆	◆	◆	◆	◆	◆	◆	◆
Budesonide	◆	◆	◆	◆	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆	◆	◆	◆	◆
Dexamethasone	◆	◆	◆	◆	◆	◆	◆	◆
Fludrocortisone	◆	◆	◆	◆	◆	◆	◆	◆
Fluocinolone	◆	◆	◆	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆	◆	◆	◆	◆
Hydrocortisone (oral)	◆	◆	◆	◆	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	◆	◆	◆	◆
Mometasone	◆	◆	◆	◆	◆	◆	◆	◆
Nandrolone	◆	◆	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆	◆	◆	◆	◆
Stanzazol	◆	◆	◆	◆	◆	◆	◆	◆
Testosterone	◆	◆	◆	◆	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	◆	◆	◆	◆	◆

	DOR	DOR + 3TC/TDF	EFV	ETV	NVP	RPV	RPV + DTG	RPV + F/TAF
<b>Other</b>								
Acetazolamide	◆	◆	◆	◆	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆	◆	◆	◆	◆
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆	◆	◆
Alendronic Acid	◆	◆	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	◆	◆	◆	◆	◆	◆
Allopurinol	◆	◆	◆	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆	◆	◆	◆
Carbamazole	◆	◆	◆	◆	◆	◆	◆	◆
Clomifene	◆	◆	◆	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆	◆	◆	◆	◆
Cyproterone acetate	◆	◆	◆	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆	◆	◆
Flibanserin	◆	◆	◆	◆	◆	◆	◆	◆
Goserelin	◆	◆	◆	◆	◆	◆	◆	◆
Ibandronic acid	◆	◆	◆	◆	◆	◆	◆	◆
Isotretinoin	◆	◆	◆	◆	◆	◆	◆	◆
Leuprorelin	◆	◆	◆	◆	◆	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆	◆	◆	◆
Modafinil	◆	◆	◆	◆	◆	◆	◆	◆
Naftidrofuryl	◆	◆	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆	◆	◆
Orlistat	◆	◆	◆	◆	◆	◆	◆	◆
Penicillamine	◆	◆	◆	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆	◆	◆
Probenecid	◆	◆	◆	◆	◆	◆	◆	◆
Propylthiouracil	◆	◆	◆	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆	◆	◆	◆
Strontium ranelate	◆	◆	◆	◆	◆	◆	◆	◆
Sulfasalazine	◆	◆	◆	◆	◆	◆	◆	◆
Tamsulosin	◆	◆	◆	◆	◆	◆	◆	◆
Thalidomide	◆	◆	◆	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆	◆	◆
Triptorelin	◆	◆	◆	◆	◆	◆	◆	◆
Varenicline	◆	◆	◆	◆	◆	◆	◆	◆
Zoledronic acid	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

**Key to abbreviations**

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR + 3TC+ TDF	Doravirine + Lamivudine+ Tenofovir-DF (Delstrigo®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
EFV	Efavirenz (Sustiva® Stocrin®)	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
ETV	Etravirine (Intelence®)		
NVP	Nevirapine (Viramune®)		

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool  
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.