



# Interactions with NNRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR + 3TC/TDF	DPV (VR)	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAf	RPV + F/TDF
<b>Anticonvulsants</b>										
Carbamazepine	●	●	◆	■	●	■	●	●	●	●
Cenobamate	●	●	◆	▲	●	■	●	●	●	●
Clonazepam	◆	◆	◆	■	■	■	◆	◆	◆	◆
Eslicarbazepine	●	●	◆	▲	▲	▲	●	●	●	●
Ethosuximide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Gabapentin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Lacosamide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	▲	▲	▲	▲	▲	▲	▲
Oxcarbazepine	●	●	◆	▲	▲	▲	●	●	●	●
Perampamel	■	■	◆	■	■	■	■	■	■	■
Phenobarbital (Phenobarbitone)	●	●	◆	■	●	■	●	●	●	●
Phenytoin	●	●	◆	■	●	■	●	●	●	●
Pregabalin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Primidone	●	●	◆	■	●	■	●	●	●	●
Sodium valproate	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tiagabine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Topiramate	◆	◆	◆	■	■	■	◆	◆	◆	◆
Valproate semisodium (Divalproex)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Valproic acid	◆	◆	◆	■	■	■	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Zonisamide	◆	◆	◆	■	■	■	◆	◆	◆	◆
<b>Antidepressants</b>										
Agomelatine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Bupropion	◆	◆	◆	■	■	■	◆	◆	◆	◆
Citalopram	◆	◆	◆	■	▲	▲	■	■	■	■
Clomipramine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Desipramine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Desvenlafaxine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Doxepin	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Duloxetine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Escitalopram	◆	◆	◆	▲	▲	▲	■	■	■	■
Fluoxetine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Imipramine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Lithium	◆	■	◆	▲	▲	▲	▲	▲	▲	▲
Maprotiline	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Mianserin	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Milnacipran	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Moclobemide	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Nefazodone	▲	▲	◆	■	■	■	▲	▲	▲	▲
Nortriptyline	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Opipramol	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Paroxetine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Phenelzine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Reboxetine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Sertraline	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Trazodone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Trimipramine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Venlafaxine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Vortioxetine	◆	◆	◆	■	■	■	◆	◆	◆	◆
<b>Anti-diabetics</b>										
Acarbose	◆	◆	◆	■	■	■	◆	◆	◆	◆
Alogliptin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Canagliflozin	◆	■	◆	■	■	■	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Exenatide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Gliclazide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Glimepiride	◆	◆	◆	■	■	■	◆	◆	◆	◆
Glipizide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Insulin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Linagliptin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Liraglutide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Metformin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Nateglinide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Repaglinide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Semaglutide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tirzepatide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	■	■	■	◆	◆	◆	◆

### Key to abbreviations

DOR	Doravirine (Pifeltro®)	NVP	Nevirapine (Viramune®)
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV	Rilpivirine (Edurant®)
DPV (VR)	Dapivirine Vaginal Ring (PrEP)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
EFV	Efavirenz (Sustiva®/Stocrin®)	RPV + F/TAf	Tenofovir alafenamide (Odefsey®)
ETR	Etravirine (Intence®)	RPV + F/TDF	Tenofovir-DF (Eviplera®, Complera®)

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.  
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

	DOR	DOR + 3TC/TDF	DPV (VR)	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAf	RPV + F/TDF
<b>Antifungals</b>										
Amphotericin B	◆	◆	◆	▲	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Caspofungin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Clotrimazole (pessary, troche)	▲	▲	◆	◆	◆	◆	▲	▲	▲	▲
Clotrimazole (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluconazole	▲	■	◆	■	■	■	■	■	■	■
Flucytosine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Griseofulvin	■	■	◆	■	■	■	■	■	■	■
Isavuconazole	▲	▲	◆	◆	◆	◆	▲	▲	▲	▲
Itraconazole	▲	■	◆	■	■	■	▲	▲	▲	▲
Ketoconazole	▲	■	◆	■	■	■	▲	▲	▲	▲
Miconazole	▲	▲	◆	◆	◆	◆	▲	▲	▲	▲
Nystatin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Posaconazole	▲	■	◆	■	■	■	▲	▲	▲	▲
Rezafungin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Terbinafine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Voriconazole	▲	■	◆	■	■	■	▲	▲	▲	▲
<b>Antihemorrhagics</b>										
Avatrombopag	◆	◆	◆	■	■	■	◆	◆	◆	◆
Eltrombopag	◆	◆	◆	■	■	■	◆	◆	◆	◆
Emicizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fostatinib	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Antihistamines</b>										
Astemizole	◆	◆	◆	■	■	■	■	■	■	■
Bilastine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desloratadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Doxylamine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	▲	▲	▲	▲	▲	▲	▲
Terfenadine	◆	◆	◆	■	■	■	■	■	■	■
<b>Antimigraine Agents</b>										
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atogepant	◆	◆	◆	■	■	■	◆	◆	◆	◆
Dihydroergotamine	▲	▲	◆	■	■	■	▲	▲	▲	▲
Eletriptan	◆	◆	◆	■	■	■	◆	◆	◆	◆
Eptinezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erenumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ergotamine	▲	▲	◆	■	■	■	▲	▲	▲	▲
Fremanezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Frovatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Galcanezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naratriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pizotifen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rimegepant	◆	◆	◆	■	■	■	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ubrogepant	◆	◆	◆	■	■	■	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
<b>Antiprotozoals</b>										
Amodiaquine	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Artemisinin	▲	▲	◆	■	■	■	▲	▲	▲	▲
Atovaquone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	■	▲	▲	■	■	■	■
Diloxanide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Eflornithine	◆	▲	◆	◆	◆	◆	▲	▲	▲	▲
Halofantrine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Hydroxychloroquine	◆	◆	◆	■	▲	▲	■	■	■	■
Lumefantrine	◆	◆	◆	■	■	■	▲	▲	▲	▲
Mefloquine	◆	◆	◆	■	■	■	▲	▲	▲	▲
Meglumine antimoniate	◆	■	◆	■	■	■	◆	◆	◆	◆
Melarsoprol	◆	◆	◆	■	■	■	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitazoxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Piperazine	▲	▲	◆	■	■	■	▲	▲	▲	▲
Primaquine	◆	◆	◆	■	■	■	▲	▲	▲	▲
Proguanil	◆</									

# Interactions with NNRTIs

Charts revised December 2024. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Page 3 of 7

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR + 3TC/TDF	DPV (VR)	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
<b>Antipsychotics/Neuroleptics</b>										
Amisulpride	♦	♦	♦	▲	♦	♦	♦	♦	♦	♦
Aripiprazole	♦	♦	♦	■	▲	■	▲	▲	▲	▲
Asenapine	♦	♦	♦	■	▲	■	▲	▲	▲	▲
Brexipiprazole	♦	♦	♦	■	■	■	■	■	■	■
Cariprazine	♦	♦	♦	●	●	●	■	■	■	■
Chlorpromazine	♦	♦	♦	■	■	■	■	■	■	■
Clozapine	♦	♦	♦	■	■	■	▲	▲	▲	▲
Flupentixol (Flupentixol)	♦	♦	♦	■	■	■	▲	▲	▲	▲
Fluphenazine	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Haloperidol	♦	♦	♦	■	▲	■	■	■	■	■
Iloperidone	♦	♦	♦	■	■	■	▲	▲	▲	▲
Levomepromazine	♦	♦	♦	■	■	■	■	■	■	■
Lurasidone	♦	♦	♦	■	■	■	▲	▲	▲	▲
Olanzapine	♦	♦	♦	■	■	■	■	■	■	■
Paliperidone	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Perazine	♦	♦	♦	■	■	■	▲	▲	▲	▲
Periciazine	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Perphenazine	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Pimozide	♦	♦	♦	●	●	●	■	■	■	■
Pipotiazine	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Quetiapine	♦	♦	♦	■	■	■	■	■	■	■
Risperidone	♦	♦	♦	■	■	■	■	■	■	■
Sulpiride	♦	♦	♦	■	■	■	■	■	■	■
Thioridazine	■	■	■	■	▲	■	■	■	■	■
Tiapride	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Ziprasidone	♦	♦	♦	■	■	■	●	●	●	●
Zotepine	♦	♦	♦	■	■	■	■	■	■	■
Zuclopendixol	♦	♦	♦	■	■	■	▲	▲	▲	▲
<b>Antivirals</b>										
Aciclovir	♦	♦	♦	♦	♦	♦	♦	♦	♦	■
Adefovir	♦	■	♦	♦	♦	♦	♦	♦	♦	●
Amantadine	♦	▲	♦	▲	♦	♦	♦	▲	♦	●
Brincidofovir	♦	♦	♦	♦	♦	♦	♦	♦	♦	▲
Bulevirtide	▲	▲	♦	●	●	♦	▲	▲	▲	▲
Cidofovir	♦	■	♦	■	■	■	■	■	■	■
Daclatasvir	♦	♦	♦	■	■	■	■	■	■	■
Elbasvir/Grazoprevir	♦	♦	♦	●	●	●	■	■	■	■
Entecavir	♦	♦	♦	♦	♦	♦	♦	♦	♦	■
Famciclovir	♦	▲	♦	♦	♦	♦	♦	♦	♦	▲
Favipiravir	♦	■	♦	■	■	■	■	■	■	■
Foscarnet	♦	♦	♦	♦	♦	♦	♦	♦	♦	■
Ganciclovir	♦	■	♦	♦	♦	♦	♦	♦	♦	■
Glecaprevir/Pibrentasvir	♦	♦	♦	●	●	●	■	■	■	■
Ledipasvir/sofosbuvir	♦	♦	♦	■	■	■	■	■	■	■
Letermovir	▲	▲	♦	●	●	●	▲	▲	▲	▲
Maribavir	♦	♦	♦	●	●	●	■	■	■	■
Molnupiravir	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nirmatrelvir/Ritonavir	♦	♦	♦	▲	▲	▲	■	■	■	■
Ombitasvir/Paritaprevir/r	▲	▲	♦	●	●	●	■	■	■	■
Ombitasvir/Paritaprevir/r + Dasabuvir	▲	▲	♦	●	●	●	■	■	■	■
Osetamivir	♦	♦	♦	♦	♦	♦	♦	♦	♦	■
Remdesivir	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Ribavirin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rimantadine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sofosbuvir	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sofosbuvir/Velpatasvir	♦	■	♦	●	●	●	■	■	■	■
Sofosbuvir/Velpatasvir/Voxilaprevir	♦	■	♦	●	●	●	■	■	■	■
Sotrovimab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tecovirimat	♦	▲	♦	▲	▲	▲	■	■	■	■
Telbivudine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tenofovir alafenamide (HBV)	♦	●	♦	♦	♦	♦	♦	♦	♦	●
Tixagevimab/Cilgavimab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Valaciclovir	♦	■	♦	♦	♦	♦	♦	♦	♦	■
Valganciclovir	♦	■	♦	♦	♦	♦	♦	♦	♦	■
Zanamivir	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦

For personal use only. Not for distribution.

	DOR	DOR + 3TC/TDF	DPV (VR)	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
<b>Anxiolytics/Hypnotics/ Sedatives</b>										
Alprazolam	♦	♦	♦	■	■	■	■	■	■	■
Bromazepam	♦	♦	♦	▲	▲	▲	■	■	■	■
Buspirone	♦	♦	♦	■	■	■	■	■	■	■
Chlordiazepoxide	♦	♦	♦	■	■	■	■	■	■	■
Clobazam	▲	▲	♦	▲	▲	▲	▲	▲	▲	▲
Clorazepate	♦	♦	♦	■	■	■	■	■	■	■
Daridorexant	♦	♦	♦	■	■	■	■	■	■	■
Diazepam	♦	♦	♦	■	■	■	■	■	■	■
Estazolam	♦	♦	♦	■	■	■	■	■	■	■
Flunitrazepam	♦	♦	♦	■	■	■	■	■	■	■
Flurazepam	♦	♦	♦	■	■	■	■	■	■	■
Hydroxyzine	♦	♦	♦	▲	▲	▲	■	■	■	■
Lorazepam	♦	♦	♦	■	■	■	■	■	■	■
Lormetazepam	♦	♦	♦	■	■	■	■	■	■	■
Melatonin	♦	♦	♦	■	■	■	■	■	■	■
Midazolam (buccal)	♦	♦	♦	■	■	■	■	■	■	■
Midazolam (oral)	♦	♦	♦	■	■	■	■	■	■	■
Midazolam (parenteral)	♦	♦	♦	■	■	■	■	■	■	■
Oxazepam	♦	♦	♦	■	■	■	■	■	■	■
Temazepam	♦	♦	♦	■	■	■	■	■	■	■
Triazolam	♦	♦	♦	■	■	■	■	■	■	■
Zaleplon	♦	♦	♦	■	■	■	■	■	■	■
Zolpidem	♦	♦	♦	■	■	■	■	■	■	■
Zopiclone	♦	♦	♦	■	■	■	■	■	■	■
<b>Beta Blockers</b>										
Atenolol	♦	▲	♦	♦	♦	♦	♦	■	♦	♦
Bisoprolol	♦	♦	♦	▲	▲	▲	■	■	■	■
Carvedilol	♦	♦	♦	▲	▲	▲	■	■	■	■
Metoprolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nebivolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxprenolol	♦	♦	♦	■	■	■	■	■	■	■
Pindolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Propranolol	♦	♦	♦	■	■	■	■	■	■	■
Sotalol	♦	▲	♦	■	■	■	■	■	■	■
Timolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
<b>Bisphosphonates</b>										
Alendronic acid (Alendronate)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ibandronic acid (Ibandronate)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Risedronic acid (Risedronate)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Zoledronic acid (Zoledronate)	♦	■	♦	♦	♦	♦	♦	♦	♦	■
<b>Bronchodilators</b>										
Acidiniun bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Aminophylline	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Formoterol	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Glycopyrronium bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Indacaterol	♦	♦	♦	▲	▲	▲	■	■	■	■
Ipratropium bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Montelukast	♦	♦	♦	▲	▲	▲	■	■	■	■
Olodaterol	♦	♦	♦	■	■	■	■	■	■	■
Roflumilast	♦	♦	♦	■	■	■	■	■	■	■
Salbutamol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Salmeterol	♦	♦	♦	■	■	■	■	■	■	■
Terbutaline	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Theophylline	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tiotropium bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Umeclidinium bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Vilanterol	♦	♦	♦	▲	▲	▲	■	■	■	■
<b>Calcium Channel Blockers</b>										
Amlodipine	♦	♦	♦	■	■	■	■	■	■	■
Diltiazem	▲	▲	♦	■	■	■	■	■	■	■
Felodipine	♦	♦	♦	■	■	■	■	■	■	■
Nicardipine	▲	▲	♦	■	■	■	■	■	■	■
Nifedipine	♦	♦	♦	■	■	■	■	■	■	■
Nisoldipine	♦	♦	♦	■	■	■	■	■	■	■
Nitrendipine	♦	♦	♦	■	■	■	■	■	■	■
Verapamil	▲	■	♦	■	■	■	▲	▲	■	■

### Key to abbreviations

DOR	Doravirine (Pifeltro <sup>®</sup> )	NVP	Nevirapine (Viramune <sup>®</sup> )
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DP (Delstrigo <sup>®</sup> )	RPV	Rilpivirine (Edurant <sup>®</sup> )
DPV (VR)	Dapivirine Vaginal Ring (PrEP)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca <sup>®</sup> )
EFV	Efavirenz (Sustiva <sup>™</sup> /Stocrin <sup>™</sup> )	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey <sup>®</sup> )
ETR	Etravirine (Intenceo <sup>®</sup> )	RPV + F/TDF	Rilpivirine + Emtricitabine + Tenofovir-DP (Eviplera <sup>®</sup> , Complera <sup>®</sup> )

### Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
♦	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.



# Interactions with NNRTIs

Charts revised December 2024. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR + 3TC/TDF	DPV (VR)	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAf	RPV + F/TDF
<b>Contraceptives/HRT</b>										
Bazedoxifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlormadinone (COC)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Conjugated estrogens	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Desogestrel (COC)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Desogestrel (POP)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Drospirenone (COC)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Drospirenone (HRT)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Drospirenone (POP)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Dydrogesterone (HRT)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Estradiol	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Ethinylestradiol	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Etonogestrel (implant)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Gestodene (COC)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Levonorgestrel (COC)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Levonorgestrel (HRT)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Levonorgestrel (implant)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	▲	◆	■	▲	▲	◆	◆	◆	▲
Medroxyprogesterone (HRT)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Norelgestromin (patch)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Norgestimate (COC)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Norgestimate (HRT)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Norgestrel (COC)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Norgestrel (HRT)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Progesterone (HRT)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Tibolone (HRT)	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
Ulipristal	◆	◆	◆	■	▲	▲	◆	◆	◆	◆
<b>Dementia Therapies</b>										
Donepezil	◆	◆	◆	■	■	■	■	■	■	■
Galantamine	◆	◆	◆	■	■	■	▲	▲	▲	▲
Memantine	◆	◆	◆	■	■	■	■	■	■	■
Rivastigmine	◆	◆	◆	■	■	■	■	■	■	■
<b>Erectile Dysfunctional Agents</b>										
Alprostadil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Avanafil	◆	◆	◆	■	■	■	◆	◆	◆	◆
Sildenafil (Erectile Dysfunction)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Vardenafil	◆	◆	◆	■	■	■	◆	◆	◆	◆
Yohimbine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Gastrointestinal Agents</b>										
Alosetron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bismuth subsalicylate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	▲	▲	▲	■	■	■	■
Cisapride	◆	◆	◆	■	■	■	◆	◆	◆	◆
Dexlansoprazole	◆	◆	◆	◆	◆	◆	■	■	■	■
Esomeprazole	◆	◆	◆	▲	▲	▲	■	■	■	■
Famotidine	◆	◆	◆	▲	▲	▲	■	■	■	■
Hyoscine butylbromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ispaghula husk	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	▲	▲	▲	■	■	■	■
Loperamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Macrogol (PEG 3350, PEG 4000)	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Mebeverine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nizatidine	◆	◆	◆	◆	◆	◆	■	■	■	■
Omeprazole	◆	◆	◆	▲	▲	▲	■	■	■	■
Pantoprazole	◆	◆	◆	▲	▲	▲	■	■	■	■
Prucalopride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Psyllium husk	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	■	■	■	■
Ranitidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sucralfate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Gastrointestinal Agents (anti-emetics)</b>										
Aprepitant	◆	◆	◆	■	■	■	◆	◆	◆	◆
Cyclizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dolasetron	◆	◆	◆	▲	▲	▲	▲	▲	▲	▲
Domperidone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Dronabinol	◆	◆	◆	■	■	■	◆	◆	◆	◆
Granisetron	◆	◆	◆	■	■	■	▲	▲	▲	▲
Hyoscine (Scopolamine)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Hyoscine hydrobromide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Metoclopramide	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
Netupitant	▲	▲	▲	■	■	■	▲	▲	▲	▲
Ondansetron	◆	◆	◆	■	■	■	▲	▲	▲	▲
Palonosetron	◆	◆	◆	■	■	■	▲	▲	▲	▲
Prochlorperazine	◆	◆	◆	▲	▲	▲	▲	▲	▲	▲

**Key to abbreviations**

DOR	Doravirine (Pifeltro <sup>®</sup> )	NVP	Nevirapine (Viramune <sup>®</sup> )
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo <sup>®</sup> )	RPV	Rilpivirine (Edurant <sup>®</sup> )
DPV (VR)	Dapivirine Vaginal Ring (PreP)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca <sup>®</sup> )
EFV	Efavirenz (Sustiva <sup>™</sup> /Stocrin <sup>™</sup> )	RPV + F/TAf	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey <sup>®</sup> )
ETR	Etravirine (Intenceo <sup>®</sup> )	RPV + F/TDF	Tenofovir-DF (Eviplera <sup>™</sup> , Complera <sup>®</sup> )

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

	DOR	DOR + 3TC/TDF	DPV (VR)	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAf	RPV + F/TDF
<b>Herbals/Supplements/Vitamins</b>										
African potato	■	■	◆	◆	◆	◆	■	■	■	■
Aloe vera	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ashwagandha (Withania somnifera)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ayahuasca	▲	▲	◆	◆	◆	◆	▲	▲	▲	▲
Beta-alanine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Black cohosh	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Branched chain amino acids	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caffeine (anhydrous powder)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium supplements	◆	◆	◆	◆	◆	◆	■	■	■	■
Cat's claw (Uncaria tomentosa)	▲	▲	◆	■	■	■	▲	▲	▲	▲
Coenzyme Q10	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol (vitamin D3) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Collagen hydrolysate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Creatine monohydrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	▲	■	◆	◆	◆	◆	▲	▲	▲	■
Cyanocobalamin [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ecdysterone (20-hydroxyecdysone)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Echinacea	▲	▲	◆	◆	◆	◆	▲	▲	▲	▲
Enteral Feeds	◆	◆	◆	■	■	■	■	■	■	■
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ferrous fumarate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ferrous sulfate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Folic acid [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Folic acid [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Garlic	■	■	◆	■	■	■	■	■	■	■
Ginger (Zingiber officinale)	▲	▲	◆	◆	◆	◆	▲	▲	▲	▲
Ginkgo biloba	◆	◆	◆	■	■	■	▲	▲	▲	▲
Ginseng (P. ginseng, P. quinquefolius)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glucosamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	▲	▲	◆	◆	◆	◆	▲	▲	▲	▲
Green tea extracts (Camellia sinensis)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Guggulsterone	■	■	◆	■	■	■	■	■	■	■
Homeopathic remedies	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hops (Humulus lupulus)	▲	▲	◆	▲	▲	▲	▲	▲	■	▲
Inula racemosa	▲	▲	◆	◆	◆	◆	▲	▲	▲	▲
Iodine [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iodine [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iron supplements (injection/infusion)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iron supplements (oral)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	▲	■	◆	◆	◆	◆	▲	▲	▲	■
Magnesium supplements	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Malabar nut tree	■	■	◆	■	■	■	■	■	■	■
Menthol	▲	▲	◆	◆	◆	◆	▲	▲	▲	▲
Milk thistle (silymarin)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mucuna pruriens	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicotinamide [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicotinamide [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Omega-3 fatty acids [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oral nutritional supplements	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phytomenadione (vitamin K) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phytomenadione [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridoxine [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quercetin	▲	▲	◆	■	■	■	▲	▲	▲	▲
Red yeast rice	◆	◆	◆	■	■	■	◆	◆	◆	◆

# Interactions with NNRTIs

Charts revised December 2024. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Page 6 of 7

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR + 3TC/TDF	DPV (VR)	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + FTDF
<b>Hypertension / Heart Failure Agents</b>										
Aliskiren	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amiloride	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Azilsartan	◆	◆	◆	▲	▲	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	▲	◆	◆	◆	◆	◆	◆
Bosentan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bumetanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Candesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Finerenone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Irbesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ivabradine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Labetalol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lercanidipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midodrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Minoxidil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moexipril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moxonidine	◆	▲	◆	◆	◆	◆	◆	◆	◆	▲
Olmesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Riociguat	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sacubitril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Selexipag	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Spirolactone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Torasemide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triamterene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Illicit/Recreational</b>										
Alcohol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cocaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enobosarm (Ostarine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitazenes	▲	▲	◆	◆	◆	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Psilocybin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trenbolone	◆	◆	▲	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	DOR	DOR + 3TC/TDF	DPV (VR)	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + FTDF
<b>Immune Modulators</b>										
Interferon alpha	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Peginterferon alpha-2a	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Peginterferon alpha-2b	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Immunosuppressants</b>										
Abatacept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Abrocitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Adalimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anakinra	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Apremilast	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Baricitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Belimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bimekizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Certolizumab pegol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dimethyl fumarate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etanercept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Golimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Guselkumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ixekizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Leflunomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Risankizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Secukinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tacrolimus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tildrakizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tofacitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ustekinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vedolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Lipid Lowering Agents</b>										
Alirocumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atorvastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bempedoic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colsevelam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Evolocumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Icosapent ethyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Inclisiran	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lomitapide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lovastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Omega-3 fatty acids	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

**Key to abbreviations**

DOR	Doravirine (Pifeltro®)	NVP	Nevirapine (Viramune®)
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV	Rilpivirine (Edurant®)
DPV (VR)	Dapivirine Vaginal Ring (PrEP)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
EFV	Efavirenz (Sustiva® Stocrin®)	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
ETR	Etravirine (Intence®)	RPV + F/TDF	Tenofovir-DF (Eviplera®, Complera®)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with NNRTIs

Charts revised December 2024. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Page 7 of 7

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR + 3TC/TDF	DPV (VR)	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAJ	RPV + F/TDF
<b>Other</b>										
Acamprosate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Acetazolamide	♦	■	♦	♦	♦	♦	♦	♦	♦	♦
Acitretin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Activated charcoal	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Adrenaline (Epinephrine)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Alfuzosin	♦	♦	♦	■	■	■	▲	▲	▲	▲
Allopurinol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Atomoxetine	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Atropine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Baclofen	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Betahistine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Biperiden	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Brimonidine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bromocriptine	♦	♦	♦	■	■	■	▲	▲	▲	▲
Cabergoline (lactation suppression)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Caffeine citrate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Calcitonin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Calcium folinate	♦	♦	♦	♦	♦	♦	▲	▲	▲	▲
Cannabidiol (CBD)	♦	♦	♦	■	■	■	♦	♦	♦	♦
Carbimazole	▲	▲	▲	♦	♦	♦	▲	▲	▲	▲
Cinacalcet	♦	♦	♦	■	■	■	▲	▲	▲	▲
Clomifene	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Colchicine	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Colestyramine (Cholestyramine)	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Cyproterone acetate	♦	♦	♦	■	■	■	♦	♦	♦	♦
Cytisine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dapoxetine	♦	♦	♦	▲	▲	▲	♦	♦	♦	♦
Deferasirox	♦	♦	♦	■	■	■	♦	♦	♦	♦
Denosumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Desmopressin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Disulfiram	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Drotaverine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dupilumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dutasteride	♦	♦	♦	■	■	■	♦	♦	♦	♦
Elagolix	■	■	■	■	■	■	■	■	■	■
Fampridine (Dalfampridine)	▲	▲	▲	♦	♦	♦	♦	♦	♦	♦
Febuxostat	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fezolinetant	♦	♦	♦	▲	▲	▲	♦	♦	♦	♦
Filgrastim	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Finasteride	♦	♦	♦	■	■	■	▲	▲	▲	▲
Flibanserin	▲	▲	▲	■	■	■	▲	▲	▲	▲
Glucose monohydrate (IV)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Glyceril trinitrate (Nitroglycerin)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Goserelin	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Isosorbide mononitrate	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Isotretinoin	♦	♦	♦	■	■	■	▲	▲	▲	▲
Leuporelin	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Levothyroxine	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Lisdexamfetamine	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Mannitol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Medroxyprogesterone	♦	♦	♦	■	■	■	♦	♦	♦	♦
Methylergometrine (Methylergonovine)	♦	♦	♦	■	■	■	♦	♦	♦	♦
Methylphenidate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Minoxidil (topical)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Modafinil	■	■	■	▲	▲	▲	■	■	■	■
Naftidrofuryl	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Naloxone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Naltrexone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Neostigmine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nicorandil	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nicotine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Octreotide	▲	▲	▲	■	■	■	▲	▲	▲	▲
Orlistat	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Ospemifene	♦	♦	♦	■	■	■	♦	♦	♦	♦
Pancreatic enzymes	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Penicillamine	♦	■	■	♦	♦	♦	♦	♦	♦	■
Pentosan polysulfate sodium	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pentoxifylline	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Phentermine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pilocarpine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pitolisant	♦	♦	♦	♦	♦	♦	▲	▲	▲	▲
Potassium	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Probenecid	♦	■	■	♦	♦	♦	♦	♦	♦	■
Propylthiouracil	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Protamine sulphate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pyridostigmine	♦	▲	▲	♦	♦	♦	▲	▲	▲	▲

For personal use only. Not for distribution.

	DOR	DOR + 3TC/TDF	DPV (VR)	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAJ	RPV + F/TDF
<b>Other (continued)</b>										
Raloxifene	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Riluzole	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ruxolitinib (topical)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sevelamer	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Sodium zirconium cyclosilicate	♦	♦	♦	♦	♦	♦	■	■	■	■
Strontium ranelate	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Sulfasalazine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tamsulosin	♦	♦	♦	■	■	■	♦	♦	♦	♦
Tenapanor	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Terlipressin	♦	♦	♦	▲	▲	▲	■	■	■	■
Tesamorelin	▲	▲	▲	♦	♦	♦	▲	▲	▲	▲
Thalidomide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tolvaptan	♦	▲	▲	■	■	■	♦	♦	♦	♦
Triptorelin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ursodeoxycholic acid	■	■	■	♦	♦	♦	■	■	■	■
Varenicline	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
<b>Overactive Bladder Agents</b>										
Darifenacin	♦	♦	♦	■	■	■	♦	♦	♦	♦
Fesoterodine	♦	♦	♦	■	■	■	♦	♦	♦	♦
Mirabegron	♦	♦	♦	▲	▲	▲	♦	♦	♦	♦
Oxybutynin	♦	♦	♦	■	■	■	♦	♦	♦	♦
Silodosin	♦	♦	♦	■	■	■	♦	♦	♦	♦
Solifenacin	♦	♦	♦	■	■	■	♦	♦	♦	♦
Tolterodine	♦	♦	♦	■	■	■	▲	▲	▲	▲
Trospium	♦	▲	▲	♦	♦	♦	▲	▲	▲	▲
<b>Oxytocics</b>										
Ergometrine (Ergonovine)	♦	♦	♦	■	■	■	♦	♦	♦	♦
Mifepristone	♦	♦	♦	■	■	■	♦	♦	♦	♦
Misoprostol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxytocin	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
<b>Parkinsonism Agents</b>										
Apomorphine	♦	♦	♦	▲	▲	▲	▲	▲	▲	▲
Benserazide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Benzatropine (Benzotropine)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cabergoline (Parkinson's)	♦	♦	♦	▲	▲	▲	♦	♦	♦	♦
Carbidopa	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Entacapone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Levodopa	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Orphenadrine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pramipexole	♦	▲	▲	♦	♦	♦	▲	▲	▲	▲
Procyclidine	♦	♦	♦	▲	▲	▲	♦	♦	♦	♦
Rasagiline	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ropinirole	♦	♦	♦	■	■	■	♦	♦	♦	♦
Safinamide	♦	♦	♦	▲	▲	▲	♦	♦	♦	♦
Selegiline	♦	♦	♦	▲	▲	▲	♦	♦	♦	♦
<b>Steroids</b>										
Beclometasone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Betamethasone	■	■	■	■	■	■	■	■	■	■
Budesonide	♦	♦	♦	■	■	■	♦	♦	♦	♦
Ciclesonide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clobetasol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Deflazacort	♦	♦	♦	●	●	●	♦	♦	♦	♦
Dexamethasone (doses >16 mg)	■	■	■	■	■	■	■	■	■	■
Dexamethasone (low dose; ≤16 mg)	♦	♦	♦	■	■	■	♦	♦	♦	♦
Fludrocortisone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Flunisolide	♦	♦	♦	■	■	■	♦	♦	♦	♦
Fluocinolone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fluticasone	♦	♦	♦	■	■	■	♦	♦	♦	♦
Hydrocortisone (oral)	♦	♦	♦	■	■	■	♦	♦	♦	♦
Hydrocortisone (topical)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Megestrol acetate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Methylprednisolone	♦	♦	♦	■	■	■	♦	♦	♦	♦
Mometasone	♦	♦	♦	■	■	■	♦	♦	♦	♦
Nandrolone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxandrolone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxymetholone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Prednisolone	♦	♦	♦	■	■	■	♦	♦	♦	♦
Prednisone	♦	♦	♦	■	■	■	♦	♦	♦	♦
Stanozolol	♦	♦	♦	■	■	■	♦	♦	♦	♦
Testosterone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Triamcinolone	♦	♦	♦	■	■	■	♦	♦	♦	♦

**Key to abbreviations**

DOR	Doravirine (Pifeltro <sup>®</sup> )	NVP	Nevirapine (Viramune <sup>®</sup> )
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo <sup>®</sup> )	RPV	Rilpivirine (Edurant <sup>®</sup> )
DPV (VR)	Dapivirine Vaginal Ring (PrEP)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca <sup>®</sup> )
EFV	Efavirenz (Sustiva <sup>®</sup> /Stocrin <sup>®</sup> )	RPV + F/TAJ	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey <sup>®</sup> )
ETR	Etravirine (Intelence <sup>®</sup> )	RPV + F/TDF	Tenofovir-DF (Eviplera <sup>®</sup> , Complera <sup>®</sup> )

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required.
♦	No clinically significant interaction expected.

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.