Interactions with NNRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
ADHD Agents										
Atomoxetine	◆	◆	◆	△	◆	◆	△	△	△	△
Dexamfetamine (dextroamphetamine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexmethylphenidate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Guanfacine	◆	◆	△	■	■	■	△	△	△	△
Lisdexamfetamine	◆	◆	◆	△	◆	◆	△	△	△	△
Methylphenidate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Serdexmethylphenidate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anaesthetics & Muscle Relaxants										
Alcuronium	◆	◆	△	◆	◆	◆	◆	■	△	△
Bupivacaine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyclobenzaprine	◆	◆	◆	△	△	△	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ephedrine	◆	◆	△	◆	◆	◆	◆	■	◆	◆
Esketamine (anaesthetic)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Etidocaine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	△	◆	◆	△	△	△	△
Ketamine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Methocarbamol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Minaxolone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	■	◆	■	■	■	■	■
Rocuronium	◆	◆	◆	■	◆	◆	◆	◆	◆	◆
Ropivacaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	◆	■	◆	◆	■	■	■	■
Sufentanil	◆	◆	◆	■	■	■	◆	◆	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	△	◆	◆	△	△	△	△
Vecuronium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Analgesics										
Alfentanil	◆	◆	◆	■	■	■	◆	◆	◆	◆
Aspirin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Buprenorphine	◆	◆	◆	■	△	◆	◆	◆	◆	◆
Celecoxib	◆	◆	■	■	■	◆	◆	◆	◆	■
Codeine	◆	◆	◆	△	△	△	◆	◆	◆	◆
Dexketoprofen	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Dextropropoxyphene	◆	◆	◆	■	■	■	◆	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	■	△	◆	◆	◆	◆	◆
Diclofenac	◆	◆	■	■	■	◆	◆	◆	◆	■
Dihydrocodeine	◆	◆	◆	△	△	△	◆	◆	◆	◆
Etoricoxib	◆	◆	■	■	■	■	◆	◆	◆	■
Fentanyl	◆	◆	◆	■	■	■	◆	◆	◆	◆
Hydrocodone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Hydromorphone	◆	◆	◆	■	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	■	■	■	◆	◆	◆	◆	■
Indometacin (Indomethacin)	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Ketoprofen	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Ketorolac	◆	◆	■	■	■	◆	◆	◆	◆	■
Lornoxicam (Chlortenoxicam)	◆	◆	■	■	■	◆	◆	◆	◆	■
Mefenamic acid	◆	◆	■	■	■	◆	◆	◆	◆	■
Meloxicam	◆	◆	■	■	■	◆	◆	◆	◆	■
Metamizole	■	■	■	△	△	△	■	■	■	■
Methadone	◆	◆	◆	■	△	■	■	■	■	■
Morphine	◆	◆	◆	■	△	◆	◆	◆	◆	◆
Naproxen	◆	◆	■	■	■	◆	◆	◆	◆	■
Nefopam	◆	◆	◆	△	△	△	◆	◆	◆	◆
Nimesulide	◆	◆	■	■	■	◆	◆	◆	◆	■
Oxycodone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Piroxicam	◆	◆	■	■	■	◆	◆	◆	◆	■
Suzetrigine	◆	◆	◆	●	●	●	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	△	◆	△	◆	◆	◆	◆
Anthelmintics										
Albendazole	◆	◆	◆	△	△	△	◆	◆	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	△	△	△	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	△	△	△	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	■	■	■	◆	◆	◆	◆
Pyrantel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	◆	△	△	△	△	△	△	△

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Antiarrhythmics										
Amiodarone	◆	◆	■	●	■	■	■	■	■	■
Bepridil	◆	◆	◆	●	■	■	■	■	■	■
Digoxin	◆	◆	◆	◆	■	◆	◆	◆	◆	◆
Disopyramide	◆	◆	△	■	■	■	■	■	■	■
Dofetilide	◆	◆	△	■	■	■	■	●	■	■
Dronedarone	△	△	△	■	■	■	■	■	■	■
Flecainide	◆	◆	◆	■	■	◆	■	■	■	■
Lidocaine (Lignocaine)	◆	◆	◆	△	■	■	◆	◆	◆	◆
Mexiletine	◆	◆	◆	◆	■	◆	◆	◆	◆	◆
Procainamide	◆	◆	◆	■	◆	◆	△	△	△	△
Propafenone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Quinidine	◆	◆	■	■	■	■	■	■	■	■
Antibacterials										
Amikacin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Amoxicillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ampicillin	◆	◆	△	◆	◆	◆	◆	◆	△	△
Azithromycin	◆	◆	◆	■	◆	◆	■	■	■	■
Bedaquiline	◆	◆	◆	■	■	◆	△	△	△	△
Capreomycin	◆	◆	■	◆	◆	◆	◆	△	△	■
Cefalexin	◆	◆	△	◆	◆	◆	◆	◆	◆	△
Cefazolin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefuroxime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	△	△	△	◆	△	◆	◆
Ciprofloxacin	◆	◆	◆	■	◆	◆	■	■	■	■
Clarithromycin	△	△	■	■	■	■	■	■	■	■
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Clofazimine	△	△	△	△	◆	◆	△	△	△	△
Cloxacillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daptomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	◆	■	◆	◆	△	△	△	△
Doxycycline	◆	◆	◆	■	■	■	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erythromycin	△	△	△	■	△	■	■	■	■	■
Ethambutol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	△	△	△	◆	◆	◆	■	■	■	■
Fosfomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Furazolidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gatifloxacin (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gemifloxacin	◆	◆	◆	△	◆	◆	◆	△	△	△
Gentamicin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Gepotidacin	◆	◆	◆	■	■	■	△	△	△	△
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Levofloxacin	◆	◆	◆	■	◆	◆	■	■	■	■
Linezolid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lymecycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	△	◆	◆	△	△	△	△
Minocycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	■	■	◆	■	■	■	■
Nafcillin	■	■	■	◆	△	◆	■	■	■	■
Neomycin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Nitrofurantoin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	△	◆	◆	△	△	△	△
Para-aminosalicylic acid	◆	◆	△	◆	◆	◆	◆	△	△	△
Penicillins	◆	◆	△	◆	◆	◆	◆	◆	◆	◆
Piperacillin	◆	◆	■	△	◆	◆	◆	◆	◆	■
Pretomanid	◆	◆	◆	●	●	●	△	△	△	△
Pyrazinamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rifabutin	■	■	■	■	■	△	■	■	●	■
Rifampicin	●	●	●	△	●	●	●	●	●	●
Rifapentine (daily)	●	●	●	△	●	●	●	●	●	●
Rifapentine (weekly)	■	■	■	◆	●	●	●	●	●	●
Rifaximin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Roxithromycin	◆	◆	◆	■	◆	◆	■	■	■	■
Spectinomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Sulfadiazine	◆	◆	■	△	△	◆	◆	◆	■	■
Tazobactam	◆	◆	■	△	◆	◆	◆	◆	◆	■
Teicoplanin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Telavancin	◆	◆	■	△	◆	◆	△	△	△	■
Telithromycin	△	△	△	■	■	■	△	△	△	△
Tetracyclines	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tobramycin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Trimethoprim/Sulfamethoxazole	◆	◆	△	◆	◆	◆	◆	◆	△	△
Vancomycin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Zoliflodacin	◆	◆	◆	●	●	●	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Using a saved or printed version? Click or scan to check for updates

Key to abbreviations

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR/ISL	Doravirine + Islatravir (Idvynso®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
EFV	Efavirenz (Sustiva® Stocrin®)	RPV + F/TDF	Rilpivirine + Emtricitabine + Tenofovir-DF (Eviplera®, Complera®)
ETR	Etravirine (Intelence®)		
NVP	Nevirapine (Viramune®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NNRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Anti-coagulant, Anti-platelet and Fibrinolytic										
Acenocoumarol	◆	◆	◆	■	■	■	◆	◆	◆	◆
Apixaban	◆	◆	◆	■	■	■	◆	◆	◆	◆
Argatroban	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betrixaban	◆	◆	◆	△	△	◆	△	△	△	△
Clopidogrel	◆	◆	◆	■	■	■	◆	◆	◆	◆
Dabigatran	◆	◆	◆	◆	■	◆	△	△	△	△
Dalteparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nadroparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	■	■	■	◆	◆	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	■	■	■	◆	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tinzaparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vorapaxar	◆	◆	◆	■	■	■	◆	◆	◆	◆
Warfarin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Anticonvulsants										
Brivaracetam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carbamazepine	●	●	●	■	●	■	●	●	●	●
Cenobamate	●	●	●	△	●	●	●	●	●	●
Clonazepam	◆	◆	◆	■	■	■	◆	◆	◆	◆
Eslicarbazepine	●	●	●	◆	△	△	●	●	●	●
Ethosuximide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Felbamate	◆	◆	◆	■	■	■	△	△	△	△
Fosphenytoin	●	●	●	■	●	■	●	●	●	●
Gabapentin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	■	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxcarbazepine	●	●	●	◆	△	△	●	●	●	●
Perampanel	■	■	■	■	■	■	■	■	■	■
Phenobarbital (Phenobarbitone)	●	●	●	■	●	●	●	●	●	●
Phenytoin	●	●	●	■	●	■	●	●	●	●
Pregabalin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Primidone	●	●	●	■	●	●	●	●	●	●
Sodium valproate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiagabine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Topiramate	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Valproate semisodium (Divalproex)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valproic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Antidepressants										
Agomelatine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Amoxapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	■	◆	■	◆	◆	◆	◆
Citalopram	◆	◆	◆	■	△	△	■	■	■	■
Clomipramine	◆	◆	◆	△	△	△	◆	◆	◆	◆
Desipramine	◆	◆	◆	△	◆	◆	△	△	△	△
Desvenlafaxine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	◆	■	△	△	■	■	■	■
Esketamine (antidepressant)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	△	◆	△	◆	◆	◆	◆
Imipramine	◆	◆	◆	■	■	■	△	△	△	△
Lithium	◆	◆	■	△	◆	◆	△	△	△	■
Maprotiline	◆	◆	◆	△	◆	◆	△	△	△	△
Mianserin	◆	◆	◆	△	△	△	△	△	△	△
Milnacipran	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	■	△	■	△	△	△	△
Moclobemide	◆	◆	◆	△	◆	◆	△	△	△	△
Nefazodone	△	△	△	■	■	■	△	△	△	△
Nortriptyline	◆	◆	◆	△	◆	◆	△	△	△	△
Opipramol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paroxetine	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Sertraline	◆	◆	◆	△	△	△	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Trazodone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Trimipramine	◆	◆	◆	△	◆	◆	△	△	△	△
Venlafaxine	◆	◆	◆	△	△	△	△	△	△	△
Vortioxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Anti-diabetics										
Acarbose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Dapagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆	■	■	■	■
Empagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆	◆	■	■	■	■
Glibenclamide (Glyburide)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Gliclazide	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆	■	■	■	■
Metformin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Nateglinide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Repaglinide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Semaglutide	◆	◆	◆	◆	◆	◆	■	■	■	■
Sitagliptin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tirzepatide	◆	◆	◆	◆	◆	◆	■	■	■	■
Tolbutamide	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antifungals										
Amphotericin B	◆	◆	■	△	◆	◆	◆	◆	◆	■
Anidulafungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Clotrimazole (pessary, troche)	△	△	△	◆	◆	◆	△	△	△	△
Clotrimazole (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluconazole	△	△	■	■	■	■	■	■	■	■
Flucytosine	◆	◆	■	◆	◆	◆	◆	◆	■	■
Griseofulvin	■	■	■	■	■	■	■	■	■	■
Ibrexafungerp	◆	◆	◆	●	●	●	◆	◆	◆	◆
Isavuconazole	△	△	△	●	●	●	△	△	△	△
Itraconazole	△	△	■	■	■	●	△	△	△	■
Ketoconazole	△	△	■	●	■	●	△	△	△	■
Miconazole	△	△	△	◆	△	◆	△	△	△	△
Nystatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Posaconazole	△	△	■	■	■	■	△	△	△	■
Rezafungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	△	△	△	◆	◆	◆	◆
Voriconazole	△	△	■	■	■	■	△	△	△	■
Antihaemorrhagics										
Avatrombopag	◆	◆	◆	■	■	■	◆	◆	◆	◆
Eltrombopag	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Emicizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fostamatinib	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antihistamines										
Astemizole	◆	◆	◆	●	■	■	■	■	■	■
Bilastine	◆	◆	◆	△	◆	◆	△	△	△	△
Cetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clemastine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desloratadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Doxylamine	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	△	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	△	◆	◆	△	△	△	△
Terfenadine	◆	◆	◆	●	■	■	■	■	■	■
Antimigraine Agents										
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atogepant	◆	◆	◆	■	■	■	◆	◆	◆	◆
Dihydroergotamine	△	△	△	■	■	■	△	△	△	△
Eletriptan	◆	◆	◆	■	■	■	◆	◆	◆	◆
Eptinezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erenumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ergotamine	△	△	△	■	■	■	△	△	△	△
Fremanezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Frovatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Galcanezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methysergide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Naratriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pizotifen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rimegepant	◆	◆	◆	●	●	●	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ubrogepant	◆	◆	◆	■	■	●	◆	◆	◆	◆
Zavegepant	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆	△	◆	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR/ISL	Doravirine + Islatravir (Idvynso®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
EFV	Efavirenz (Sustiva® Stocrin®)	RPV + F/TDF	Rilpivirine + Emtricitabine + Tenofovir-DF (Eviplera®, Complera®)
ETR	Etravirine (Intelence®)		
NVP	Nevirapine (Viramune®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NNRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Antiprotozoals										
Amodiaquine	◆	◆	◆	●	△	■	◆	◆	◆	◆
Artemether	◆	◆	◆	■	■	■	◆	◆	◆	◆
Artesunate	◆	◆	◆	■	■	■	◆	◆	◆	◆
Atovaquone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	■	△	△	■	■	■	■
Diloxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eflornithine	◆	◆	△	◆	◆	◆	◆	◆	△	△
Halofantrine	◆	◆	◆	■	■	■	■	■	■	■
Hydroxychloroquine	◆	◆	◆	■	△	△	■	■	■	■
Lumefantrine	◆	◆	◆	■	■	■	△	△	△	△
Mefloquine	◆	◆	◆	■	■	■	△	△	△	△
Meglumine antimoniate	◆	◆	■	■	◆	◆	■	■	■	■
Melarsoprol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitazoxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	■	■	◆	◆	■	■	■	■
Piperaquine	△	△	△	■	■	■	△	△	△	△
Primaquine	◆	◆	◆	■	■	■	△	△	△	△
Proguanil	◆	◆	◆	■	■	■	◆	◆	◆	◆
Pyrimethamine	◆	◆	△	◆	◆	◆	◆	◆	△	△
Quinine	◆	◆	◆	■	■	■	■	■	■	■
Sodium stibogluconate	◆	◆	◆	■	◆	◆	■	■	■	■
Sulfadoxine	◆	◆	△	◆	◆	◆	◆	◆	△	△
Antipsychotics/Neuroleptics										
Amisulpride	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	■	■	■	△	△	△	△
Asenapine	◆	◆	◆	■	△	△	△	△	△	△
Brexpiprazole	◆	◆	◆	■	■	■	◆	◆	◆	◆
Cariprazine	◆	◆	◆	●	●	●	◆	◆	◆	◆
Chlorpromazine	◆	◆	◆	■	◆	◆	■	■	■	■
Clozapine	◆	◆	◆	■	■	■	△	△	△	△
Flupentixol (Flupentixol)	◆	◆	◆	■	■	■	△	△	△	△
Fluphenazine	◆	◆	◆	△	◆	◆	△	△	△	△
Haloperidol	◆	◆	◆	■	△	△	■	■	■	■
Iloperidone	◆	◆	◆	■	■	■	△	△	△	△
Levomepromazine	◆	◆	◆	■	◆	◆	■	■	■	■
Lumateperone	◆	◆	◆	●	●	●	△	△	△	△
Lurasidone	◆	◆	◆	■	■	■	△	△	△	△
Milsaperidone	◆	◆	◆	■	■	■	△	△	△	△
Olanzapine	◆	◆	◆	■	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	△	△	△	△	△	△	△
Perazine	◆	◆	◆	■	■	■	△	△	△	△
Periciazine	◆	◆	◆	△	◆	◆	△	△	△	△
Perospirone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Perphenazine	◆	◆	◆	△	◆	◆	△	△	△	△
Pimavanserin	◆	◆	◆	●	●	●	△	△	△	△
Pimozide	◆	◆	◆	●	■	■	■	■	■	■
Pipotiazine	◆	◆	◆	△	◆	◆	△	△	△	△
Quetiapine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Risperidone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Sertindole	◆	◆	◆	■	■	■	■	■	■	■
Sulpiride	◆	◆	◆	■	◆	◆	■	■	■	■
Thioridazine	■	■	■	■	△	△	■	■	■	■
Tiapride	◆	◆	◆	△	◆	◆	△	△	△	△
Ziprasidone	◆	◆	◆	■	■	■	●	●	●	●
Zotepine	◆	◆	◆	■	■	■	△	△	△	△
Zuclopenthixol	◆	◆	◆	■	■	■	△	△	△	△
Antiretrovirals - Entry, Attachment and Capsid Inhibitors										
Albuvirtide	◆	△	△	◆	◆	◆	◆	△	△	△
Enfuvirtide	◆	△	△	◆	◆	◆	◆	△	△	△
Fostemsavir	◆	△	△	△	△	△	△	△	△	△
Ibalizumab-uiyk	◆	△	△	◆	◆	◆	◆	△	△	△
Lenacapavir	△	△	△	●	●	●	△	△	△	△
Maraviroc	◆	△	△	■	■	◆	◆	△	△	△
Antiretrovirals - Integrase Inhibitors										
Bictegravir/ Emtricitabine/ TAF	△	●	●	●	●	●	△	●	●	●
Bictegravir/ Lenacapavir [daily]	△	△	△	●	●	●	△	●	△	△
Cabotegravir [oral]	◆	△	△	◆	◆	◆	◆	●	△	△
Cabotegravir/Rilpivirine [long acting]	●	●	●	●	●	●	■	●	●	●
Dolutegravir	◆	△	△	■	■	■	◆	■	△	△
Dolutegravir/ Abacavir/ Lamivudine	△	●	●	■	■	■	△	●	●	●
Dolutegravir/ Lamivudine	△	●	●	■	■	■	△	●	●	●
Dolutegravir/ Lamivudine/ Tenofovir-DF	△	●	●	■	■	■	△	●	●	●
Dolutegravir/Rilpivirine	●	●	●	●	●	●	●	■	●	●
Elvitegravir/ Cobicistat/ Emtricitabine/ TAF	△	●	●	●	●	●	△	●	●	●
Elvitegravir/ Cobicistat/ Emtricitabine/ TDF	△	●	●	●	●	●	△	●	●	●
Raltegravir	◆	△	△	◆	△	◆	◆	●	△	△

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Antiretrovirals - Non-nucleoside Reverse Transcriptase Inhibitors										
Doravirine		■	■	●	●	●	●	●	●	●
Doravirine/Islatravir	■		●	●	●	●	●	●	●	●
Doravirine/Lamivudine/Tenofovir-DF	■	●		●	●	●	●	●	●	●
Efavirenz	●	●	●		●	●	●	●	●	●
Etravirine	●	●	●	●		●	●	●	●	●
Nevirapine	●	●	●	●	●		●	●	●	●
Rilpivirine	●	●	●	●	●	●		●	●	■
Rilpivirine/ Emtricitabine/TAF	●	●	●	●	●	●		●		●
Rilpivirine/ Emtricitabine/Tenofovir-DF	●	●	●	●	●	●	■	●	●	
Antiretrovirals - Nucleoside/tide Reverse Transcriptase Inhibitors										
Abacavir	◆	△	△	◆	◆	◆	◆	△	△	△
Emtricitabine	◆	●	●	◆	◆	◆	◆	△	●	●
Emtricitabine/Tenofovir alafenamide	◆	●	●	◆	◆	◆	◆	△	●	●
Emtricitabine/Tenofovir-DF	◆	●	●	◆	◆	◆	◆	△	●	●
Lamivudine	◆	●	●	◆	◆	◆	◆	△	●	●
Tenofovir-DF	◆	△	●	◆	◆	◆	◆	△	●	●
Zidovudine	◆	△	△	◆	◆	◆	◆	△	△	△
Antiretrovirals - Protease Inhibitors										
Atazanavir alone	△	△	●	●	●	●	△	■	■	●
Atazanavir + ritonavir	△	△	■	●	◆	●	△	■	■	■
Atazanavir/cobicistat	△	△	■	●	●	●	△	■	■	■
Darunavir + ritonavir	△	△	■	■	◆	◆	◆	△	■	■
Darunavir/cobicistat	△	△	■	●	●	●	◆	△	■	■
Darunavir/cobicistat/ Emtricitabine/TAF	△	●	●	●	●	●	■	△	●	●
Lopinavir/ritonavir	△	△	■	■	◆	■	△	■	■	■
Ritonavir	△	△	■	■	■	◆	◆	△	■	■
Antiretrovirals for PrEP										
Cabotegravir PrEP [long acting]	●	●	●	●	●	●	●	●	●	●
Dapivirine	●	●	●	●	●	●	●	●	●	●
Emtricitabine/Tenofovir alafenamide	●	●	●	●	●	●	●	●	●	●
Emtricitabine/Tenofovir-DF	●	●	●	●	●	●	●	●	●	●
Lenacapavir for PrEP	●	●	●	●	●	●	●	●	●	●
Antivirals										
Aciclovir	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Adefovir	◆	◆	●	◆	◆	◆	◆	◆	●	●
Amantadine	◆	◆	△	△	◆	◆	◆	△	◆	◆
Brincidofovir	◆	◆	△	△	◆	◆	◆	◆	△	△
Bulevirtide	△	△	△	●	●	◆	△	△	△	△
Cidofovir	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Daclatasvir	◆	◆	◆	■	■	■	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	◆	●	●	●	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	△	◆	◆	◆	◆	◆	◆	△
Favipiravir	◆	◆	■	■	■	◆	◆	◆	◆	■
Foscarnet	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Ganciclovir	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Glecaprevir/Pibrentasvir	◆	◆	◆	●	●	●	◆	◆	◆	◆
Ledipasvir/sofosbuvir	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Letermovir	△	△	△	●	●	●	△	△	■	△
Maribavir	◆	◆	◆	●	●	●	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nirmatrelvir/Ritonavir	◆	◆	◆	△	◆	△	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	△	△	△	●	●	●	■	■	■	■
Ombitasvir/Paritaprevir/r + Dasabuvir	△	△	△	●	●	●	■	■	■	■
Oseltamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	△	◆	◆	△	△	△	△
Ribavirin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	■	●	●	●	◆	◆	◆	■
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	■	●	●	●	◆	◆	◆	■
Sotrovimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tecovirimat	◆	◆	◆	△	△	◆	■	■	■	■
Telbivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	◆	◆	●	◆	◆	◆	◆	◆	●	●
Tixagevimab/Cilgavimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Valganciclovir	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Zanamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR/ISL	Doravirine + Islatravir (Idvynso®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
EFV	Efavirenz (Sustiva® Stocrin®)	RPV + F/TDF	Rilpivirine + Emtricitabine + Tenofovir-DF (Eviplera®, Complera®)
ETR	Etravirine (Intelence®)		
NVP	Nevirapine (Viramune®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NNRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Anxiolytics/Hypnotics/ Sedatives										
Alprazolam	◆	◆	◆	■	■	■	◆	◆	◆	◆
Bromazepam	◆	◆	◆	△	△	△	◆	◆	◆	◆
Buspirone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Clobazam	△	△	△	■	■	■	△	△	△	△
Clorazepate	◆	◆	◆	■	■	■	◆	◆	◆	◆
Daridorexant	◆	◆	◆	■	■	■	◆	◆	◆	◆
Diazepam	◆	◆	◆	■	■	■	◆	◆	◆	◆
Estazolam	◆	◆	◆	■	■	■	◆	◆	◆	◆
Eszopiclone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	■	■	■	◆	◆	◆	◆
Flurazepam	◆	◆	◆	■	■	■	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (buccal)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Secobarbital (quinalbarbitone)	◆	◆	◆	●	●	●	◆	◆	◆	◆
Suvorexant	◆	◆	◆	■	■	■	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	■	■	■	◆	◆	◆	◆
Zaleplon	◆	◆	◆	■	■	■	◆	◆	◆	◆
Zolpidem	◆	◆	◆	■	■	■	◆	◆	◆	◆
Zopiclone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Beta Blockers										
Atenolol	◆	◆	△	◆	◆	◆	◆	■	◆	◆
Bisoprolol	◆	◆	◆	△	△	△	◆	◆	◆	◆
Carvedilol	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sotalol	◆	◆	△	■	◆	◆	■	■	■	■
Timolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bisphosphonates										
Alendronic acid (Alendronate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ibandronic acid (Ibandronate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Risedronic acid (Risedronate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zoledronic acid (Zoledronate	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Bronchodilators										
Aclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Arformoterol	◆	◆	◆	△	◆	◆	△	△	△	△
Formoterol	◆	◆	◆	△	◆	◆	△	△	△	△
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	△	△	△	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	△	△	△	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	■	■	■	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	■	■	■	◆	◆	◆	◆
Terbutaline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	△	△	△	◆	◆	◆	◆
Zafirlukast	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Calcium Channel Blockers										
Amlodipine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Barnidipine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Diltiazem	△	△	△	■	■	■	△	△	△	△
Felodipine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Nicardipine	△	△	△	■	■	■	△	△	△	△
Nifedipine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Nimodipine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Verapamil	△	△	■	■	■	■	△	△	■	■

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Cancer Therapies										
Abemaciclib	◆	◆	◆	●	●	●	◆	◆	◆	◆
Abiraterone	◆	◆	◆	●	●	●	◆	◆	◆	◆
Acalabrutinib	◆	◆	◆	●	●	●	◆	◆	◆	◆
Afatinib	◆	◆	◆	△	△	△	◆	◆	◆	◆
Alectinib	◆	◆	◆	◆	◆	◆	◆	◆	△	◆
Alemtuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alpelisib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amivantamab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anastrozole	◆	◆	◆	■	■	■	◆	◆	◆	◆
Apalutamide	●	●	●	■	●	●	●	●	●	●
Arsenic trioxide	◆	◆	◆	■	◆	◆	■	■	■	■
Asciminib	◆	◆	◆	■	■	■	△	△	△	△
Asparaginase	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atezolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Avapritinib	△	△	△	●	●	●	△	△	△	△
Avelumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Axitinib	◆	◆	◆	●	●	●	◆	◆	◆	◆
Azacitidine	◆	◆	△	◆	◆	◆	◆	◆	△	△
Bendamustine	◆	◆	◆	△	◆	◆	△	△	△	△
Bevacizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bexarotene	◆	◆	◆	■	■	■	■	■	■	■
Bicalutamide	◆	◆	△	■	■	■	△	△	△	△
Binimetinib	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Blinatumomab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bortezomib	◆	◆	◆	■	■	■	△	△	△	△
Bosutinib	◆	◆	◆	●	●	●	◆	△	△	△
Brentuximab vedotin	◆	◆	◆	△	△	△	◆	◆	◆	◆
Brigatinib	◆	◆	◆	●	●	●	◆	◆	◆	◆
Busulfan	◆	◆	◆	■	■	■	◆	◆	◆	◆
Cabazitaxel	◆	◆	◆	■	■	■	◆	◆	◆	◆
Cabozantinib	◆	◆	◆	■	■	■	△	△	△	△
Capecitabine	◆	◆	△	△	◆	◆	△	△	△	△
Capmatinib	◆	◆	◆	●	●	●	◆	◆	◆	◆
Carboplatin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Carfilzomib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cedazuridine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cemiplimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceritinib	△	△	△	●	●	●	△	△	△	△
Cetuximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cisplatin	◆	◆	■	◆	◆	◆	◆	◆	■	■
Cladribine (injection)	●	●	●	●	●	●	●	●	●	●
Clofarabine	◆	●	■	◆	◆	◆	◆	◆	◆	■
Cobimetinib	◆	◆	◆	●	●	●	△	△	△	△
Copanlisib	◆	◆	◆	●	●	●	◆	◆	◆	◆
Crizotinib	△	△	△	●	●	●	△	△	△	△
Cyclophosphamide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Cytarabine	◆	●	◆	◆	◆	◆	◆	◆	◆	◆
Dabrafenib	■	■	■	■	●	●	■	■	■	■
Dacarbazine	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Dacomitinib	◆	◆	◆	◆	◆	◆	◆	△	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daratumumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Darolutamide	◆	◆	◆	■	■	■	△	△	△	△
Dasatinib	◆	◆	◆	■	■	■	△	△	△	△
Daunorubicin	◆	◆	◆	△	◆	◆	△	△	△	△
Decitabine	◆	◆	△	◆	◆	◆	◆	◆	△	△
Docetaxel	◆	◆	◆	■	■	■	■	■	■	■
Doxorubicin	◆	◆	◆	■	◆	◆	■	■	■	■
Droloxifene	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Durvalumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Duvelisib	△	△	△	■	■	■	△	△	△	△
Elotuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enasidenib	●	●	●	△	●	●	●	●	●	●
Encorafenib	●	●	●	●	●	●	●	●	●	●
Enfortumab vedotin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Entrectinib	◆	◆	◆	●	●	●	△	△	△	△
Enzalutamide	●	●	●	■	●	●	●	●	●	●
Epcoritamab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	■	◆	◆	△	△	△	△
Erdafitinib	△	△	△	●	●	●	△	△	△	△
Eribulin	◆	◆	◆	△	◆	◆	△	△	△	△
Erlotinib	◆	◆	◆	■	■	■	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Everolimus	◆	◆	◆	■	■	■	◆	◆	◆	◆
Exemestane	◆	◆	◆	■	■	■	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR/ISL	Doravirine + Islatravir (Idvynso®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
EFV	Efavirenz (Sustiva® Stocrin®)	RPV + F/TDF	Rilpivirine + Emtricitabine + Tenofovir-DF (Eviplera®, Complera®)
ETR	Etravirine (Intelence®)		
NVP	Nevirapine (Viramune®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NNRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Cancer Therapies (continued)										
Fedratinib	△	△	△	●	●	●	△	△	△	△
Fludarabine	◆	●	◆	◆	◆	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	△	△	◆	◆	△	△	△	△
Flutamide	◆	◆	◆	■	■	■	△	△	△	△
Formestane	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Fulvestrant	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	■	■	■	◆	◆	◆	◆
Gemcitabine	◆	●	◆	◆	◆	◆	◆	◆	◆	◆
Gilteritinib	◆	◆	◆	●	●	●	△	△	△	△
Glasdegib	◆	◆	◆	●	●	●	△	△	△	△
Hydroxycarbamide (Hydroxyurea)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ibrutinib	◆	◆	◆	●	●	●	◆	◆	◆	◆
Idarubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Idelalisib	△	△	△	■	■	■	△	△	△	△
Ifosfamide	■	■	■	■	■	■	■	■	■	■
Imatinib	△	△	△	■	■	■	■	■	■	■
Infigratinib	◆	◆	◆	●	●	●	◆	◆	◆	◆
Inotuzumab ozogamicin	◆	◆	◆	△	◆	◆	△	△	△	△
Ipilimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Irinotecan	◆	◆	◆	■	■	■	◆	◆	◆	◆
Isatuximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ivosidenib	●	●	●	■	●	●	●	●	●	●
Ixazomib	◆	◆	◆	■	■	■	◆	◆	◆	◆
Lapatinib	◆	◆	◆	■	■	■	△	△	△	△
Larotrectinib	◆	◆	◆	■	■	△	◆	◆	◆	◆
Lenalidomide	◆	◆	■	◆	◆	◆	◆	◆	■	■
Lenvatinib	◆	◆	◆	△	◆	◆	△	△	△	△
Letrozole	◆	◆	◆	■	■	■	◆	◆	◆	◆
Lomustine	◆	◆	■	■	■	■	◆	◆	◆	■
Lorlatinib	■	■	■	■	■	■	■	■	■	■
Mercaptopurine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	△	◆	◆	◆	◆	◆	◆	△
Methotrexate	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Midostaurin	◆	◆	◆	■	■	■	■	■	■	■
Mitomycin	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Mitotane	●	●	●	△	●	●	●	●	●	●
Mitoxantrone	◆	◆	◆	■	■	■	△	△	△	△
Mobocertinib	◆	◆	◆	●	●	●	■	■	■	■
Necitumumab	◆	◆	◆	△	◆	◆	△	△	△	△
Neratinib	◆	◆	■	●	●	●	◆	◆	■	■
Nilotinib	△	△	△	■	■	■	△	△	△	△
Nilutamide	◆	◆	◆	■	■	◆	△	△	△	△
Nintedanib	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Niraparib	◆	◆	△	◆	◆	◆	◆	◆	△	△
Nivolumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Obinutuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ofatumumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olaparib	◆	◆	◆	●	●	●	◆	◆	◆	◆
Olaratumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Osimertinib	◆	◆	■	■	■	■	△	△	■	■
Oxaliplatin	◆	◆	■	■	◆	◆	■	■	■	■
Paclitaxel	■	■	■	■	■	◆	■	■	■	■
Palbociclib	◆	◆	■	■	■	■	◆	◆	■	■
Panitumumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Panobinostat	◆	◆	◆	■	■	■	△	△	△	△
Pazopanib	◆	◆	◆	■	■	■	△	△	△	△
Pembrolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pemetrexed	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pemigatinib	◆	◆	■	■	■	■	△	△	■	■
Pentostatin	●	●	●	●	●	●	●	●	●	●
Pertuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pexidartinib	■	■	■	◆	◆	◆	■	■	■	■
Polatuzumab vedotin	◆	◆	◆	△	△	△	◆	◆	◆	◆
Pomalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ponatinib	◆	◆	■	■	■	■	◆	◆	■	■
Pralsetinib	△	△	■	■	■	■	△	△	■	■
Procarbazine	◆	◆	◆	■	◆	■	◆	◆	◆	◆
Regorafenib	◆	◆	◆	●	●	●	◆	△	◆	◆
Relugolix	◆	◆	◆	■	■	■	△	△	△	△
Repotrectinib	■	■	■	●	●	●	■	■	■	■
Ribociclib	△	△	■	■	■	■	△	△	■	■
Rituximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Romidepsin	◆	◆	◆	■	■	■	△	△	△	△
Rucaparib	◆	◆	△	■	■	■	△	△	△	△
Ruxolitinib	◆	◆	■	■	■	■	◆	◆	■	■
Selpercatinib	◆	◆	△	■	■	■	△	△	△	△
Sorafenib	◆	◆	■	■	■	■	△	△	△	■
Sotorasib	■	■	■	△	△	△	■	■	■	■
Sunitinib	◆	◆	◆	■	■	■	△	△	△	△
Talazoparib	◆	◆	◆	◆	△	◆	◆	◆	◆	◆
Tamoxifen	■	■	■	■	■	■	■	■	■	■
Tegafur/ Gimeracil/ Oteracil	◆	◆	◆	◆	◆	△	◆	◆	△	△
Temsirolimus	◆	◆	◆	■	■	■	△	△	△	△
Teniposide	◆	◆	◆	●	●	●	◆	◆	◆	◆
Tepotinib	◆	◆	■	◆	◆	◆	△	△	■	■
Thiotepa	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tisotumab vedotin	◆	◆	◆	△	△	△	◆	◆	◆	◆
Tivozanib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Topotecan	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Toremifene	◆	◆	◆	■	■	■	■	■	■	■
Trabectedin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Trametinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trastuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trastuzumab emtansine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trifluridine/Tipiracil	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Tucatinib	△	△	△	◆	◆	◆	◆	◆	△	△
Vemurafenib	■	■	■	■	■	■	■	■	■	■
Venetoclax	◆	◆	◆	●	●	●	◆	◆	◆	◆
Vinblastine	■	■	■	■	■	■	■	■	■	■
Vincristine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Vinorelbine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Vorinostat	◆	◆	◆	△	◆	◆	△	△	△	△
Contraceptives/HRT										
Bazedoxifene	◆	◆	◆	■	■	■	◆	◆	◆	◆
Chlormadinone (COC)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Conjugated estrogens	◆	◆	◆	■	■	■	◆	◆	◆	◆
Cyproterone acetate (2 mg or less)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Desogestrel (COC)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Desogestrel (POP)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Drospirenone (COC)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Drospirenone (HRT)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Drospirenone (POP)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Dydrogesterone (HRT)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Estradiol	◆	◆	◆	■	■	■	◆	◆	◆	◆
Ethinylestradiol	◆	◆	◆	■	◆	△	◆	◆	◆	◆
Etonogestrel (implant)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Gestodene (COC)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Levonorgestrel (COC)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	■	◆	◆	◆	◆	◆	◆
Levonorgestrel (HRT)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Levonorgestrel (implant)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	△	■	◆	◆	◆	◆	◆	△
Medroxyprogesterone (HRT)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Norelgestromin (patch)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	◆	●	◆	△	◆	◆	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	■	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Norgestimate (COC)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Norgestimate (HRT)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Norgestrel (COC)	◆	◆	◆	●	△	△	◆	◆	◆	◆
Norgestrel (HRT)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Progesterone (HRT)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tibolone (HRT)	◆	◆	◆	△	△	△	◆	◆	◆	◆
Ulipristal	◆	◆	◆	■	■	■	◆	◆	◆	◆
Cough and Cold Preparations										
Benzonatate	◆	◆	◆	△	◆	◆	△	△	△	△
Carbocisteine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dextromethorphan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pseudoephedrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cystic Fibrosis Agents										
Deutivacaftor/Tezacaftor/ Vanzacaftor	◆	◆	△	●	●	●	◆	◆	△	△
Ivacaftor	◆	◆	△	■	■	■	◆	◆	△	△
Ivacaftor/Lumacaftor	●	●	●	△	●	●	●	●	●	●
Ivacaftor/Tezacaftor	◆	◆	△	■	■	■	◆	◆	△	△
Ivacaftor/Tezacaftor/ Elexacaftor	◆	◆	△	■	■	■	◆	◆	△	△

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR/ISL	Doravirine + Islatravir (Idvynso®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
EFV	Efavirenz (Sustiva® Stocrin®)	RPV + F/TDF	Rilpivirine + Emtricitabine + Tenofovir-DF (Eviplera®, Complera®)
ETR	Etravirine (Intelence®)		
NVP	Nevirapine (Viramune®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NNRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Dementia Therapies										
Donepezil	◆	◆	◆	■	■	■	■	■	■	■
Ergoloid mesylates	◆	◆	◆	■	■	■	◆	◆	◆	◆
Galantamine	◆	◆	◆	■	■	■	△	△	△	△
Memantine	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Rivastigmine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erectile Dysfunctional Agents										
Alprostadil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Avanafil	◆	◆	◆	■	■	■	◆	◆	◆	◆
Sildenafil (Erectile Dysfunction)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Vardenafil	◆	◆	◆	■	■	■	◆	◆	◆	◆
Yohimbine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents										
Alosetron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆	■	■	■	■
Bisacodyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bismuth subsalicylate	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Cimetidine	◆	◆	◆	△	◆	◆	■	■	■	■
Cisapride	◆	◆	◆	●	■	■	■	■	■	■
Dexlansoprazole	◆	◆	◆	◆	◆	◆	●	●	●	●
Docusate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eluxadoline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	△	◆	◆	●	●	●	●
Famotidine	◆	◆	◆	△	◆	◆	■	■	■	■
Hyoscine butylbromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ispaghula husk	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	△	◆	◆	●	●	●	●
Linaclotide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Macrogol (PEG 3350, PEG 4000)	△	△	△	△	△	△	△	△	△	△
Mebeverine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naloxegol	◆	◆	◆	■	■	■	◆	◆	◆	◆
Nizatidine	◆	◆	◆	◆	◆	◆	■	■	■	■
Omeprazole	◆	◆	◆	△	◆	◆	●	●	●	●
Pantoprazole	◆	◆	◆	△	◆	◆	●	●	●	●
Prucalopride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Psyllium husk	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	●	●	●	●
Ranitidine	◆	◆	◆	◆	◆	◆	■	■	■	■
Roxatidine	◆	◆	◆	◆	◆	◆	■	■	■	■
Senna	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sucralfate	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Vonoprazan	◆	◆	◆	●	●	●	●	●	●	●
Gastrointestinal Agents (anti-emetics)										
Aprepitant	◆	◆	◆	●	●	■	◆	◆	◆	◆
Cyclizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dolasetron	◆	◆	◆	△	◆	◆	△	△	△	△
Domperidone	◆	◆	◆	●	■	■	■	■	■	■
Dronabinol	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Fosaprepitant	◆	◆	◆	●	●	■	◆	◆	◆	◆
Granisetron	◆	◆	◆	■	■	■	△	△	△	△
Hyoscine (Scopolamine)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Hyoscine hydrobromide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Metoclopramide	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Netupitant	△	△	△	■	■	■	△	△	△	△
Ondansetron	◆	◆	◆	■	◆	◆	■	■	■	■
Palonosetron	◆	◆	◆	◆	◆	◆	△	△	△	△
Prochlorperazine	◆	◆	◆	△	◆	◆	△	△	△	△
Rolapitant	◆	◆	■	●	●	■	◆	◆	■	■
Tradipitant	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tropisetron	◆	◆	◆	△	◆	◆	△	△	△	△

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Herbals/Supplements/Vitamins										
African potato	■	■	■	◆	◆	◆	■	■	■	■
Aloe vera	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Ashwagandha (Withania somnifera)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ayahuasca	△	△	△	◆	◆	◆	△	△	△	△
Berberine	◆	◆	◆	◆	◆	◆	△	△	△	△
Beta-alanine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Biotin (vitamin B7, vitamin H) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Biotin (vitamin B7, vitamin H) [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Black cohosh	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Branched chain amino acids	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caffeine (anhydrous powder)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcifediol (Calcidiol)	◆	◆	◆	△	△	△	◆	◆	◆	◆
Calcium supplements	◆	◆	◆	◆	◆	◆	■	■	■	■
Cat's claw (Uncaria tomentosa)	△	△	△	■	■	■	△	△	△	△
Coenzyme Q10 (Ubidecarenone)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol (vitamin D3) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Collagen hydrolysate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Creatine monohydrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	△	△	■	◆	◆	◆	△	△	△	■
Cyanocobalamin [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Ecdysterone (20-hydroxyecdysone)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Echinacea	△	△	△	◆	◆	◆	△	△	△	△
Enteral Feeds	◆	◆	◆	■	◆	◆	◆	■	◆	◆
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ferrous fumarate	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Ferrous sulfate	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Folic acid [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Folic acid [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Garlic	■	■	■	■	■	■	■	■	■	■
Ginger (Zinigiber officinale)	△	△	△	◆	◆	◆	△	△	△	△
Ginkgo biloba	△	△	△	■	△	△	△	△	△	△
Ginseng (P. ginseng, P. quinquefolius)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glucosamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	△	△	△	◆	◆	◆	△	△	△	△
Green tea extracts (Camellia sinensis)	◆	◆	△	◆	◆	◆	◆	◆	△	△
Guggulsterone	■	■	■	■	■	■	■	■	■	■
Homeopathic remedies	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hops (Humulus lupulus)	△	△	△	△	△	△	△	△	■	△
Inula racemosa	△	△	△	◆	◆	◆	△	△	△	△
Iodine [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iodine [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Iron supplements (injection/infusion)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iron supplements (oral)	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Liquorice (Glycyrrhiza glabra)	△	△	■	◆	◆	◆	△	△	△	■
Magnesium supplements	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Malabar nut tree	■	■	■	■	■	■	■	■	■	■
Menthol	△	△	△	◆	◆	◆	△	△	△	△
Milk thistle (silymarin)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mucuna pruriens	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Nicotinamide [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicotinamide [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Omega-3 fatty acids [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Oral nutritional supplements	◆	◆	◆	■	◆	◆	◆	■	◆	◆
Phytomenadione (vitamin K) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phytomenadione [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Pyridoxine (vitamin B6) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridoxine [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Quercetin	△	△	△	■	■	■	△	△	△	△
Red yeast rice	◆	◆	◆	■	■	■	◆	◆	◆	◆
Retinol (vitamin A) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Retinol (vitamin A) [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Riboflavin (vitamin B2) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Riboflavin [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Seville orange juice	△	△	△	◆	◆	◆	△	△	△	△
St John's Wort	●	●	●	●	●	●	●	●	●	●
Thiamine (vitamin B1) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiamine [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Tocopherol (vitamin E) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [in multivitamins]	◆	◆	◆	◆	◆	◆	◆	■	◆	◆
Turmeric (Curcuma longa)	◆	◆	△	◆	◆	◆	◆	◆	△	△
Valerian	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Whey protein	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zinc	◆	◆	◆	◆	◆	◆	◆	■	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR/ISL	Doravirine + Islatravir (Idvynso®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
EFV	Efavirenz (Sustiva® Stocrin®)	RPV + F/TDF	Rilpivirine + Emtricitabine + Tenofovir-DF (Eviplera®, Complera®)
ETR	Etravirine (Intelence®)		
NVP	Nevirapine (Viramune®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NNRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Hypertension / Heart Failure Agents										
Aficamten	◆	◆	◆	■	■	■	◆	◆	◆	◆
Aliskiren	◆	◆	◆	◆	■	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	△	◆	◆	◆	◆	△	◆	◆
Azilsartan	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	■	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Bosentan	■	■	■	■	■	■	■	■	■	■
Bumetanide	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Candesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Finerenone	◆	◆	◆	●	●	●	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	△	△	◆	◆	◆	◆	◆	△
Hydralazine	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Hydrochlorothiazide	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Irbesartan	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	△	△	△	◆	◆	◆	◆
Ivabradine	◆	◆	◆	■	■	■	■	■	■	■
Labetalol	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	■	■	■	△	△	△	△
Lercanidipine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	■	■	■	◆	◆	◆	◆
Mavacamten	◆	◆	◆	●	●	●	◆	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Minoxidil	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Moexipril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moxonidine	◆	◆	△	◆	◆	◆	◆	◆	◆	△
Olmesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	■	■	■	■	△	△	■	■
Riociguat	◆	◆	◆	■	■	■	◆	◆	◆	◆
Sacubitril	◆	◆	△	◆	◆	◆	◆	◆	◆	△
Selexipag	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Torasemide	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	■	◆	◆	◆	◆	◆	◆
Triamterene	◆	◆	◆	■	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Illicit/Recreational										
Alcohol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Cocaine	◆	◆	◆	■	■	■	■	■	■	■
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enobosarm (Ostarine)	◆	◆	◆	■	■	■	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	■	■	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylone	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Monkey dust	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Nitazenes	△	△	△	◆	◆	◆	△	△	△	△
Phencyclidine (PCP)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Psilocybin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trenbolone	◆	◆	◆	△	◆	◆	◆	◆	◆	◆

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Immune Modulators										
Interferon alpha	◆	◆	■	◆	◆	◆	◆	◆	■	■
Interferon gamma-1b	◆	◆	■	◆	◆	◆	◆	◆	■	■
Interleukin 2 (Aldesleukin)	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Peginterferon alfa-2a	◆	◆	■	◆	◆	◆	◆	◆	■	■
Peginterferon alfa-2b	◆	◆	■	◆	◆	◆	◆	◆	■	■
Immunosuppressants										
Abatacept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Abrocitinib	◆	◆	◆	●	●	■	◆	◆	◆	◆
Adalimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anakinra	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Apremilast	◆	◆	◆	■	■	■	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Baricitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Belimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bimekizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Certolizumab pegol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ciclosporin	△	△	■	■	■	■	△	△	■	■
Cladribine (oral)	●	●	●	●	●	●	●	●	●	●
Dimethyl fumarate	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Etanercept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Golimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Guselkumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ixekizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Leflunomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Mycophenolate	◆	◆	■	■	◆	■	◆	◆	◆	■
Risankizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Secukinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sirolimus	■	■	■	■	■	■	◆	◆	◆	△
Tacrolimus	■	■	■	■	■	■	△	△	△	△
Tildrakizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tofacitinib	◆	◆	◆	■	■	■	◆	◆	◆	◆
Ustekinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vedolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lipid Lowering Agents										
Alirocumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atorvastatin	◆	◆	◆	■	△	△	◆	◆	◆	◆
Bempedoic acid	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colesevelam	△	△	△	△	△	△	△	△	△	△
Evolocumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Icosapent ethyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Inclisiran	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lomitapide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Lovastatin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Omega-3 fatty acids	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	■	■	■	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR/ISL	Doravirine + Islatravir (Idvynso®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
EFV	Efavirenz (Sustiva® Stocrin®)	RPV + F/TDF	Rilpivirine + Emtricitabine + Tenofovir-DF (Eviplera®, Complera®)
ETR	Etravirine (Intelence®)		
NVP	Nevirapine (Viramune®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NNRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Other										
Acamprosate	◆	◆	◆	◆	◆	◆	◆	◆	△	△
Acetazolamide	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Acitretin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Activated charcoal	△	△	△	△	△	△	△	△	△	△
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	◆	■	■	■	△	△	△	△
Allopurinol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Birch tree pollen allergen extract	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brimonidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brinzolamide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Bromocriptine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Cabergoline (lactation suppression)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcitonin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcitriol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium folinate	◆	◆	◆	◆	◆	◆	◆	△	◆	◆
Cannabidiol (CBD)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Carbimazole	△	△	△	◆	◆	◆	△	△	△	△
Cinacalcet	◆	◆	◆	■	■	■	△	△	△	△
Clomifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	△	△	△	◆	◆	◆	◆
Colestyramine (Cholestyramine)	△	△	△	△	△	△	△	△	△	△
Cyproterone acetate (≥50 mg)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Cytisine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dapoxetine	◆	◆	◆	△	△	△	◆	◆	◆	◆
Darbepoetin alfa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Deferasirox	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desmopressin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Drotaverine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dupilumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	■	■	■	◆	◆	◆	◆
Elagolix	■	■	■	■	■	■	■	■	■	■
Elinzanetant	◆	◆	◆	●	●	●	◆	◆	◆	◆
Epoetin alfa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Epoetin beta	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fampridine (Dalfampridine)	◆	◆	△	◆	◆	◆	◆	●	◆	◆
Febuxostat	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fezolinetant	◆	◆	◆	△	△	◆	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	■	■	■	◆	◆	◆	◆
Flibanserin	△	△	△	■	△	△	△	△	△	△
Glacial acetic acid (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glucose monohydrate (IV)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glyceryl trinitrate (Nitroglycerin)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Goserelin	◆	◆	◆	△	◆	◆	△	△	△	△
Grass pollen allergen extract	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hexobarbital	●	●	●	●	●	●	●	●	●	●
House dust mite allergen extract	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isosorbide mononitrate	◆	◆	◆	△	△	△	◆	◆	◆	◆
Isotretinoin	◆	◆	◆	■	△	△	◆	◆	◆	◆
Leuprorelin	◆	◆	◆	△	◆	◆	△	△	△	△
Levothyroxine	◆	◆	◆	■	■	◆	◆	◆	◆	◆
Lofexidine	◆	◆	◆	△	◆	◆	△	△	△	△
Mannitol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Methylergometrine (Methylergonovine)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Midodrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Minoxidil (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Modafinil	■	■	■	△	△	△	■	■	■	■
Naftidrofuryl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicotine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Octreotide	△	△	△	■	■	■	△	△	△	△
Orforglipron	◆	◆	◆	■	■	■	◆	◆	◆	◆
Orlistat	△	△	△	△	△	△	△	△	△	△
Ospemifene	◆	◆	◆	■	■	■	◆	◆	◆	◆
Pancreatic enzymes	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Penicillamine	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Pentosan polysulfate sodium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phentermine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenylephrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Piracetam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pitolisant	◆	◆	◆	■	■	■	△	△	△	△
Potassium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	DOR	DOR/ISL	DOR + 3TC/TDF	EFV	ETR	NVP	RPV	RPV + DTG	RPV + F/TAF	RPV + F/TDF
Other (continued)										
Probenecid	◆	◆	■	◆	◆	◆	◆	◆	◆	■
Propylthiouracil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	△	◆	◆	◆	◆	△	△	△
Raloxifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ramelteon	◆	◆	◆	■	■	■	◆	◆	◆	◆
Riluzole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ruxolitinib (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Samidorphan	◆	◆	◆	●	●	●	◆	◆	◆	◆
Sevelamer	△	△	△	△	△	△	△	△	△	△
Sodium phosphate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sodium zirconium cyclosilicate	◆	◆	◆	◆	◆	◆	■	■	■	■
Strontium ranelate	△	△	△	△	△	△	△	■	△	△
Sulfasalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tamsulosin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tasimelteon	◆	◆	◆	●	●	■	◆	◆	◆	◆
Telotristat	■	■	■	■	■	■	■	■	■	■
Tenapanor	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terlipressin	◆	◆	◆	△	◆	◆	■	■	■	■
Tesamorelin	△	△	△	◆	◆	◆	△	△	△	△
Thalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiamazole (Methimazole)	△	△	△	◆	◆	◆	△	△	△	△
Tolvaptan	◆	◆	△	■	■	■	◆	◆	△	△
Triptorelin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ursodeoxycholic acid	■	■	■	◆	◆	◆	■	■	■	■
Varenicline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zileuton	◆	◆	◆	△	△	◆	◆	■	■	■
Overactive Bladder Agents										
Darifenacin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Fesoterodine	◆	◆	◆	■	■	■	◆	◆	◆	◆
Mirabegron	◆	◆	◆	△	◆	◆	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Silodosin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Solifenacin	◆	◆	◆	■	■	■	◆	◆	◆	◆
Tolterodine	◆	◆	◆	■	■	■	△	△	△	△
Trospium	◆	◆	△	◆	◆	◆	◆	△	◆	◆
Oxytocics										
Ergometrine (Ergonovine)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Mifepristone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Misoprostol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxytocin	◆	◆	◆	△	◆	◆	△	△	△	△
Parkinsonism Agents										
Apomorphine	◆	◆	◆	△	△	△	△	△	△	△
Benserazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benzatropine (Benztropine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cabergoline (Parkinson's)	◆	◆	◆	◆	△	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Entacapone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Orphenadrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	△	◆	◆	◆	◆	△	◆	◆
Procyclidine	◆	◆	◆	△	△	△	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	■	◆	◆	◆	◆	◆	◆
Safinamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Selegiline	◆	◆	◆	△	△	△	◆	◆	◆	◆
Steroids										
Beclometasone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betamethasone	■	■	■	■	■	■	■	■	■	■
Betamethasone (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Budesonide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Ciclesonide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cortisone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Cortisone (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Deflazacort	◆	◆	◆	●	●	●	◆	◆	◆	◆
Dexamethasone (doses >16 mg)	■	■	■	■	■	■	●	●	●	●
Dexamethasone (low dose; ≤16 mg)	◆	◆	◆	■	■	■	■	■	■	■
Fludrocortisone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Flunisolide	◆	◆	◆	■	■	■	◆	◆	◆	◆
Fluocinolone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Hydrocortisone (oral)	◆	◆	◆	■	■	■	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Mometasone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Nandrolone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxymetholone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Prednisone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Stanozolol	◆	◆	◆	■	■	■	◆	◆	◆	◆
Testosterone	◆	◆	◆	■	■	■	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	■	■	■	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

DOR	Doravirine (Pifeltro®)	RPV	Rilpivirine (Edurant®)
DOR/ISL	Doravirine + Islatravir (Idvynso®)	RPV + DTG	Rilpivirine + Dolutegravir (Juluca®)
DOR + 3TC + TDF	Doravirine + Lamivudine + Tenofovir-DF (Delstrigo®)	RPV + F/TAF	Rilpivirine + Emtricitabine + Tenofovir alafenamide (Odefsey®)
EFV	Efavirenz (Sustiva® Stocrin®)	RPV + F/TDF	Rilpivirine + Emtricitabine + Tenofovir-DF (Eviplera®, Complera®)
ETR	Etravirine (Intelence®)		
NVP	Nevirapine (Viramune®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.