

Interactions with NRTIs

Charts reviewed December 2018. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	PrEP	3TC	d4T	TDF	ZDV
Anaesthetics & Muscle Relaxants									
Alcuronium	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bupivacaine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cisatracurium	♦	♦	♦	♦	♦	♦	♦	♦	♦
Desflurane	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dexmedetomidine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Enflurane	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ephedrine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Halothane	♦	♦	♦	♦	♦	♦	♦	♦	♦
Isoflurane	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ketamine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nitrous oxide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Propofol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rocuronium	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sevoflurane	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sufentanil	♦	♦	♦	♦	♦	♦	♦	♦	♦
Suxamethonium (succinylcholine)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tetracaine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Thiopental	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tizanidine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Vecuronium	♦	♦	♦	♦	♦	♦	♦	♦	♦
Analgesics									
Alfentanil	♦	♦	♦	♦	♦	♦	♦	♦	♦
Aspirin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Buprenorphine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Celecoxib	♦	♦	♦	♦	♦	♦	♦	♦	♦
Codeine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dextropropoxyphene	♦	♦	♦	♦	♦	♦	♦	♦	♦
Diamorphine (diacetylmorphine)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Diclofenac	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dihydrocodeine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fentanyl	♦	♦	♦	♦	♦	♦	♦	♦	♦
Hydrocodone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Hydromorphone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ibuprofen	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mefenamic acid	♦	♦	♦	♦	♦	♦	♦	♦	♦
Methadone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Morphine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Naproxen	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nimesulide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxycodone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Paracetamol (Acetaminophen)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pethidine (Meperidine)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Piroxicam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tramadol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Antihelmintics									
Albendazole	♦	♦	♦	♦	♦	♦	♦	♦	♦
Diethylcarbamazine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ivermectin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Levamisole (Ergamisol)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mebendazole	♦	♦	♦	♦	♦	♦	♦	♦	♦
Niclosamide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxamniquine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Praziquantel	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pyrantel	♦	♦	♦	♦	♦	♦	♦	♦	♦
Suramin sodium	♦	♦	♦	♦	♦	♦	♦	♦	♦
Triclabendazole	♦	♦	♦	♦	♦	♦	♦	♦	♦
Antiarrhythmics									
Amiodarone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bepidil	♦	♦	♦	♦	♦	♦	♦	♦	♦
Disopyramide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dofetilide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Flecainide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Lidocaine (Lignocaine)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mexiletine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Propafenone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Quinidine	♦	♦	♦	♦	♦	♦	♦	♦	♦

For personal use only. Not for distribution.

	ABC	ddl	FTC	F/TAF	PrEP	3TC	d4T	TDF	ZDV
Antibacterials									
Amikacin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Amoxicillin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ampicillin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Azithromycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bedaquiline	♦	♦	♦	♦	♦	♦	♦	♦	♦
Capreomycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cefalexin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cefazolin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cefixime	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cefotaxime	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ceftazidime	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ceftriaxone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Chloramphenicol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ciprofloxacin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clarithromycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clavulanic acid	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clindamycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clofazimine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cloxacillin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cycloserine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dapsone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Delamanid	♦	♦	♦	♦	♦	♦	♦	♦	♦
Doxycycline	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ertapenem	♦	♦	♦	♦	♦	♦	♦	♦	♦
Erythromycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ethambutol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ethionamide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Flucloxacillin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Gentamicin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Imipenem/Cilastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Isoniazid	♦	♦	♦	♦	♦	♦	♦	♦	♦
Kanamycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Levofloxacin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Linezolid	♦	♦	♦	♦	♦	♦	♦	♦	♦
Meropenem	♦	♦	♦	♦	♦	♦	♦	♦	♦
Metronidazole	♦	♦	♦	♦	♦	♦	♦	♦	♦
Moxifloxacin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nitrofurantoin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ofloxacin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Para-aminosalicylic acid	♦	♦	♦	♦	♦	♦	♦	♦	♦
Penicillins	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pyrazinamide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rifabutin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rifampicin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rifapentine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rifaximin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Spectinomycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Streptomycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sulfadiazine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Telithromycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tetracyclines	♦	♦	♦	♦	♦	♦	♦	♦	♦
Trimethoprim/Sulfamethoxazole	♦	♦	♦	♦	♦	♦	♦	♦	♦
Vancomycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Anti-coagulant, Anti-platelet and Fibrinolytic									
Acenocoumarol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Apixaban	♦	♦	♦	♦	♦	♦	♦	♦	♦
Aspirin (anti-platelet)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Betrixaban	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clopidogrel	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dabigatran	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dalteparin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dipyridamole	♦	♦	♦	♦	♦	♦	♦	♦	♦
Edoxaban	♦	♦	♦	♦	♦	♦	♦	♦	♦
Eltrombopag	♦	♦	♦	♦	♦	♦	♦	♦	♦
Enoxaparin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fondaparinux	♦	♦	♦	♦	♦	♦	♦	♦	♦
Heparin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Phenprocoumon	♦	♦	♦	♦	♦	♦	♦	♦	♦
Prasugrel	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rivaroxaban	♦	♦	♦	♦	♦	♦	♦	♦	♦
Streptokinase	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ticagrelor	♦	♦	♦	♦	♦	♦	♦	♦	♦
Warfarin	♦	♦	♦	♦	♦	♦	♦	♦	♦

Key to abbreviations

ABC	Abacavir (Ziagen [®])
ddl	Didanosine (Videx [®] , Videx-EC [®])
FTC	Emtricitabine (Emtriva [®])
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy [®])
PrEP	Emtricitabine + Tenofovir-DF
3TC	Lamivudine (Epivir [®])
d4T	Stavudine (Zerit [®])
TDF	Tenofovir disoproxil fumarate (Viread [®])
ZDV	Zidovudine (Retrovir [®])

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
♦	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Charts reviewed December 2018. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	PrEP	3TC	d4T	TDF	ZDV
Anticonvulsants									
Carbamazepine	▲	◆	◆	●	◆	◆	◆	◆	▲
Clonazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ethosuximide	◆	◆	◆	◆	◆	◆	◆	◆	■
Gabapentin	◆	■	◆	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxcarbazepine	◆	◆	◆	●	◆	◆	◆	◆	◆
Phenobarbital (Phenobarbitone)	▲	◆	◆	●	◆	◆	◆	◆	■
Phenytoin	▲	◆	◆	●	◆	◆	◆	◆	▲
Pregabalin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Topiramate	◆	◆	◆	■	◆	◆	◆	■	◆
Valproate (Divalproex)	◆	◆	◆	◆	◆	◆	◆	◆	■
Vigabatrin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antidepressants									
Agomelatine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆	◆	◆	◆	◆	◆
Citalopram	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clomipramine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desipramine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Imipramine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lithium	◆	■	◆	■	◆	■	■	◆	◆
Maprotiline	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mianserin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nefazodone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nortriptyline	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paroxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trimipramine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Venlafaxine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anti-diabetics									
Acarbose	◆	◆	◆	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	■	◆	◆	■	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	■	◆	◆	■	◆
Exanatide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gliclazide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Repaglinide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antifungals									
Amphotericin B	◆	■	◆	◆	■	◆	■	■	■
Anidulafungin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	▲	◆	◆	◆	◆	■
Flucytosine	◆	■	■	■	■	■	■	■	■
Griseofulvin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Itraconazole	◆	◆	◆	◆	■	◆	◆	■	◆
Ketoconazole	◆	◆	◆	■	◆	◆	◆	■	◆
Miconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	ABC	ddl	FTC	F/TAF	PrEP	3TC	d4T	TDF	ZDV
Antihistamines									
Astemizole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆	▲	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antimigraine Agents									
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antiprotozoals									
Amodiaquine	◆	◆	◆	◆	◆	◆	◆	◆	■
Artemisinin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆	◆	◆	◆	■
Benznidazole	◆	◆	◆	◆	◆	◆	◆	◆	■
Chloroquine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diloxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eflornithine	◆	◆	▲	▲	▲	▲	■	▲	■
Halofantrine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lumefantrine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mefloquine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meglumine antimoniate	◆	■	◆	◆	■	◆	■	■	◆
Melarsoprol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	■	◆	◆	◆	◆	■	◆	■
Pentamidine	◆	■	◆	◆	■	◆	■	■	■
Primaquine	◆	◆	◆	◆	◆	◆	◆	◆	■
Proguanil	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	■	▲	▲	▲	▲	■	▲	▲
Quinine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sodium stibogluconate	◆	■	◆	◆	◆	◆	■	■	■
Sulfadoxine	◆	■	▲	▲	▲	▲	▲	▲	▲
Antipsychotics/Neuroleptics									
Amisulpride	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Asenapine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorpromazine	◆	■	◆	◆	◆	◆	◆	◆	■
Clozapine	◆	◆	◆	◆	◆	◆	◆	◆	■
Fluphenazine	◆	◆	◆	◆	◆	◆	◆	◆	■
Haloperidol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iloperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levomepromazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pericyazine	◆	◆	◆	◆	◆	◆	◆	◆	■
Perphenazine	◆	■	◆	◆	◆	◆	◆	◆	■
Pimozide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pipotiazine	◆	◆	◆	◆	◆	◆	◆	◆	■
Quetiapine	◆	◆	◆	◆	◆	◆	◆	◆	■
Risperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulpiride	◆	■	◆	◆	◆	◆	◆	◆	◆
Thioridazine	◆	◆	◆	◆	◆	◆	◆	◆	■
Tiapride	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zotepine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zuclopethixol	◆	◆	◆	◆	◆	◆	◆	◆	■

Key to abbreviations

ABC	Abacavir (Ziagen [®])
ddl	Didanosine (Videx [®] , Videx-EC [®])
FTC	Emtricitabine (Emtriva [®])
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy [®])
PrEP	Emtricitabine + Tenofovir-DF
3TC	Lamivudine (Epivir [®])
d4T	Stavudine (Zerit [®])
TDF	Tenofovir disoproxil fumarate (Viread [®])
ZDV	Zidovudine (Retrovir [®])

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Charts reviewed December 2018. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	PrEP	3TC	d4T	TDF	ZDV
Antivirals									
Aciclovir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Adefovir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Amantadine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Boceprevir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cidofovir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Daclatasvir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Elbasvir/Grazoprevir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Entecavir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Famciclovir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Foscarnet	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ganciclovir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Glecaprevir/Pibrentasvir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ledipasvir/Sofosbuvir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ombitasvir/Paritaprevir/r	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ombitasvir/Paritaprevir/r + Dasabuvir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oseltamivir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ribavirin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rimantadine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Simeprevir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sofosbuvir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sofosbuvir/Velpatasvir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sofosbuvir/Velpatasvir/Voxilaprevir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Telaprevir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Telbivudine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Valaciclovir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Zanamivir	♦	♦	♦	♦	♦	♦	♦	♦	♦
Anxiolytics/Hypnotics/ Sedatives									
Alprazolam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bromazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bupirone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Chlordiazepoxide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clorazepate	♦	♦	♦	♦	♦	♦	♦	♦	♦
Diazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Estazolam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Flunitrazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Flurazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Hydroxyzine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Lorazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Lormetazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Midazolam (oral)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Midazolam (parenteral)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Temazepam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Triazolam	♦	♦	♦	♦	♦	♦	♦	♦	♦
Zaleplon	♦	♦	♦	♦	♦	♦	♦	♦	♦
Zolpidem	♦	♦	♦	♦	♦	♦	♦	♦	♦
Zopiclone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Beta Blockers									
Atenolol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bisoprolol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Carvedilol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Metoprolol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nebivolol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxprenolol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pindolol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Propranolol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Timolol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bronchodilators									
Acclidinium bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Aminophylline	♦	♦	♦	♦	♦	♦	♦	♦	♦
Formoterol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Glycopyrronium bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Indacaterol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ipratropium bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Montelukast	♦	♦	♦	♦	♦	♦	♦	♦	♦
Olodaterol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Roflumilast	♦	♦	♦	♦	♦	♦	♦	♦	♦
Salbutamol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Salmeterol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Theophylline	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tiotropium bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Umeclidinium bromide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Vilanterol	♦	♦	♦	♦	♦	♦	♦	♦	♦

For personal use only. Not for distribution.

	ABC	ddl	FTC	F/TAF	PrEP	3TC	d4T	TDF	ZDV
Calcium Channel Blockers									
Amlodipine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Diltiazem	♦	♦	♦	♦	♦	♦	♦	♦	♦
Felodipine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nicardipine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nifedipine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nisoldipine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nitrendipine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Verapamil	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cancer Therapies									
Anastrozole	♦	♦	♦	♦	♦	♦	♦	♦	♦
Asparaginase	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bevacizumab	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bexarotene	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bleomycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bortezomib	♦	♦	♦	♦	♦	♦	♦	♦	♦
Capecitabine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Carboplatin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Chlorambucil	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cisplatin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cyclophosphamide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cytarabine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dacarbazine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dactinomycin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dasatinib	♦	♦	♦	♦	♦	♦	♦	♦	♦
Daunorubicin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Docetaxel	♦	♦	♦	♦	♦	♦	♦	♦	♦
Doxorubicin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Droloxifene	♦	♦	♦	♦	♦	♦	♦	♦	♦
Epirubicin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Erlotinib	♦	♦	♦	♦	♦	♦	♦	♦	♦
Estramustine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Etoposide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Everolimus	♦	♦	♦	♦	♦	♦	♦	♦	♦
Exemestane	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fludarabine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fluorouracil	♦	♦	♦	♦	♦	♦	♦	♦	♦
Formestane	♦	♦	♦	♦	♦	♦	♦	♦	♦
Gefitinib	♦	♦	♦	♦	♦	♦	♦	♦	♦
Gemcitabine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ifosfamide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Imatinib	♦	♦	♦	♦	♦	♦	♦	♦	♦
Irinotecan	♦	♦	♦	♦	♦	♦	♦	♦	♦
Lapatinib	♦	♦	♦	♦	♦	♦	♦	♦	♦
Letrozole	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mercaptopurine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mesna	♦	♦	♦	♦	♦	♦	♦	♦	♦
Methotrexate	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mitoxantrone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nilotinib	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxaliplatin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Paclitaxel	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pazopanib	♦	♦	♦	♦	♦	♦	♦	♦	♦
Procarbazine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rituximab	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sorafenib	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sunitinib	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tamoxifen	♦	♦	♦	♦	♦	♦	♦	♦	♦
Temsirolimus	♦	♦	♦	♦	♦	♦	♦	♦	♦
Topotecan	♦	♦	♦	♦	♦	♦	♦	♦	♦
Toremifene	♦	♦	♦	♦	♦	♦	♦	♦	♦
Vinblastine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Vincristine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Vorinostat	♦	♦	♦	♦	♦	♦	♦	♦	♦

Key to abbreviations

ABC	Abacavir (Ziagen [®])
ddl	Didanosine (Videx [®] , Videx-EC [®])
FTC	Emtricitabine (Emtriva [®])
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy [®])
PrEP	Emtricitabine + Tenofovir-DF
3TC	Lamivudine (Epivir [®])
d4T	Stavudine (Zerit [®])
TDF	Tenofovir disoproxil fumarate (Viread [®])
ZDV	Zidovudine (Retrovir [®])

Key to symbols

♦	These drugs should not be coadministered
♦	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
♦	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
♦	No clinically significant interaction expected
♦	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Charts reviewed December 2018. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	PrEP	3TC	d4T	TDF	ZDV
Illicit/Recreational									
Alcohol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Amphetamine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cannabis	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cocaine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ecstasy (MDMA)	♦	♦	♦	♦	♦	♦	♦	♦	♦
GHB (Gamma-hydroxybutyrate)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Heroin	♦	♦	♦	♦	♦	♦	♦	♦	♦
LSD (Lysergic acid diethylamide)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mephedrone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Methamphetamine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Phencyclidine (PCP)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Poppers(Amyl nitrate)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Immune Modulators									
Hydroxyurea (Hydroxycarbamide)	■	●	■	■	■	■	●	■	■
Interferon alpha	■	■	■	■	■	■	■	■	■
Interleukin 2 (Aldesleukin)	■	■	■	■	■	■	■	■	■
Peginterferon alfa-2a	■	●	■	■	■	■	■	■	●
Immunosuppressants									
Anti-thymocyte globulin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Azathioprine	♦	■	♦	♦	♦	♦	♦	♦	▲
Basiliximab	♦	♦	♦	♦	♦	♦	♦	♦	♦
Belatacept	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ciclosporin	♦	♦	■	■	♦	♦	■	♦	♦
Mycophenolate	▲	♦	♦	♦	♦	♦	♦	▲	▲
Sirolimus	♦	♦	♦	♦	▲	♦	▲	♦	♦
Tacrolimus	♦	♦	♦	♦	▲	♦	▲	♦	♦
Lipid Lowering Agents									
Atorvastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bezafibrate	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clofibrate	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ezetimibe	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fenofibrate	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fish oils	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fluvastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Gemfibrozil	♦	♦	♦	♦	♦	♦	♦	♦	♦
Lovastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pitavastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pravastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rosuvastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Simvastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Overactive Bladder Agents									
Darifenacin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fesoterodine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mirabegron	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxybutynin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Solifenacin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tolterodine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Trospium	♦	♦	♦	♦	♦	▲	♦	♦	♦
Oxytocics									
Ergometrine (Ergonovine)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mifepristone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Misoprostol	♦	■	♦	♦	♦	♦	♦	♦	♦
Oxytocin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Parkinsonism Agents									
Apomorphine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Benserazide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Carbidopa	♦	♦	♦	♦	♦	♦	♦	♦	♦
Levodopa	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pramipexole	♦	♦	♦	♦	♦	▲	♦	♦	♦
Rasagiline	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ropinirole	♦	♦	♦	♦	♦	♦	♦	♦	♦
Steroids									
Beclomethasone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Betamethasone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Budesonide	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clobetasol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dexamethasone	♦	■	♦	♦	♦	♦	♦	♦	♦
Fludrocortisone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fluocinolone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fluticasone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Hydrocortisone (oral)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Hydrocortisone (topical)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Megestrol acetate	♦	♦	♦	♦	♦	♦	♦	♦	♦
Methylprednisolone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mometasone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nandrolone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxandrolone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Prednisolone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Prednisone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Stanazolol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Testosterone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Triamcinolone	♦	♦	♦	♦	♦	♦	♦	♦	♦

For personal use only. Not for distribution.

	ABC	ddl	FTC	F/TAF	PrEP	3TC	d4T	TDF	ZDV
Other									
Acetazolamide	♦	♦	♦	♦	■	♦	♦	■	■
Acitretin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Adrenaline (Epinephrine)	♦	♦	♦	♦	♦	♦	♦	♦	♦
Alendronic Acid	♦	♦	♦	♦	♦	♦	♦	♦	♦
Alfuzosin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Allopurinol	♦	●	♦	♦	♦	♦	♦	♦	♦
Atropine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Baclofen	♦	♦	♦	♦	♦	♦	♦	♦	♦
Biperiden	♦	♦	♦	♦	♦	♦	♦	♦	♦
Caffeine citrate	♦	♦	♦	♦	♦	♦	♦	♦	♦
Carbimazole	♦	♦	♦	♦	♦	♦	♦	♦	■
Clomifene	♦	♦	♦	♦	♦	♦	♦	♦	♦
Colchicine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cyproterone acetate	♦	♦	♦	♦	♦	♦	♦	♦	♦
Denosumab	♦	♦	♦	♦	♦	♦	♦	♦	♦
Disulfiram	▲	♦	♦	♦	♦	♦	♦	♦	♦
Dulasteride	♦	♦	♦	♦	♦	♦	♦	♦	♦
Finasteride	♦	♦	♦	♦	♦	♦	♦	♦	♦
Flibanserin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Goserelin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ibandronic acid	♦	♦	♦	♦	♦	♦	♦	♦	♦
Isotretinoin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Leuprorelin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Levothyroxine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mannitol	♦	♦	♦	♦	♦	♦	♦	♦	♦
Methylphenidate	♦	♦	♦	♦	♦	♦	♦	♦	♦
Modafinil	♦	♦	♦	♦	♦	♦	♦	♦	♦
Naftidrofuryl	♦	♦	♦	♦	♦	♦	♦	♦	♦
Naltrexone	♦	♦	♦	♦	♦	♦	♦	♦	♦
Neostigmine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nicorandil	♦	♦	♦	♦	♦	♦	♦	♦	♦
Orlistat	▲	▲	▲	▲	▲	▲	▲	▲	▲
Penicillamine	♦	■	♦	♦	■	♦	♦	■	■
Pentoxifylline	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pilocarpine	♦	♦	♦	♦	♦	♦	♦	♦	♦
Potassium	♦	♦	♦	♦	♦	♦	♦	♦	♦
Probenecid	▲	■	♦	♦	■	▲	■	■	■
Propylthiouracil	♦	♦	♦	♦	♦	♦	♦	♦	■
Protamine sulphate	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pyridostigmine	♦	♦	▲	▲	▲	▲	■	▲	♦
Strontium ranelate	▲	▲	▲	▲	▲	▲	▲	▲	▲
Sulfasalazine	♦	♦	♦	♦	♦	♦	♦	♦	■
Tamsulosin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Thalidomide	♦	■	♦	♦	♦	♦	■	♦	♦
Tranexamic acid	♦	♦	♦	♦	♦	♦	♦	♦	♦
Triptorelin	♦	♦	♦	♦	♦	♦	♦	♦	♦
Varenicline	♦	♦	♦	♦	♦	♦	♦	♦	♦
Zoledronic acid	♦	♦	♦	♦	■	♦	♦	■	♦

Key to abbreviations

ABC	Abacavir (Ziagen [®])
ddl	Didanosine (Videx [®] , Videx-EC [®])
FTC	Emtricitabine (Emtriva [®])
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy [®])
PrEP	Emtricitabine + Tenofovir-DF
3TC	Lamivudine (EpiVir [®])
d4T	Stavudine (Zerit [®])
TDF	Tenofovir disoproxil fumarate (Viread [®])
ZDV	Zidovudine (Retrovir [®])

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
♦	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.