

Interactions with NRTIs

Charts revised July 2018. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Anaesthetics & Muscle Relaxants								
Alcuronium	♦	♦	♦	♦	♦	♦	♦	♦
Bupivacaine	♦	♦	♦	♦	♦	♦	♦	♦
Cisatracurium	♦	♦	♦	♦	♦	♦	♦	♦
Desflurane	♦	♦	♦	♦	♦	♦	♦	♦
Dexmedetomidine	♦	♦	♦	♦	♦	♦	♦	♦
Enflurane	♦	♦	♦	♦	♦	♦	♦	♦
Ephedrine	♦	♦	♦	♦	♦	♦	♦	♦
Halothane	♦	♦	♦	♦	♦	♦	♦	♦
Isoflurane	♦	♦	♦	♦	♦	♦	♦	♦
Ketamine	♦	♦	♦	♦	♦	♦	♦	♦
Nitrous oxide	♦	♦	♦	♦	♦	♦	♦	♦
Propofol	♦	♦	♦	♦	♦	♦	♦	♦
Rocuronium	♦	♦	♦	♦	♦	♦	♦	♦
Sevoflurane	♦	♦	♦	♦	♦	♦	♦	♦
Sufentanil	♦	♦	♦	♦	♦	♦	♦	♦
Suxamethonium (succinylcholine)	♦	♦	♦	♦	♦	♦	♦	♦
Tetracaine	♦	♦	♦	♦	♦	♦	♦	♦
Thiopental	♦	♦	♦	♦	♦	♦	♦	♦
Tizanidine	♦	♦	♦	♦	♦	♦	♦	♦
Vecuronium	♦	♦	♦	♦	♦	♦	♦	♦
Analgesics								
Alfentanil	♦	♦	♦	♦	♦	♦	♦	♦
Aspirin	♦	♦	♦	♦	♦	♦	♦	♦
Buprenorphine	♦	♦	♦	♦	♦	♦	♦	♦
Celecoxib	♦	♦	♦	♦	♦	♦	♦	♦
Codeine	♦	♦	♦	♦	♦	♦	♦	♦
Dextropropoxyphene	♦	♦	♦	♦	♦	♦	♦	♦
Diamorphine (diacetylmorphine)	♦	♦	♦	♦	♦	♦	♦	♦
Diclofenac	♦	♦	♦	♦	♦	♦	♦	♦
Dihydrocodeine	♦	♦	♦	♦	♦	♦	♦	♦
Fentanyl	♦	♦	♦	♦	♦	♦	♦	♦
Hydrocodone	♦	♦	♦	♦	♦	♦	♦	♦
Hydromorphone	♦	♦	♦	♦	♦	♦	♦	♦
Ibuprofen	♦	♦	♦	♦	♦	♦	♦	♦
Mefenamic acid	♦	♦	♦	♦	♦	♦	♦	♦
Methadone	♦	♦	♦	♦	♦	♦	♦	♦
Morphine	♦	♦	♦	♦	♦	♦	♦	♦
Naproxen	♦	♦	♦	♦	♦	♦	♦	♦
Nimesulide	♦	♦	♦	♦	♦	♦	♦	♦
Oxycodone	♦	♦	♦	♦	♦	♦	♦	♦
Paracetamol (Acetaminophen)	♦	♦	♦	♦	♦	♦	♦	♦
Pethidine (Meperidine)	♦	♦	♦	♦	♦	♦	♦	♦
Piroxicam	♦	♦	♦	♦	♦	♦	♦	♦
Tramadol	♦	♦	♦	♦	♦	♦	♦	♦
Anthelmintics								
Albendazole	♦	♦	♦	♦	♦	♦	♦	♦
Diethylcarbamazine	♦	♦	♦	♦	♦	♦	♦	♦
Ivermectin	♦	♦	♦	♦	♦	♦	♦	♦
Levamisole (Ergamisol)	♦	♦	♦	♦	♦	♦	♦	♦
Mebendazole	♦	♦	♦	♦	♦	♦	♦	♦
Niclosamide	♦	♦	♦	♦	♦	♦	♦	♦
Oxamniquine	♦	♦	♦	♦	♦	♦	♦	♦
Praziquantel	♦	♦	♦	♦	♦	♦	♦	♦
Pyrantel	♦	♦	♦	♦	♦	♦	♦	♦
Suramin sodium	♦	♦	♦	♦	♦	♦	♦	♦
Triclabendazole	♦	♦	♦	♦	♦	♦	♦	♦
Antiarrhythmics								
Amiodarone	♦	♦	♦	♦	♦	♦	♦	♦
Bepiridil	♦	♦	♦	♦	♦	♦	♦	♦
Disopyramide	♦	♦	♦	♦	♦	♦	♦	♦
Dofetilide	♦	♦	♦	♦	♦	♦	♦	♦
Flecainide	♦	♦	♦	♦	♦	♦	♦	♦
Lidocaine (Lignocaine)	♦	♦	♦	♦	♦	♦	♦	♦
Mexiletine	♦	♦	♦	♦	♦	♦	♦	♦
Propafenone	♦	♦	♦	♦	♦	♦	♦	♦
Quinidine	♦	♦	♦	♦	♦	♦	♦	♦
Antibacterials								
Amikacin	♦	♦	♦	♦	♦	♦	♦	♦
Amoxicillin	♦	♦	♦	♦	♦	♦	♦	♦
Ampicillin	♦	♦	♦	♦	♦	♦	♦	♦
Azithromycin	♦	♦	♦	♦	♦	♦	♦	♦
Bedaquiline	♦	♦	♦	♦	♦	♦	♦	♦
Capreomycin	♦	♦	♦	♦	♦	♦	♦	♦
Cefalexin	♦	♦	♦	♦	♦	♦	♦	♦
Cefazolin	♦	♦	♦	♦	♦	♦	♦	♦
Cefixime	♦	♦	♦	♦	♦	♦	♦	♦
Cefotaxime	♦	♦	♦	♦	♦	♦	♦	♦
Ceftazidime	♦	♦	♦	♦	♦	♦	♦	♦
Ceftriaxone	♦	♦	♦	♦	♦	♦	♦	♦
Chloramphenicol	♦	♦	♦	♦	♦	♦	♦	♦
Ciprofloxacin	♦	♦	♦	♦	♦	♦	♦	♦
Clarithromycin	♦	♦	♦	♦	♦	♦	♦	♦
Clavulanic acid	♦	♦	♦	♦	♦	♦	♦	♦
Clindamycin	♦	♦	♦	♦	♦	♦	♦	♦
Clofazimine	♦	♦	♦	♦	♦	♦	♦	♦
Cloxacillin	♦	♦	♦	♦	♦	♦	♦	♦
Cycloserine	♦	♦	♦	♦	♦	♦	♦	♦
Dapsone	♦	♦	♦	♦	♦	♦	♦	♦
Doxycycline	♦	♦	♦	♦	♦	♦	♦	♦

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Antibacterials (continued)								
Ertapenem	♦	♦	♦	♦	♦	♦	♦	♦
Erythromycin	♦	♦	♦	♦	♦	♦	♦	♦
Ethambutol	♦	♦	♦	♦	♦	♦	♦	♦
Ethionamide	♦	♦	♦	♦	♦	♦	♦	♦
Flucloxacillin	♦	♦	♦	♦	♦	♦	♦	♦
Gentamicin	♦	♦	♦	♦	♦	♦	♦	♦
Imipenem/Cilastatin	♦	♦	♦	♦	♦	♦	♦	♦
Isoniazid	♦	♦	♦	♦	♦	♦	♦	♦
Kanamycin	♦	♦	♦	♦	♦	♦	♦	♦
Levofloxacin	♦	♦	♦	♦	♦	♦	♦	♦
Linezolid	♦	♦	♦	♦	♦	♦	♦	♦
Meropenem	♦	♦	♦	♦	♦	♦	♦	♦
Metronidazole	♦	♦	♦	♦	♦	♦	♦	♦
Moxifloxacin	♦	♦	♦	♦	♦	♦	♦	♦
Nitrofurantoin	♦	♦	♦	♦	♦	♦	♦	♦
Ofloxacin	♦	♦	♦	♦	♦	♦	♦	♦
Para-aminosalicylic acid	♦	♦	♦	♦	♦	♦	♦	♦
Penicillins	♦	♦	♦	♦	♦	♦	♦	♦
Pyrazinamide	♦	♦	♦	♦	♦	♦	♦	♦
Rifabutin	♦	♦	♦	♦	♦	♦	♦	♦
Rifampicin	♦	♦	♦	♦	♦	♦	♦	♦
Rifapentine	♦	♦	♦	♦	♦	♦	♦	♦
Rifaximin	♦	♦	♦	♦	♦	♦	♦	♦
Spectinomycin	♦	♦	♦	♦	♦	♦	♦	♦
Streptomycin	♦	♦	♦	♦	♦	♦	♦	♦
Sulfadiazine	♦	♦	♦	♦	♦	♦	♦	♦
Telithromycin	♦	♦	♦	♦	♦	♦	♦	♦
Tetracyclines	♦	♦	♦	♦	♦	♦	♦	♦
Trimethoprim/Sulfamethoxazole	♦	♦	♦	♦	♦	♦	♦	♦
Vancomycin	♦	♦	♦	♦	♦	♦	♦	♦
Anti-coagulant, Anti-platelet and Fibrinolytic								
Acenocoumarol	♦	♦	♦	♦	♦	♦	♦	♦
Apixaban	♦	♦	♦	♦	♦	♦	♦	♦
Aspirin (anti-platelet)	♦	♦	♦	♦	♦	♦	♦	♦
Clopidogrel	♦	♦	♦	♦	♦	♦	♦	♦
Dabigatran	♦	♦	♦	♦	♦	♦	♦	♦
Dalteparin	♦	♦	♦	♦	♦	♦	♦	♦
Dipyridamole	♦	♦	♦	♦	♦	♦	♦	♦
Edoxaban	♦	♦	♦	♦	♦	♦	♦	♦
Eltrombopag	♦	♦	♦	♦	♦	♦	♦	♦
Enoxaparin	♦	♦	♦	♦	♦	♦	♦	♦
Fondaparinux	♦	♦	♦	♦	♦	♦	♦	♦
Heparin	♦	♦	♦	♦	♦	♦	♦	♦
Phenprocoumon	♦	♦	♦	♦	♦	♦	♦	♦
Prasugrel	♦	♦	♦	♦	♦	♦	♦	♦
Rivaroxaban	♦	♦	♦	♦	♦	♦	♦	♦
Streptokinase	♦	♦	♦	♦	♦	♦	♦	♦
Ticagrelor	♦	♦	♦	♦	♦	♦	♦	♦
Warfarin	♦	♦	♦	♦	♦	♦	♦	♦
Anticonvulsants								
Carbamazepine	♦	♦	♦	♦	♦	♦	♦	♦
Clonazepam	♦	♦	♦	♦	♦	♦	♦	♦
Ethosuximide	♦	♦	♦	♦	♦	♦	♦	♦
Gabapentin	♦	♦	♦	♦	♦	♦	♦	♦
Lacosamide	♦	♦	♦	♦	♦	♦	♦	♦
Lamotrigine	♦	♦	♦	♦	♦	♦	♦	♦
Levetiracetam	♦	♦	♦	♦	♦	♦	♦	♦
Oxcarbazepine	♦	♦	♦	♦	♦	♦	♦	♦
Phenobarbital (Phenobarbitone)	♦	♦	♦	♦	♦	♦	♦	♦
Phenytoin	♦	♦	♦	♦	♦	♦	♦	♦
Pregabalin	♦	♦	♦	♦	♦	♦	♦	♦
Topiramate	♦	♦	♦	♦	♦	♦	♦	♦
Valproate (Divalproex)	♦	♦	♦	♦	♦	♦	♦	♦
Vigabatrin	♦	♦	♦	♦	♦	♦	♦	♦
Zonisamide	♦	♦	♦	♦	♦	♦	♦	♦
Antidepressants								
Agomelatine	♦	♦	♦	♦	♦	♦	♦	♦
Amitriptyline	♦	♦	♦	♦	♦	♦	♦	♦
Bupropion	♦	♦	♦	♦	♦	♦	♦	♦
Citalopram	♦	♦	♦	♦	♦	♦	♦	♦
Clomipramine	♦	♦	♦	♦	♦	♦	♦	♦
Desipramine	♦	♦	♦	♦	♦	♦	♦	♦
Doxepin	♦	♦	♦	♦	♦	♦	♦	♦
Duloxetine	♦	♦	♦	♦	♦	♦	♦	♦
Escitalopram	♦	♦	♦	♦	♦	♦	♦	♦
Fluoxetine	♦	♦	♦	♦	♦	♦	♦	♦
Fluvoxamine	♦	♦	♦	♦	♦	♦	♦	♦
Imipramine	♦	♦	♦	♦	♦	♦	♦	♦
Lithium	♦	♦	♦	♦	♦	♦	♦	♦
Maprotiline	♦	♦	♦	♦	♦	♦	♦	♦
Mianserin	♦	♦	♦	♦	♦	♦	♦	♦
Milnacipran	♦	♦	♦	♦	♦	♦	♦	♦
Mirtazapine	♦	♦	♦	♦	♦	♦	♦	♦
Nefazodone	♦	♦	♦	♦	♦	♦	♦	♦
Nortriptyline	♦	♦	♦	♦	♦	♦	♦	♦
Paroxetine	♦	♦	♦	♦	♦	♦	♦	♦
Phenelzine	♦	♦	♦	♦	♦	♦	♦	♦
Reboxetine	♦	♦	♦	♦	♦	♦	♦	♦
Sertraline	♦	♦	♦	♦	♦	♦	♦	♦
Tranlycypromine	♦	♦	♦	♦	♦	♦	♦	♦
Trazodone	♦	♦	♦	♦	♦	♦	♦	♦
Trimipramine	♦	♦	♦	♦	♦	♦	♦	♦
Venlafaxine	♦	♦	♦	♦	♦	♦	♦	♦

For personal use only. Not for distribution. For personal use only. Not for distribution.

Key to abbreviations

ABC	Abacavir (Ziagen [®])
ddl	Didanosine (Videx [®] , Videx-EC [®])
FTC	Emtricitabine (Emtriva [®])
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy [®])
3TC	Lamivudine (Epivir [®])
d4T	Stavudine (Zerit [®])
TDF	Tenofovir disoproxil fumarate (Viread [®])
ZDV	Zidovudine (Retrovir [®])

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
♦	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool

Interactions with NRTIs

Charts revised July 2018. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Anti-diabetics								
Acarbose	♦	♦	♦	♦	♦	♦	♦	♦
Empagliflozin	♦	♦	♦	♦	♦	♦	♦	♦
Exanatide	♦	♦	♦	♦	♦	♦	♦	♦
Glibenclamide (Glyburide)	♦	♦	♦	♦	♦	♦	♦	♦
Glucalazide	♦	♦	♦	♦	♦	♦	♦	♦
Glimepiride	♦	♦	♦	♦	♦	♦	♦	♦
Glipizide	♦	♦	♦	♦	♦	♦	♦	♦
Insulin	♦	♦	♦	♦	♦	♦	♦	♦
Linagliptin	♦	♦	♦	♦	♦	♦	♦	♦
Liraglutide	♦	♦	♦	♦	♦	♦	♦	♦
Metformin	♦	♦	♦	♦	♦	♦	♦	♦
Nateglinide	♦	♦	♦	♦	♦	♦	♦	♦
Pioglitazone	♦	♦	♦	♦	♦	♦	♦	♦
Repaglinide	♦	♦	♦	♦	♦	♦	♦	♦
Rosiglitazone	♦	♦	♦	♦	♦	♦	♦	♦
Saxagliptin	♦	♦	♦	♦	♦	♦	♦	♦
Sitagliptin	♦	♦	♦	♦	♦	♦	♦	♦
Tolbutamide	♦	♦	♦	♦	♦	♦	♦	♦
Vildagliptin	♦	♦	♦	♦	♦	♦	♦	♦
Antifungals								
Amphotericin B	♦	♦	♦	♦	♦	♦	♦	♦
Anidulafungin	♦	♦	♦	♦	♦	♦	♦	♦
Caspofungin	♦	♦	♦	♦	♦	♦	♦	♦
Fluconazole	♦	♦	♦	♦	♦	♦	♦	♦
Flucytosine	♦	♦	♦	♦	♦	♦	♦	♦
Griseofulvin	♦	♦	♦	♦	♦	♦	♦	♦
Itraconazole	♦	♦	♦	♦	♦	♦	♦	♦
Ketoconazole	♦	♦	♦	♦	♦	♦	♦	♦
Miconazole	♦	♦	♦	♦	♦	♦	♦	♦
Nystatin	♦	♦	♦	♦	♦	♦	♦	♦
Posaconazole	♦	♦	♦	♦	♦	♦	♦	♦
Terbinafine	♦	♦	♦	♦	♦	♦	♦	♦
Voriconazole	♦	♦	♦	♦	♦	♦	♦	♦
Antihistamines								
Astemizole	♦	♦	♦	♦	♦	♦	♦	♦
Cetirizine	♦	♦	♦	♦	♦	♦	♦	♦
Chlorphenamine	♦	♦	♦	♦	♦	♦	♦	♦
Diphenhydramine	♦	♦	♦	♦	♦	♦	♦	♦
Fexofenadine	♦	♦	♦	♦	♦	♦	♦	♦
Levocetirizine	♦	♦	♦	♦	♦	♦	♦	♦
Loratadine	♦	♦	♦	♦	♦	♦	♦	♦
Promethazine	♦	♦	♦	♦	♦	♦	♦	♦
Terfenadine	♦	♦	♦	♦	♦	♦	♦	♦
Antimigraine Agents								
Almotriptan	♦	♦	♦	♦	♦	♦	♦	♦
Dihydroergotamine	♦	♦	♦	♦	♦	♦	♦	♦
Ergotamine	♦	♦	♦	♦	♦	♦	♦	♦
Rizatriptan	♦	♦	♦	♦	♦	♦	♦	♦
Sumatriptan	♦	♦	♦	♦	♦	♦	♦	♦
Antiprotozoals								
Amodiaquine	♦	♦	♦	♦	♦	♦	♦	♦
Artemisinin	♦	♦	♦	♦	♦	♦	♦	♦
Atovaquone	♦	♦	♦	♦	♦	♦	♦	♦
Benznidazole	♦	♦	♦	♦	♦	♦	♦	♦
Chloroquine	♦	♦	♦	♦	♦	♦	♦	♦
Diloxanide	♦	♦	♦	♦	♦	♦	♦	♦
Eflornithine	♦	♦	♦	♦	♦	♦	♦	♦
Halofantrine	♦	♦	♦	♦	♦	♦	♦	♦
Lumefantrine	♦	♦	♦	♦	♦	♦	♦	♦
Mefloquine	♦	♦	♦	♦	♦	♦	♦	♦
Meglumine antimoniate	♦	♦	♦	♦	♦	♦	♦	♦
Melarsoprol	♦	♦	♦	♦	♦	♦	♦	♦
Miltefosine	♦	♦	♦	♦	♦	♦	♦	♦
Nifurtimox	♦	♦	♦	♦	♦	♦	♦	♦
Paromomycin	♦	♦	♦	♦	♦	♦	♦	♦
Pentamidine	♦	♦	♦	♦	♦	♦	♦	♦
Primaquine	♦	♦	♦	♦	♦	♦	♦	♦
Proguanil	♦	♦	♦	♦	♦	♦	♦	♦
Pyrimethamine	♦	♦	♦	♦	♦	♦	♦	♦
Quinine	♦	♦	♦	♦	♦	♦	♦	♦
Sodium stibogluconate	♦	♦	♦	♦	♦	♦	♦	♦
Sulfadoxine	♦	♦	♦	♦	♦	♦	♦	♦
Antipsychotics/Neuroleptics								
Amisulpride	♦	♦	♦	♦	♦	♦	♦	♦
Aripiprazole	♦	♦	♦	♦	♦	♦	♦	♦
Asenapine	♦	♦	♦	♦	♦	♦	♦	♦
Chlorpromazine	♦	♦	♦	♦	♦	♦	♦	♦
Clozapine	♦	♦	♦	♦	♦	♦	♦	♦
Fluphenazine	♦	♦	♦	♦	♦	♦	♦	♦
Haloperidol	♦	♦	♦	♦	♦	♦	♦	♦
Iloperidone	♦	♦	♦	♦	♦	♦	♦	♦
Levomopromazine	♦	♦	♦	♦	♦	♦	♦	♦
Olanzapine	♦	♦	♦	♦	♦	♦	♦	♦

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Antipsychotics/Neuroleptics (continued)								
Paliperidone	♦	♦	♦	♦	♦	♦	♦	♦
Perazine	♦	♦	♦	♦	♦	♦	♦	♦
Pericyazine	♦	♦	♦	♦	♦	♦	♦	♦
Perphenazine	♦	♦	♦	♦	♦	♦	♦	♦
Pimozide	♦	♦	♦	♦	♦	♦	♦	♦
Piprotiazine	♦	♦	♦	♦	♦	♦	♦	♦
Quetiapine	♦	♦	♦	♦	♦	♦	♦	♦
Risperidone	♦	♦	♦	♦	♦	♦	♦	♦
Sulpiride	♦	♦	♦	♦	♦	♦	♦	♦
Thioridazine	♦	♦	♦	♦	♦	♦	♦	♦
Tiapride	♦	♦	♦	♦	♦	♦	♦	♦
Ziprasidone	♦	♦	♦	♦	♦	♦	♦	♦
Zotepine	♦	♦	♦	♦	♦	♦	♦	♦
Zuclophenthixol	♦	♦	♦	♦	♦	♦	♦	♦
Antivirals								
Aciclovir	♦	♦	♦	♦	♦	♦	♦	♦
Adefovir	♦	♦	♦	♦	♦	♦	♦	♦
Amantadine	♦	♦	♦	♦	♦	♦	♦	♦
Boceprevir	♦	♦	♦	♦	♦	♦	♦	♦
Cidofovir	♦	♦	♦	♦	♦	♦	♦	♦
Daclatasvir	♦	♦	♦	♦	♦	♦	♦	♦
Elbasvir/Grazoprevir	♦	♦	♦	♦	♦	♦	♦	♦
Entecavir	♦	♦	♦	♦	♦	♦	♦	♦
Famciclovir	♦	♦	♦	♦	♦	♦	♦	♦
Foscarnet	♦	♦	♦	♦	♦	♦	♦	♦
Ganciclovir	♦	♦	♦	♦	♦	♦	♦	♦
Glecaprevir/Pibrentasvir	♦	♦	♦	♦	♦	♦	♦	♦
Ledipasvir/Sofosbuvir	♦	♦	♦	♦	♦	♦	♦	♦
Ombitasvir/Paritaprevir/r	♦	♦	♦	♦	♦	♦	♦	♦
Ombitasvir/Paritaprevir/r + Dasabuvir	♦	♦	♦	♦	♦	♦	♦	♦
Oseltamivir	♦	♦	♦	♦	♦	♦	♦	♦
Ribavirin	♦	♦	♦	♦	♦	♦	♦	♦
Rimantadine	♦	♦	♦	♦	♦	♦	♦	♦
Simeprevir	♦	♦	♦	♦	♦	♦	♦	♦
Sofosbuvir	♦	♦	♦	♦	♦	♦	♦	♦
Sofosbuvir/Velpatasvir	♦	♦	♦	♦	♦	♦	♦	♦
Sofosbuvir/Velpatasvir/Voxilaprevir	♦	♦	♦	♦	♦	♦	♦	♦
Telaprevir	♦	♦	♦	♦	♦	♦	♦	♦
Telbivudine	♦	♦	♦	♦	♦	♦	♦	♦
Valaciclovir	♦	♦	♦	♦	♦	♦	♦	♦
Zanamivir	♦	♦	♦	♦	♦	♦	♦	♦
Anxiolytics/Hypnotics/ Sedatives								
Alprazolam	♦	♦	♦	♦	♦	♦	♦	♦
Bromazepam	♦	♦	♦	♦	♦	♦	♦	♦
Buspirone	♦	♦	♦	♦	♦	♦	♦	♦
Chlordiazepoxide	♦	♦	♦	♦	♦	♦	♦	♦
Clorazepate	♦	♦	♦	♦	♦	♦	♦	♦
Diazepam	♦	♦	♦	♦	♦	♦	♦	♦
Estazolam	♦	♦	♦	♦	♦	♦	♦	♦
Flunitrazepam	♦	♦	♦	♦	♦	♦	♦	♦
Flurazepam	♦	♦	♦	♦	♦	♦	♦	♦
Hydroxyzine	♦	♦	♦	♦	♦	♦	♦	♦
Lorazepam	♦	♦	♦	♦	♦	♦	♦	♦
Lormetazepam	♦	♦	♦	♦	♦	♦	♦	♦
Midazolam (oral)	♦	♦	♦	♦	♦	♦	♦	♦
Midazolam (parenteral)	♦	♦	♦	♦	♦	♦	♦	♦
Oxazepam	♦	♦	♦	♦	♦	♦	♦	♦
Temazepam	♦	♦	♦	♦	♦	♦	♦	♦
Triazolam	♦	♦	♦	♦	♦	♦	♦	♦
Zaleplon	♦	♦	♦	♦	♦	♦	♦	♦
Zolpidem	♦	♦	♦	♦	♦	♦	♦	♦
Zopiclone	♦	♦	♦	♦	♦	♦	♦	♦
Beta Blockers								
Atenolol	♦	♦	♦	♦	♦	♦	♦	♦
Bisoprolol	♦	♦	♦	♦	♦	♦	♦	♦
Carvedilol	♦	♦	♦	♦	♦	♦	♦	♦
Metoprolol	♦	♦	♦	♦	♦	♦	♦	♦
Nebivolol	♦	♦	♦	♦	♦	♦	♦	♦
Oxprenolol	♦	♦	♦	♦	♦	♦	♦	♦
Pindolol	♦	♦	♦	♦	♦	♦	♦	♦
Propranolol	♦	♦	♦	♦	♦	♦	♦	♦
Timolol	♦	♦	♦	♦	♦	♦	♦	♦
Bronchodilators								
Acidinium bromide	♦	♦	♦	♦	♦	♦	♦	♦
Aminophylline	♦	♦	♦	♦	♦	♦	♦	♦
Formoterol	♦	♦	♦	♦	♦	♦	♦	♦
Glycopyrronium bromide	♦	♦	♦	♦	♦	♦	♦	♦
Indacaterol	♦	♦	♦	♦	♦	♦	♦	♦
Ipratropium bromide	♦	♦	♦	♦	♦	♦	♦	♦
Montelukast	♦	♦	♦	♦	♦	♦	♦	♦
Olodaterol	♦	♦	♦	♦	♦	♦	♦	♦
Roflumilast	♦	♦	♦	♦	♦	♦	♦	♦
Salbutamol	♦	♦	♦	♦	♦	♦	♦	♦
Salmeterol	♦	♦	♦	♦	♦	♦	♦	♦
Theophylline	♦	♦	♦	♦	♦	♦	♦	♦
Tiotropium bromide	♦	♦	♦	♦	♦	♦	♦	♦
Umeclidinium bromide	♦	♦	♦	♦	♦	♦	♦	♦
Vilanterol	♦	♦	♦	♦	♦	♦	♦	♦

For personal use only. Not for distribution. For personal use only. Not for distribution.

Key to abbreviations

ABC	Abacavir (Ziagen [®])
ddl	Didanosine (Videx [®] , Videx-EC [®])
FTC	Emtricitabine (Emtriva [®])
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy [®])
3TC	Lamivudine (Epivir [®])
d4T	Stavudine (Zerit [®])
TDF	Tenofovir disoproxil fumarate (Viread [®])
ZDV	Zidovudine (Retrovir [®])

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
♦	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
 Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for any errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Charts revised July 2018. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Calcium Channel Blockers								
Amlodipine	◆	◆	◆	◆	◆	◆	◆	◆
Diltiazem	◆	◆	◆	◆	◆	◆	◆	◆
Felodipine	◆	◆	◆	◆	◆	◆	◆	◆
Nicardipine	◆	◆	◆	◆	◆	◆	◆	◆
Nifedipine	◆	◆	◆	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆	◆	◆	◆	◆
Verapamil	◆	◆	◆	◆	◆	◆	◆	◆
Cancer Therapies								
Anastrozole	◆	◆	◆	◆	◆	◆	◆	◆
Asparaginase	◆	◆	◆	◆	◆	◆	◆	◆
Bexarotene	◆	◆	◆	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆	◆	◆
Bortezomib	◆	◆	◆	◆	◆	◆	◆	◆
Capecitabine	◆	◆	◆	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆	◆	◆
Cisplatin	◆	◆	◆	◆	◆	◆	◆	◆
Cyclophosphamide	◆	◆	◆	◆	◆	◆	◆	◆
Cytarabine	◆	◆	◆	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆	◆	◆
Dasatinib	◆	◆	◆	◆	◆	◆	◆	◆
Daunorubicin	◆	◆	◆	◆	◆	◆	◆	◆
Docetaxel	◆	◆	◆	◆	◆	◆	◆	◆
Doxorubicin	◆	◆	◆	◆	◆	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	◆	◆	◆	◆	◆
Erlotinib	◆	◆	◆	◆	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	◆	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	◆	◆	◆	◆	◆	◆
Formestane	◆	◆	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆	◆	◆	◆	◆
Ifosfamide	◆	◆	◆	◆	◆	◆	◆	◆
Imatinib	◆	◆	◆	◆	◆	◆	◆	◆
Irinotecan	◆	◆	◆	◆	◆	◆	◆	◆
Lapatinib	◆	◆	◆	◆	◆	◆	◆	◆
Letrozole	◆	◆	◆	◆	◆	◆	◆	◆
Mercaptopurine	◆	◆	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆	◆	◆
Mitoxantrone	◆	◆	◆	◆	◆	◆	◆	◆
Nilotinib	◆	◆	◆	◆	◆	◆	◆	◆
Oxaliplatin	◆	◆	◆	◆	◆	◆	◆	◆
Paclitaxel	◆	◆	◆	◆	◆	◆	◆	◆
Pazopanib	◆	◆	◆	◆	◆	◆	◆	◆
Procarbazine	◆	◆	◆	◆	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆	◆	◆	◆
Sorafenib	◆	◆	◆	◆	◆	◆	◆	◆
Sunitinib	◆	◆	◆	◆	◆	◆	◆	◆
Tamoxifen	◆	◆	◆	◆	◆	◆	◆	◆
Temsirolimus	◆	◆	◆	◆	◆	◆	◆	◆
Topotecan	◆	◆	◆	◆	◆	◆	◆	◆
Toremifene	◆	◆	◆	◆	◆	◆	◆	◆
Vinblastine	◆	◆	◆	◆	◆	◆	◆	◆
Vincristine	◆	◆	◆	◆	◆	◆	◆	◆
Vorinostat	◆	◆	◆	◆	◆	◆	◆	◆
Contraceptives/HRT								
Desogestrel (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Desogestrel (POP)	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆
Dydrogesterone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆
Estradiol	◆	◆	◆	◆	◆	◆	◆	◆
Ethinylestradiol	◆	◆	◆	◆	◆	◆	◆	◆
Etonogestrel (implant)	◆	◆	◆	◆	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	◆	◆	◆	◆	◆	◆	◆
Gestodene (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (implant)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (oral)	◆	◆	◆	◆	◆	◆	◆	◆
Norelgestromin (patch)	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	◆	◆	◆	◆	◆
Norgestimate (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Norgestrel (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Norgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆	◆
Ulipristal	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Erectile Dysfunctional Agents								
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆	◆
Vardenafil	◆	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents								
Alosetron	◆	◆	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)								
Aprepitant	◆	◆	◆	◆	◆	◆	◆	◆
Dolasetron	◆	◆	◆	◆	◆	◆	◆	◆
Domperidone	◆	◆	◆	◆	◆	◆	◆	◆
Dronabinol	◆	◆	◆	◆	◆	◆	◆	◆
Granisetron	◆	◆	◆	◆	◆	◆	◆	◆
Metoclopramide	◆	◆	◆	◆	◆	◆	◆	◆
Ondansetron	◆	◆	◆	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	◆	◆	◆	◆
Herbals/Supplements/Vitamins								
African potato	◆	◆	◆	◆	◆	◆	◆	◆
Aloe vera	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C)	◆	◆	◆	◆	◆	◆	◆	◆
Calcium supplements	◆	◆	◆	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol (vitamin D3)	◆	◆	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin	◆	◆	◆	◆	◆	◆	◆	◆
Echinacea	◆	◆	◆	◆	◆	◆	◆	◆
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆	◆
Folic acid	◆	◆	◆	◆	◆	◆	◆	◆
Garlic	◆	◆	◆	◆	◆	◆	◆	◆
Ginger (Zingiber officinale)	◆	◆	◆	◆	◆	◆	◆	◆
Ginkgo biloba	◆	◆	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	◆	◆	◆	◆
Hops (Humulus lupulus)	◆	◆	◆	◆	◆	◆	◆	◆
Inula racemosa	◆	◆	◆	◆	◆	◆	◆	◆
Iodine	◆	◆	◆	◆	◆	◆	◆	◆
Iron supplements	◆	◆	◆	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	◆	◆	◆	◆	◆	◆	◆
Magnesium supplements	◆	◆	◆	◆	◆	◆	◆	◆
Malabar nut tree	◆	◆	◆	◆	◆	◆	◆	◆
Menthol	◆	◆	◆	◆	◆	◆	◆	◆
Milk thistle (silymarin)	◆	◆	◆	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆	◆	◆	◆
Nicotinamide	◆	◆	◆	◆	◆	◆	◆	◆
Phytomenadione (vitamin K)	◆	◆	◆	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6)	◆	◆	◆	◆	◆	◆	◆	◆
Quercetin	◆	◆	◆	◆	◆	◆	◆	◆
Retinol (vitamin A)	◆	◆	◆	◆	◆	◆	◆	◆
Riboflavin (vitamin B2)	◆	◆	◆	◆	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	◆	◆	◆	◆
St John's Wort	◆	◆	◆	◆	◆	◆	◆	◆
Thiamine (vitamin B1)	◆	◆	◆	◆	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	◆	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆	◆	◆	◆
Vitamin E	◆	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

ABC	Abacavir (Ziagen [®])
ddl	Didanosine (Videx [®] , Videx-EC [®])
FTC	Emtricitabine (Emtriva [®])
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy [®])
3TC	Lamivudine (Epivir [®])
d4T	Stavudine (Zerit [®])
TDF	Tenofovir disoproxil fumarate (Viread [®])
ZDV	Zidovudine (Retrovir [®])

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
 Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for any errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Charts revised July 2018. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Hypertension / Heart Failure Agents								
Aliskiren	♦	♦	♦	♦	♦	♦	♦	♦
Ambrisentan	♦	♦	♦	♦	♦	♦	♦	♦
Amiloride	♦	♦	♦	♦	♦	♦	♦	♦
Bendroflumethiazide	♦	♦	♦	♦	♦	♦	♦	♦
Bosentan	♦	♦	♦	♦	♦	♦	♦	♦
Candesartan	♦	♦	♦	♦	♦	♦	♦	♦
Captopril	♦	♦	♦	♦	♦	♦	♦	♦
Chlortalidone	♦	♦	♦	♦	♦	♦	♦	♦
Cilazapril	♦	♦	♦	♦	♦	♦	♦	♦
Clonidine	♦	♦	♦	♦	♦	♦	♦	♦
Digoxin	♦	♦	♦	♦	♦	♦	♦	♦
Dopamine	♦	♦	♦	♦	♦	♦	♦	♦
Doxazosin	♦	♦	♦	♦	♦	♦	♦	♦
Enalapril	♦	♦	♦	♦	♦	♦	♦	♦
Eplerenone	♦	♦	♦	♦	♦	♦	♦	♦
Epoprostenol	♦	♦	♦	♦	♦	♦	♦	♦
Eprosartan	♦	♦	♦	♦	♦	♦	♦	♦
Furosemide	♦	♦	♦	♦	♦	♦	♦	♦
Hydralazine	♦	♦	♦	♦	♦	♦	♦	♦
Hydrochlorothiazide	♦	♦	♦	♦	♦	♦	♦	♦
Iloprost	♦	♦	♦	♦	♦	♦	♦	♦
Indapamide	♦	♦	♦	♦	♦	♦	♦	♦
Irbesartan	♦	♦	♦	♦	♦	♦	♦	♦
Isosorbide dinitrate	♦	♦	♦	♦	♦	♦	♦	♦
Ivabradine	♦	♦	♦	♦	♦	♦	♦	♦
Labetalol	♦	♦	♦	♦	♦	♦	♦	♦
Lacidipine	♦	♦	♦	♦	♦	♦	♦	♦
Lercanidipine	♦	♦	♦	♦	♦	♦	♦	♦
Lisinopril	♦	♦	♦	♦	♦	♦	♦	♦
Losartan	♦	♦	♦	♦	♦	♦	♦	♦
Macitentan	♦	♦	♦	♦	♦	♦	♦	♦
Methyldopa	♦	♦	♦	♦	♦	♦	♦	♦
Metolazone	♦	♦	♦	♦	♦	♦	♦	♦
Olmesartan	♦	♦	♦	♦	♦	♦	♦	♦
Perindopril	♦	♦	♦	♦	♦	♦	♦	♦
Prazosin	♦	♦	♦	♦	♦	♦	♦	♦
Quinapril	♦	♦	♦	♦	♦	♦	♦	♦
Ramipril	♦	♦	♦	♦	♦	♦	♦	♦
Ranolazine	♦	♦	♦	♦	♦	♦	♦	♦
Riociguat	♦	♦	♦	♦	♦	♦	♦	♦
Sacubitril	♦	♦	♦	♦	♦	♦	♦	♦
Selexipag	♦	♦	♦	♦	♦	♦	♦	♦
Sildenafil (PAH)	♦	♦	♦	♦	♦	♦	♦	♦
Sodium nitroprusside	♦	♦	♦	♦	♦	♦	♦	♦
Spirolactone	♦	♦	♦	♦	♦	♦	♦	♦
Tadalafil (PAH)	♦	♦	♦	♦	♦	♦	♦	♦
Telmisartan	♦	♦	♦	♦	♦	♦	♦	♦
Terazosin	♦	♦	♦	♦	♦	♦	♦	♦
Torasemide	♦	♦	♦	♦	♦	♦	♦	♦
Trandolapril	♦	♦	♦	♦	♦	♦	♦	♦
Treprostinil	♦	♦	♦	♦	♦	♦	♦	♦
Valsartan	♦	♦	♦	♦	♦	♦	♦	♦
Xipamide	♦	♦	♦	♦	♦	♦	♦	♦
Illicit/Recreational								
Alcohol	♦	♦	♦	♦	♦	♦	♦	♦
Amphetamine	♦	♦	♦	♦	♦	♦	♦	♦
Cannabis	♦	♦	♦	♦	♦	♦	♦	♦
Cocaine	♦	♦	♦	♦	♦	♦	♦	♦
Ecstasy (MDMA)	♦	♦	♦	♦	♦	♦	♦	♦
GHB (Gamma-hydroxybutyrate)	♦	♦	♦	♦	♦	♦	♦	♦
Heroin	♦	♦	♦	♦	♦	♦	♦	♦
LSD (Lysergic acid diethylamide)	♦	♦	♦	♦	♦	♦	♦	♦
Mephedrone	♦	♦	♦	♦	♦	♦	♦	♦
Methamphetamine	♦	♦	♦	♦	♦	♦	♦	♦
Phencyclidine (PCP)	♦	♦	♦	♦	♦	♦	♦	♦
Poppers (Amyl nitrate)	♦	♦	♦	♦	♦	♦	♦	♦
Immune Modulators								
Hydroxyurea (Hydroxycarbamide)	♦	♦	♦	♦	♦	♦	♦	♦
Interferon alpha	♦	♦	♦	♦	♦	♦	♦	♦
Interleukin 2 (Aldesleukin)	♦	♦	♦	♦	♦	♦	♦	♦
Peginterferon alfa-2a	♦	♦	♦	♦	♦	♦	♦	♦
Immunosuppressants								
Anti-thymocyte globulin	♦	♦	♦	♦	♦	♦	♦	♦
Azathioprine	♦	♦	♦	♦	♦	♦	♦	♦
Basiliximab	♦	♦	♦	♦	♦	♦	♦	♦
Belatacept	♦	♦	♦	♦	♦	♦	♦	♦
Ciclosporin	♦	♦	♦	♦	♦	♦	♦	♦
Mycophenolate	♦	♦	♦	♦	♦	♦	♦	♦
Sirolimus	♦	♦	♦	♦	♦	♦	♦	♦
Tacrolimus	♦	♦	♦	♦	♦	♦	♦	♦
Lipid Lowering Agents								
Atorvastatin	♦	♦	♦	♦	♦	♦	♦	♦
Bezafibrate	♦	♦	♦	♦	♦	♦	♦	♦
Clofibrate	♦	♦	♦	♦	♦	♦	♦	♦
Ezetimibe	♦	♦	♦	♦	♦	♦	♦	♦
Fenofibrate	♦	♦	♦	♦	♦	♦	♦	♦
Fish oils	♦	♦	♦	♦	♦	♦	♦	♦
Fluvastatin	♦	♦	♦	♦	♦	♦	♦	♦
Gemfibrozil	♦	♦	♦	♦	♦	♦	♦	♦
Lovastatin	♦	♦	♦	♦	♦	♦	♦	♦
Pitavastatin	♦	♦	♦	♦	♦	♦	♦	♦
Pravastatin	♦	♦	♦	♦	♦	♦	♦	♦
Rosuvastatin	♦	♦	♦	♦	♦	♦	♦	♦
Simvastatin	♦	♦	♦	♦	♦	♦	♦	♦

For personal use only. Not for distribution.

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Other								
Acetazolamide	♦	♦	♦	♦	♦	♦	♦	♦
Acitretin	♦	♦	♦	♦	♦	♦	♦	♦
Adrenaline (Epinephrine)	♦	♦	♦	♦	♦	♦	♦	♦
Alendronic Acid	♦	♦	♦	♦	♦	♦	♦	♦
Alfuzosin	♦	♦	♦	♦	♦	♦	♦	♦
Allopurinol	♦	♦	♦	♦	♦	♦	♦	♦
Atropine	♦	♦	♦	♦	♦	♦	♦	♦
Baclofen	♦	♦	♦	♦	♦	♦	♦	♦
Biperiden	♦	♦	♦	♦	♦	♦	♦	♦
Caffeine citrate	♦	♦	♦	♦	♦	♦	♦	♦
Carbimazole	♦	♦	♦	♦	♦	♦	♦	♦
Clomifene	♦	♦	♦	♦	♦	♦	♦	♦
Colchicine	♦	♦	♦	♦	♦	♦	♦	♦
Cyproterone acetate	♦	♦	♦	♦	♦	♦	♦	♦
Denosumab	♦	♦	♦	♦	♦	♦	♦	♦
Disulfiram	♦	♦	♦	♦	♦	♦	♦	♦
Dutasteride	♦	♦	♦	♦	♦	♦	♦	♦
Finasteride	♦	♦	♦	♦	♦	♦	♦	♦
Flibanserin	♦	♦	♦	♦	♦	♦	♦	♦
Goserelin	♦	♦	♦	♦	♦	♦	♦	♦
Ibandronic acid	♦	♦	♦	♦	♦	♦	♦	♦
Isotretinoin	♦	♦	♦	♦	♦	♦	♦	♦
Leuporelin	♦	♦	♦	♦	♦	♦	♦	♦
Levothyroxine	♦	♦	♦	♦	♦	♦	♦	♦
Mannitol	♦	♦	♦	♦	♦	♦	♦	♦
Methylphenidate	♦	♦	♦	♦	♦	♦	♦	♦
Modafinil	♦	♦	♦	♦	♦	♦	♦	♦
Nafidrofuryl	♦	♦	♦	♦	♦	♦	♦	♦
Naltrexone	♦	♦	♦	♦	♦	♦	♦	♦
Neostigmine	♦	♦	♦	♦	♦	♦	♦	♦
Nicorandil	♦	♦	♦	♦	♦	♦	♦	♦
Orlistat	♦	♦	♦	♦	♦	♦	♦	♦
Penicillamine	♦	♦	♦	♦	♦	♦	♦	♦
Pentoxifylline	♦	♦	♦	♦	♦	♦	♦	♦
Pilocarpine	♦	♦	♦	♦	♦	♦	♦	♦
Potassium	♦	♦	♦	♦	♦	♦	♦	♦
Probenecid	♦	♦	♦	♦	♦	♦	♦	♦
Propylthiouracil	♦	♦	♦	♦	♦	♦	♦	♦
Protamine sulphate	♦	♦	♦	♦	♦	♦	♦	♦
Pyridostigmine	♦	♦	♦	♦	♦	♦	♦	♦
Strontium ranelate	♦	♦	♦	♦	♦	♦	♦	♦
Sulfasalazine	♦	♦	♦	♦	♦	♦	♦	♦
Tamsulosin	♦	♦	♦	♦	♦	♦	♦	♦
Thalidomide	♦	♦	♦	♦	♦	♦	♦	♦
Tranexamic acid	♦	♦	♦	♦	♦	♦	♦	♦
Varenicline	♦	♦	♦	♦	♦	♦	♦	♦
Zoledronic acid	♦	♦	♦	♦	♦	♦	♦	♦
Overactive Bladder Agents								
Darifenacin	♦	♦	♦	♦	♦	♦	♦	♦
Fesoterodine	♦	♦	♦	♦	♦	♦	♦	♦
Mirabegron	♦	♦	♦	♦	♦	♦	♦	♦
Oxybutynin	♦	♦	♦	♦	♦	♦	♦	♦
Solifenacin	♦	♦	♦	♦	♦	♦	♦	♦
Tolterodine	♦	♦	♦	♦	♦	♦	♦	♦
Trospium	♦	♦	♦	♦	♦	♦	♦	♦
Oxytocics								
Ergometrine (Ergonovine)	♦	♦	♦	♦	♦	♦	♦	♦
Mifepristone	♦	♦	♦	♦	♦	♦	♦	♦
Misoprostol	♦	♦	♦	♦	♦	♦	♦	♦
Oxytocin	♦	♦	♦	♦	♦	♦	♦	♦
Parkinsonism Agents								
Apomorphine	♦	♦	♦	♦	♦	♦	♦	♦
Benserazide	♦	♦	♦	♦	♦	♦	♦	♦
Carbidopa	♦	♦	♦	♦	♦	♦	♦	♦
Levodopa	♦	♦	♦	♦	♦	♦	♦	♦
Pramipexole	♦	♦	♦	♦	♦	♦	♦	♦
Rasagiline	♦	♦	♦	♦	♦	♦	♦	♦
Ropinireole	♦	♦	♦	♦	♦	♦	♦	♦
Steroids								
Beclometasone	♦	♦	♦	♦	♦	♦	♦	♦
Betamethasone	♦	♦	♦	♦	♦	♦	♦	♦
Budesonide	♦	♦	♦	♦	♦	♦	♦	♦
Clobetasol	♦	♦	♦	♦	♦	♦	♦	♦
Dexamethasone	♦	♦	♦	♦	♦	♦	♦	♦
Fludrocortisone	♦	♦	♦	♦	♦	♦	♦	♦
Fluocinolone	♦	♦	♦	♦	♦	♦	♦	♦
Fluticasone	♦	♦	♦	♦	♦	♦	♦	♦
Hydrocortisone (oral)	♦	♦	♦	♦	♦	♦	♦	♦
Hydrocortisone (topical)	♦	♦	♦	♦	♦	♦	♦	♦
Megestrol acetate	♦	♦	♦	♦	♦	♦	♦	♦
Methylprednisolone	♦	♦	♦	♦	♦	♦	♦	♦
Mometasone	♦	♦	♦	♦	♦	♦	♦	♦
Nandrolone	♦	♦	♦	♦	♦	♦	♦	♦
Oxandrolone	♦	♦	♦	♦	♦	♦	♦	♦
Prednisolone	♦	♦	♦	♦	♦	♦	♦	♦
Prednisone	♦	♦	♦	♦	♦	♦	♦	♦
Stanozolol	♦	♦	♦	♦	♦	♦	♦	♦
Testosterone	♦	♦	♦	♦	♦	♦	♦	♦
Triamcinolone	♦	♦	♦	♦	♦	♦	♦	♦

Key to abbreviations

ABC	Abacavir (Ziagen®)
ddl	Didanosine (Videx®, Videx-EC®)
FTC	Emtricitabine (Emtriva®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)
3TC	Lamivudine (Epivir®)
d4T	Stavudine (Zerit®)
TDF	Tenofovir disoproxil fumarate (Viread®)
ZDV	Zidovudine (Retrovir®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
♦	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
 Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69