



Interactions with NRTIs

Charts revised August 2019. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

Table of drug interactions for Anticonvulsants, Antidepressants, and Anti-diabetics. Columns include ABC, ddl, FTC, F/TAF, F/TDF, 3TC, d4T, TDF, ZDV. Symbols indicate interaction levels.

For personal use only. Not for distribution.

Table of drug interactions for Antifungals, Antihistamines, Antimigraine Agents, Antiprotozoals, and Antipsychotics/Neuroleptics. Columns include ABC, ddl, FTC, F/TAF, F/TDF, 3TC, d4T, TDF, ZDV. Symbols indicate interaction levels.

Key to abbreviations

Table mapping abbreviations to drugs: ABC (Abacavir), ddl (Didanosine), FTC (Emtricitabine), F/TAF, F/TDF, 3TC (Lamivudine), d4T (Stavudine), TDF, Tenofovir disoproxil fumarate, ZDV (Zidovudine).

Key to symbols

Legend for symbols: Red circle (Do not coadminister), Orange square (Potential interaction), Yellow triangle (Weak interaction), Green diamond (No clinically significant interaction).

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.





