Interactions with NRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
ADHD Agents							
Atomoxetine	◆	◆	◆	◆	◆	◆	◆
Dexamfetamine (dextroamphetamine)	◆	◆	◆	◆	◆	◆	◆
Dexmethylphenidate	◆	◆	◆	◆	◆	◆	◆
Guanfacine	◆	◆	◆	◆	△	◆	◆
Lisdexamfetamine	◆	◆	◆	◆	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆	◆	◆
Serdexmethylphenidate	◆	◆	◆	◆	◆	◆	◆
Anaesthetics & Muscle Relaxants							
Alcuronium	◆	△	△	△	△	△	◆
Bupivacaine	◆	◆	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆
Cyclobenzaprine	◆	◆	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	△	◆	◆
Esketamine (anaesthetic)	◆	◆	◆	◆	◆	◆	◆
Etidocaine	◆	◆	◆	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	◆	◆	◆
Methocarbamol	◆	◆	◆	◆	◆	◆	◆
Minaxolone	◆	◆	◆	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	■
Propofol	◆	◆	◆	◆	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆	◆	◆
Ropivacaine	◆	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	◆	◆	◆	◆	◆
Sufentanil	◆	◆	◆	◆	◆	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆	◆
Analgesics							
Alfentanil	◆	◆	◆	◆	◆	◆	◆
Aspirin	◆	◆	◆	■	◆	■	△
Buprenorphine	◆	◆	◆	◆	◆	◆	◆
Celecoxib	◆	◆	◆	■	◆	■	△
Codeine	◆	◆	◆	◆	◆	◆	◆
Dexketoprofen	◆	◆	◆	■	◆	■	△
Dextropropoxyphene	◆	◆	◆	◆	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	■	◆	■	△
Dihydrocodeine	◆	◆	◆	◆	◆	◆	◆
Etoricoxib	◆	◆	◆	■	◆	■	△
Fentanyl	◆	◆	◆	◆	◆	◆	◆
Hydrocodone	◆	◆	◆	◆	◆	◆	◆
Hydromorphone	◆	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	■	◆	■	△
Indometacin (Indomethacin)	◆	◆	◆	■	◆	■	△
Ketoprofen	◆	◆	◆	■	◆	■	△
Ketorolac	◆	◆	◆	■	◆	■	△
Lornoxicam (Chlortenoxicam)	◆	◆	◆	■	◆	■	△
Mefenamic acid	◆	◆	◆	■	◆	■	△
Meloxicam	◆	◆	◆	■	◆	■	△
Metamizole	◆	◆	◆	◆	◆	◆	●
Methadone	△	◆	◆	◆	◆	◆	△
Morphine	◆	◆	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	■	◆	■	△
Nefopam	◆	◆	◆	◆	◆	◆	◆
Nimesulide	◆	◆	◆	■	◆	■	△
Oxycodone	◆	◆	◆	◆	◆	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	◆	◆	◆
Piroxicam	◆	◆	◆	■	◆	■	△
Tapentadol	◆	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	◆	◆	◆
Antihelmintics							
Albendazole	◆	◆	◆	◆	◆	◆	■
Diethylcarbamazine	◆	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆	◆	■
Niclosamide	◆	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	◆	◆	◆
Pyrantel	◆	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆	■
Triclabendazole	◆	◆	◆	◆	◆	◆	◆

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Antiarrhythmics							
Amiodarone	◆	◆	■	■	◆	■	◆
Bepridil	◆	◆	◆	◆	◆	◆	◆
Digoxin	◆	◆	◆	◆	◆	◆	◆
Disopyramide	◆	◆	◆	◆	△	◆	◆
Dofetilide	◆	◆	◆	◆	△	◆	◆
Dronedarone	◆	◆	◆	◆	◆	◆	◆
Flecainide	◆	◆	◆	◆	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	◆	◆	◆
Mexiletine	◆	◆	◆	◆	◆	◆	◆
Procainamide	◆	◆	◆	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆	◆	◆	◆
Quinidine	◆	◆	■	■	◆	■	◆
Antibacterials							
Amikacin	◆	◆	◆	■	◆	■	◆
Amoxicillin	◆	◆	◆	◆	◆	◆	◆
Ampicillin	◆	△	△	△	△	△	◆
Azithromycin	◆	◆	◆	◆	◆	◆	◆
Bedaquiline	◆	◆	◆	◆	◆	◆	◆
Capreomycin	◆	△	△	■	△	■	◆
Cefalexin	◆	◆	◆	△	◆	△	◆
Cefazolin	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆
Cefuroxime	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆	■
Ciprofloxacin	◆	◆	◆	◆	◆	◆	◆
Clarithromycin	◆	◆	■	■	◆	■	△
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	◆	◆	◆
Clofazimine	◆	◆	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	■
Daptomycin	◆	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	◆	◆	◆	◆	◆
Doxycycline	◆	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆	◆
Erythromycin	◆	◆	◆	◆	◆	◆	◆
Ethambutol	◆	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	■	◆	◆	△	◆	△	◆
Fosfomycin	◆	◆	◆	◆	◆	◆	◆
Furazolidone	◆	◆	◆	◆	◆	◆	◆
Gatifloxacin (topical)	◆	◆	◆	◆	◆	◆	◆
Gemifloxacin	◆	◆	◆	◆	◆	◆	◆
Gentamicin	◆	◆	◆	■	◆	■	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	■	◆	■	◆
Levofloxacin	◆	◆	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆	◆
Lymecycline	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	◆	◆	◆
Minocycline	◆	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	◆	◆	◆	◆
Nafcillin	◆	◆	◆	◆	◆	◆	■
Neomycin	◆	◆	◆	■	◆	■	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆	■
Ofloxacin	◆	◆	◆	◆	◆	◆	◆
Para-aminosalicylic acid	◆	△	△	△	△	△	◆
Penicillins	◆	◆	◆	◆	◆	△	◆
Piperacillin	◆	◆	◆	■	◆	■	◆
Pretomanid	◆	◆	◆	◆	◆	◆	■
Pyrazinamide	◆	◆	◆	◆	◆	◆	◆
Rifabutin	◆	◆	■	◆	◆	◆	◆
Rifampicin	△	◆	■	◆	◆	◆	■
Rifapentine	◆	◆	■	◆	◆	◆	◆
Rifaximin	◆	◆	◆	◆	◆	◆	◆
Roxithromycin	◆	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	■	◆	■	◆
Sulfadiazine	◆	■	■	■	■	■	■
Tazobactam	◆	◆	◆	■	◆	■	◆
Teicoplanin	◆	◆	◆	■	◆	■	■
Telavancin	◆	◆	◆	■	◆	■	◆
Telithromycin	◆	◆	◆	◆	◆	◆	◆
Tetracyclines	◆	◆	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆	◆	◆
Tobramycin	◆	◆	◆	■	◆	■	◆
Trimethoprim/Sulfamethoxazole	◆	△	△	△	△	◆	■
Vancomycin	◆	◆	◆	■	◆	■	■

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Using a saved or printed version? Click or scan to check for updates

Key to abbreviations

ABC	Abacavir (Ziagen®)	3TC	Lamivudine (Epivir®)
FTC	Emtricitabine (Emtriva®)	TDF	Tenofovir disoproxil fumarate (Viread®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)	ZDV	Zidovudine (Retrovir®)
F/TDF	Emtricitabine + Tenofovir-DF (Truvada®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Anti-coagulant, Anti-platelet and Fibrinolytic							
Acenocoumarol	◆	◆	◆	◆	◆	◆	◆
Apixaban	◆	◆	◆	◆	◆	◆	◆
Argatroban	◆	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆	◆
Betrixaban	◆	◆	◆	◆	◆	◆	◆
Clopidogrel	■	◆	◆	◆	◆	◆	◆
Dabigatran	◆	◆	◆	◆	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆
Nadroparin	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	◆	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	◆	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	◆	◆	◆
Tinzaparin	◆	◆	◆	◆	◆	◆	■
Warfarin	◆	◆	◆	◆	◆	◆	◆
Anticonvulsants							
Brivaracetam	◆	◆	◆	◆	◆	◆	◆
Carbamazepine	△	◆	■	◆	◆	◆	△
Cenobamate	◆	◆	◆	△	◆	△	◆
Clonazepam	◆	◆	◆	◆	◆	◆	◆
Eslicarbazepine	◆	◆	◆	◆	◆	◆	◆
Ethosuximide	◆	◆	◆	◆	◆	◆	■
Felbamate	◆	◆	◆	◆	◆	◆	■
Fosphenytoin	△	◆	■	◆	◆	◆	△
Gabapentin	◆	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆	◆
Oxcarbazepine	◆	◆	■	◆	◆	◆	◆
Perampanel	◆	◆	◆	◆	◆	◆	◆
Phenobarbital (Phenobarbitone)	△	◆	■	◆	◆	◆	■
Phenytoin	△	◆	■	◆	◆	◆	△
Pregabalin	◆	◆	◆	◆	◆	◆	◆
Primidone	△	◆	■	◆	◆	◆	■
Sodium valproate	◆	◆	◆	◆	◆	◆	■
Tiagabine	◆	◆	◆	◆	◆	◆	◆
Topiramate	◆	◆	◆	■	◆	■	◆
Valproate semisodium (Divalproex)	◆	◆	◆	◆	◆	◆	■
Valproic acid	◆	◆	◆	◆	◆	◆	■
Vigabatrin	◆	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆	◆
Antidepressants							
Agomelatine	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆	◆	◆
Amoxapine	◆	◆	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆	◆	◆	◆
Citalopram	◆	◆	◆	◆	◆	◆	◆
Clomipramine	◆	◆	◆	◆	◆	◆	◆
Desipramine	◆	◆	◆	◆	◆	◆	◆
Desvenlafaxine	◆	◆	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	◆	◆	◆	◆	◆
Esketamine (antidepressant)	◆	◆	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆	◆
Imipramine	◆	◆	◆	◆	◆	◆	◆
Lithium	◆	◆	◆	■	◆	■	◆
Maprotiline	◆	◆	◆	◆	◆	◆	◆
Mianserin	◆	◆	◆	◆	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	◆	◆	◆	◆
Moclobemide	◆	◆	◆	◆	◆	◆	◆
Nefazodone	◆	◆	◆	◆	◆	◆	◆
Nortriptyline	◆	◆	◆	◆	◆	◆	◆
Opipramol	◆	◆	◆	◆	◆	◆	◆
Paroxetine	◆	◆	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆	◆	◆	◆
Trimipramine	◆	◆	◆	◆	◆	◆	◆
Venlafaxine	◆	◆	◆	◆	◆	◆	◆
Vortioxetine	◆	◆	◆	◆	◆	◆	◆

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Anti-diabetics							
Acarbose	◆	◆	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	■	◆	■	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	◆	◆	◆	◆
Gliclazide	◆	◆	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆	◆	◆
Repaglinide	◆	◆	◆	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	◆	◆	◆
Semaglutide	◆	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆	◆
Tirzepatide	◆	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆	◆
Antifungals							
Amphotericin B	◆	◆	◆	■	◆	■	■
Anidulafungin	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆
Clotrimazole (pessary, troche)	◆	◆	◆	◆	◆	◆	◆
Clotrimazole (topical)	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	△	■	◆	■	■
Flucytosine	◆	■	■	■	■	■	■
Griseofulvin	◆	◆	◆	◆	◆	◆	◆
Isavuconazole	◆	◆	△	◆	◆	◆	◆
Itraconazole	◆	◆	■	■	◆	■	◆
Ketoconazole	◆	◆	■	■	◆	■	◆
Miconazole	◆	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	■	◆	■	◆
Rezafungin	◆	◆	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	■	◆	■	◆
Antihaemorrhagics							
Avatrombopag	◆	◆	◆	◆	◆	◆	◆
Eltrombopag	◆	◆	◆	◆	◆	◆	◆
Emicizumab	◆	◆	◆	◆	◆	◆	◆
Fostamatinib	◆	◆	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆	◆
Antihistamines							
Astemizole	◆	◆	◆	◆	◆	◆	◆
Bilastine	◆	◆	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆	◆
Clemastine	◆	◆	◆	◆	◆	◆	◆
Desloratadine	◆	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆	◆
Doxylamine	◆	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	◆	◆	◆	◆	◆
Antimigraine Agents							
Almotriptan	◆	◆	◆	◆	◆	◆	◆
Atogepant	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	◆	◆	◆
Eletriptan	◆	◆	◆	◆	◆	◆	◆
Eptinezumab	◆	◆	◆	◆	◆	◆	◆
Erenumab	◆	◆	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	◆	◆	◆
Fremanezumab	◆	◆	◆	◆	◆	◆	◆
Frovatriptan	◆	◆	◆	◆	◆	◆	◆
Galcanezumab	◆	◆	◆	◆	◆	◆	◆
Methysergide	◆	◆	◆	◆	◆	◆	◆
Naratriptan	◆	◆	◆	◆	◆	◆	◆
Pizotifen	◆	◆	◆	◆	◆	◆	◆
Rimegepant	◆	◆	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆
Ubrogepant	◆	◆	◆	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Key to abbreviations

ABC	Abacavir (Ziagen®)	3TC	Lamivudine (Epivir®)
FTC	Emtricitabine (Emtriva®)	TDF	Tenofovir disoproxil fumarate (Viread®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)	ZDV	Zidovudine (Retrovir®)
F/TDF	Emtricitabine + Tenofovir-DF (Truvada®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Antiprotozoals							
Amodiaquine	◆	◆	◆	◆	◆	◆	■
Artemisinin	◆	◆	◆	◆	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆	◆	■
Benznidazole	◆	◆	◆	◆	◆	◆	■
Chloroquine	◆	◆	◆	◆	◆	◆	◆
Diloxanide	◆	◆	◆	◆	◆	◆	◆
Eflornithine	◆	△	△	△	△	△	■
Halofantrine	◆	◆	◆	◆	◆	◆	◆
Hydroxychloroquine	◆	◆	◆	◆	◆	◆	◆
Lumefantrine	◆	◆	◆	◆	◆	◆	◆
Mefloquine	◆	◆	◆	◆	◆	◆	◆
Meglumine antimoniate	◆	◆	◆	■	◆	■	◆
Melarsoprol	◆	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆
Nitazoxanide	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	■	◆	■	■
Piperaquine	◆	◆	◆	◆	◆	◆	◆
Primaquine	◆	◆	◆	◆	◆	◆	■
Proguanil	◆	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	△	△	△	△	◆	△
Quinine	◆	◆	◆	◆	◆	◆	◆
Sodium stibogluconate	◆	◆	◆	◆	◆	◆	■
Sulfadoxine	◆	△	△	△	△	◆	△
Antipsychotics/Neuroleptics							
Amisulpride	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	◆	◆	◆	◆
Asenapine	◆	◆	◆	◆	◆	◆	◆
Brexpiprazole	◆	◆	◆	◆	◆	◆	■
Cariprazine	◆	◆	◆	◆	◆	◆	■
Chlorpromazine	◆	◆	◆	◆	◆	◆	■
Clozapine	◆	◆	◆	◆	◆	◆	■
Flupentixol (Flupentixol)	◆	◆	◆	◆	◆	◆	◆
Fluphenazine	◆	◆	◆	◆	◆	◆	■
Haloperidol	◆	◆	◆	◆	◆	◆	◆
Iloperidone	◆	◆	◆	◆	◆	◆	◆
Levomepromazine	◆	◆	◆	◆	◆	◆	◆
Lumateperone	◆	◆	◆	◆	◆	◆	◆
Lurasidone	◆	◆	◆	◆	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	◆	◆	◆	◆
Perazine	◆	◆	◆	◆	◆	◆	◆
Periciazine	◆	◆	◆	◆	◆	◆	■
Perospirone	◆	◆	◆	◆	◆	◆	◆
Perphenazine	◆	◆	◆	◆	◆	◆	■
Pimozide	◆	◆	◆	◆	◆	◆	◆
Pipotiazine	◆	◆	◆	◆	◆	◆	■
Quetiapine	◆	◆	◆	◆	◆	◆	■
Risperidone	◆	◆	◆	◆	◆	◆	◆
Sertindole	◆	◆	◆	◆	◆	◆	◆
Sulpiride	◆	◆	◆	◆	◆	◆	◆
Thioridazine	◆	◆	◆	◆	◆	◆	■
Tiapride	◆	◆	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	◆	◆	◆	◆
Zotepine	◆	◆	◆	◆	◆	◆	◆
Zuclopenthixol	◆	◆	◆	◆	◆	◆	■
Antiretrovirals - Entry, Attachment and Capsid Inhibitors							
Albuvirtide	◆	◆	◆	◆	◆	◆	◆
Enfuvirtide	◆	◆	◆	◆	◆	◆	◆
Fostemsavir	◆	◆	◆	◆	◆	◆	◆
Ibalizumab-uiyk	◆	◆	◆	◆	◆	◆	◆
Lenacapavir	◆	◆	△	△	◆	△	◆
Maraviroc	◆	◆	◆	◆	◆	◆	◆
Antiretrovirals - Integrase Inhibitors							
Bictegravir/ Emtricitabine/ TAF	△	●	●	●	●	●	△
Cabotegravir [oral]	◆	◆	◆	◆	◆	◆	◆
Cabotegravir/Rilpivirine [long acting]	△	△	△	△	△	△	△
Dolutegravir	◆	◆	◆	◆	◆	◆	◆
Dolutegravir/ Abacavir/ Lamivudine	●	●	●	●	●	△	△
Dolutegravir/ Lamivudine	△	●	●	●	●	△	△
Dolutegravir/ Lamivudine/ Tenofovir-DF	△	●	●	●	●	●	△
Dolutegravir/Rilpivirine	△	△	△	△	△	△	△
Elvitegravir/ Cobicistat/ Emtricitabine/ TAF	△	●	●	●	●	●	△
Elvitegravir/ Cobicistat/ Emtricitabine/ TDF	△	●	●	●	●	●	△
Raltegravir	◆	◆	◆	◆	◆	◆	◆

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Antiretrovirals - Non-nucleoside Reverse Transcriptase Inhibitors							
Doravirine	◆	◆	◆	◆	◆	◆	◆
Doravirine/Islatravir	△	●	●	●	●	△	△
Doravirine/Lamivudine/Tenofovir-DF	△	●	●	●	●	●	△
Efavirenz	◆	◆	◆	◆	◆	◆	◆
Etravirine	◆	◆	◆	◆	◆	◆	◆
Nevirapine	◆	◆	◆	◆	◆	◆	◆
Rilpivirine	◆	◆	◆	◆	◆	◆	◆
Rilpivirine/ Emtricitabine/TAF	△	●	●	●	●	●	△
Rilpivirine/ Emtricitabine/Tenofovir-DF	△	●	●	●	●	●	△
Antiretrovirals - Nucleoside/tide Reverse Transcriptase Inhibitors							
Abacavir		◆	◆	△	◆	◆	◆
Emtricitabine	◆		●	●	●	◆	◆
Emtricitabine/Tenofovir alafenamide	◆	●		●	●	●	◆
Emtricitabine/Tenofovir-D	△	●	●		●	●	◆
Lamivudine	◆	●	●	●		◆	◆
Tenofovir-DF	◆	◆	●	●	◆		◆
Zidovudine	◆	◆	◆	◆	◆	◆	
Antiretrovirals - Protease Inhibitors							
Atazanavir alone	◆	◆	■	●	◆	●	◆
Atazanavir + ritonavir	◆	◆	■	■	◆	■	◆
Atazanavir/cobicistat	◆	◆	■	■	◆	■	◆
Darunavir + ritonavir	◆	◆	■	■	◆	■	◆
Darunavir/cobicistat	◆	◆	■	■	◆	■	◆
Darunavir/cobicistat/ Emtricitabine/TAF	△	●	●	●	●	●	△
Lopinavir/ritonavir	△	◆	■	■	◆	■	◆
Ritonavir	◆	◆	■	■	◆	■	◆
Antiretrovirals for PrEP							
Cabotegravir PrEP [long acting]	●	●	●	●	●	●	●
Dapivirine	●	●	●	●	●	●	●
Emtricitabine/Tenofovir alafenamide	●	●		●	●	●	●
Emtricitabine/Tenofovir-DF	●	●	●		●	●	●
Lenacapavir for PrEP	●	●	●	●	●	●	●
Antivirals							
Aciclovir	◆	◆	◆	■	◆	■	◆
Adefovir	◆	■	●	●	◆	●	◆
Amantadine	◆	◆	◆	◆	△	◆	◆
Brincidofovir	◆	◆	△	△	◆	△	■
Bulevirtide	◆	◆	◆	◆	◆	◆	◆
Cidofovir	◆	◆	◆	■	◆	■	■
Daclatasvir	◆	◆	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	△	◆	△	◆
Favipiravir	◆	◆	◆	■	◆	■	◆
Foscarnet	◆	◆	◆	■	◆	■	◆
Ganciclovir	◆	◆	◆	■	◆	■	△
Glecaprevir/Pibrentasvir	◆	◆	◆	◆	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	◆	■	◆	■	◆
Letermovir	◆	◆	■	△	◆	△	◆
Maribavir	◆	◆	◆	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆	◆	◆
Nirmatrelvir/Ritonavir	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	◆	◆	■	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	■	◆	◆	◆	◆
Oseltamivir	◆	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆	●
Rimantadine	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	■	◆	■	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	■	◆	■	◆
Sotrovimab	◆	◆	◆	◆	◆	◆	◆
Tecovirimat	◆	◆	△	△	◆	△	◆
Telbivudine	◆	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	◆	◆	●	●	◆	●	◆
Tixagevimab/Cilgavimab	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	■	◆	■	◆
Valganciclovir	◆	◆	◆	■	◆	■	△
Zanamivir	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

ABC	Abacavir (Ziagen®)	3TC	Lamivudine (Epivir®)
FTC	Emtricitabine (Emtriva®)	TDF	Tenofovir disoproxil fumarate (Viread®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)	ZDV	Zidovudine (Retrovir®)
F/TDF	Emtricitabine + Tenofovir-DF (Truvada®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Anxiolytics/Hypnotics/ Sedatives							
Alprazolam	◆	◆	◆	◆	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆	◆	◆	◆
Clobazam	◆	◆	◆	◆	◆	◆	◆
Clorazepate	◆	◆	◆	◆	◆	◆	◆
Daridorexant	◆	◆	◆	◆	◆	◆	◆
Diazepam	◆	◆	◆	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆	◆	◆	◆
Eszopiclone	◆	◆	◆	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆	◆	◆
Midazolam (buccal)	◆	◆	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆	◆	◆
Secobarbital (quinalbarbitone)	◆	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	◆	◆	◆
Zaleplon	◆	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	◆	◆	◆
Zopiclone	◆	◆	◆	◆	◆	◆	◆
Beta Blockers							
Atenolol	◆	◆	◆	◆	△	◆	◆
Bisoprolol	◆	◆	◆	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆	◆
Sotalol	◆	◆	◆	◆	△	◆	◆
Timolol	◆	◆	◆	◆	◆	◆	◆
Bisphosphonates							
Alendronic acid (Alendronate)	◆	◆	◆	◆	◆	◆	◆
Ibandronic acid (Ibandronate)	◆	◆	◆	◆	◆	◆	◆
Risedronic acid (Risedronate)	◆	◆	◆	◆	◆	◆	◆
Zoledronic acid (Zoledronate	◆	◆	◆	■	◆	■	◆
Bronchodilators							
Aclidinium bromide	◆	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	◆	◆	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	◆	◆	◆
Terbutaline	◆	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆	◆
Zafirlukast	◆	◆	◆	◆	◆	◆	◆
Calcium Channel Blockers							
Amlodipine	◆	◆	◆	◆	◆	◆	◆
Barnidipine	◆	◆	◆	◆	◆	◆	◆
Diltiazem	◆	◆	◆	◆	◆	◆	◆
Felodipine	◆	◆	◆	◆	◆	◆	◆
Nicardipine	◆	◆	◆	◆	◆	◆	◆
Nifedipine	◆	◆	◆	◆	◆	◆	◆
Nimodipine	◆	◆	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆	◆	◆	◆
Verapamil	◆	◆	■	■	◆	■	◆

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Cancer Therapies							
Abemaciclib	◆	◆	◆	◆	◆	◆	■
Abiraterone	◆	◆	◆	◆	◆	◆	◆
Acalabrutinib	◆	◆	◆	◆	◆	◆	■
Afatinib	◆	◆	◆	◆	◆	◆	◆
Alectinib	◆	◆	△	◆	◆	◆	■
Alemtuzumab	◆	◆	◆	◆	◆	◆	◆
Alpelisib	◆	◆	◆	◆	◆	◆	■
Amivantamab	◆	◆	◆	◆	◆	◆	■
Anastrozole	◆	◆	◆	◆	◆	◆	◆
Apalutamide	△	◆	◆	◆	◆	◆	◆
Arsenic trioxide	◆	◆	◆	◆	◆	◆	■
Asciminib	◆	◆	◆	◆	◆	◆	■
Asparaginase	◆	◆	◆	◆	◆	◆	◆
Atezolizumab	◆	◆	◆	◆	◆	◆	■
Avapritinib	◆	◆	◆	◆	◆	◆	■
Avelumab	◆	◆	◆	◆	◆	◆	◆
Axitinib	◆	◆	◆	◆	◆	◆	■
Azacitidine	◆	△	△	△	△	◆	■
Bendamustine	◆	◆	◆	◆	◆	◆	■
Bevacizumab	◆	◆	◆	◆	◆	◆	◆
Bexarotene	◆	◆	◆	◆	◆	◆	◆
Bicalutamide	◆	◆	◆	△	◆	△	◆
Binimetinib	◆	◆	◆	◆	◆	◆	■
Bleomycin	◆	◆	◆	◆	◆	◆	◆
Blinatumomab	◆	◆	◆	◆	◆	◆	■
Bortezomib	◆	◆	◆	◆	◆	◆	■
Bosutinib	◆	◆	◆	◆	◆	◆	■
Brentuximab vedotin	◆	◆	◆	◆	◆	◆	◆
Brigatinib	◆	◆	◆	◆	◆	◆	■
Busulfan	◆	◆	◆	◆	◆	◆	●
Cabazitaxel	◆	◆	◆	◆	◆	◆	■
Cabozantinib	◆	◆	◆	◆	◆	◆	■
Capecitabine	△	△	△	△	△	△	■
Capmatinib	◆	◆	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	■	◆	■	■
Carfilzomib	◆	◆	◆	◆	◆	◆	■
Cedazuridine	◆	◆	◆	◆	◆	◆	◆
Cemiplimab	◆	◆	◆	◆	◆	◆	■
Ceritinib	◆	◆	◆	◆	◆	◆	■
Cetuximab	◆	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆	■
Cisplatin	◆	■	■	■	■	■	■
Cladribine (injection)	●	●	●	●	●	●	●
Clofarabine	◆	◆	◆	■	◆	■	■
Cobimetinib	◆	◆	◆	◆	◆	◆	■
Copanlisib	◆	◆	◆	◆	◆	◆	■
Crizotinib	◆	◆	◆	◆	◆	◆	■
Cyclophosphamide	◆	◆	◆	◆	◆	◆	■
Cytarabine	◆	◆	◆	◆	◆	◆	■
Dabrafenib	◆	◆	◆	◆	◆	◆	■
Dacarbazine	◆	◆	◆	■	◆	■	■
Dacomitinib	◆	◆	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆	■
Daratumumab	◆	◆	◆	◆	◆	◆	■
Darolutamide	◆	◆	◆	◆	◆	◆	◆
Dasatinib	◆	◆	◆	◆	◆	◆	◆
Daunorubicin	◆	◆	◆	◆	◆	◆	■
Decitabine	◆	△	△	△	△	◆	■
Docetaxel	◆	◆	◆	◆	◆	◆	■
Doxorubicin	◆	◆	◆	◆	◆	◆	■
Droloxifene	◆	◆	◆	◆	◆	◆	◆
Durvalumab	◆	◆	◆	◆	◆	◆	■
Duvelisib	◆	◆	◆	◆	◆	◆	■
Elotuzumab	◆	◆	◆	◆	◆	◆	■
Enasidenib	◆	◆	◆	◆	◆	◆	◆
Encorafenib	◆	◆	◆	◆	◆	◆	■
Enfortumab vedotin	◆	◆	◆	◆	◆	◆	■
Entrectinib	◆	◆	◆	◆	◆	◆	■
Enzalutamide	△	◆	◆	◆	◆	◆	◆
Epcoritamab	◆	◆	◆	◆	◆	◆	■
Epirubicin	◆	◆	◆	◆	◆	◆	■
Erdafitinib	◆	◆	◆	◆	◆	◆	◆
Eribulin	◆	◆	◆	◆	◆	◆	■
Erlotinib	◆	◆	◆	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	◆	◆	■
Everolimus	◆	◆	◆	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

ABC	Abacavir (Ziagen®)	3TC	Lamivudine (Epivir®)
FTC	Emtricitabine (Emtriva®)	TDF	Tenofovir disoproxil fumarate (Viread®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)	ZDV	Zidovudine (Retrovir®)
F/TDF	Emtricitabine + Tenofovir-DF (Truvada®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Cancer Therapies (continued)							
Fedratinib	◆	◆	◆	◆	◆	◆	■
Fludarabine	◆	◆	◆	◆	◆	◆	■
Fluorouracil	△	△	△	△	△	△	■
Flutamide	◆	◆	◆	◆	◆	◆	◆
Formestane	◆	◆	◆	◆	◆	◆	◆
Fulvestrant	◆	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆	◆	◆	■
Gilteritinib	◆	◆	◆	◆	◆	◆	■
Glasdegib	◆	◆	◆	◆	◆	◆	■
Hydroxycarbamide (Hydroxyurea)	◆	◆	◆	◆	◆	◆	■
Ibrutinib	◆	◆	◆	◆	◆	◆	■
Idarubicin	◆	◆	◆	◆	◆	◆	■
Idelalisib	◆	◆	◆	◆	◆	◆	■
Ifosfamide	◆	◆	■	■	◆	■	■
Imatinib	◆	◆	◆	◆	◆	◆	■
Infigratinib	◆	◆	◆	◆	◆	◆	■
Inotuzumab ozogamicin	◆	◆	◆	◆	◆	◆	■
Ipilimumab	◆	◆	◆	◆	◆	◆	■
Irinotecan	◆	◆	◆	◆	◆	◆	■
Isatuximab	◆	◆	◆	◆	◆	◆	■
Ivosidenib	△	◆	◆	◆	◆	◆	■
Ixazomib	◆	◆	◆	◆	◆	◆	■
Lapatinib	◆	◆	◆	◆	◆	◆	◆
Larotrectinib	◆	◆	◆	◆	◆	◆	■
Lenalidomide	◆	◆	■	■	◆	■	◆
Lenvatinib	◆	◆	◆	◆	◆	◆	■
Letrozole	◆	◆	◆	◆	◆	◆	◆
Lomustine	◆	◆	◆	■	◆	■	●
Lorlatinib	◆	◆	■	◆	◆	◆	■
Mercaptopurine	◆	◆	◆	◆	◆	◆	■
Mesna	◆	◆	◆	△	◆	△	◆
Methotrexate	◆	◆	◆	■	◆	■	■
Midostaurin	◆	◆	◆	◆	◆	◆	◆
Mitomycin	◆	◆	◆	■	◆	■	■
Mitotane	◆	◆	◆	◆	◆	◆	■
Mitoxantrone	◆	◆	◆	◆	◆	◆	■
Mobocertinib	◆	◆	◆	◆	◆	◆	■
Necitumumab	◆	◆	◆	◆	◆	◆	◆
Neratinib	◆	◆	■	■	◆	■	◆
Nilotinib	◆	◆	◆	◆	◆	◆	◆
Nilutamide	◆	◆	◆	◆	◆	◆	◆
Nintedanib	◆	◆	◆	◆	◆	◆	◆
Niraparib	◆	△	△	△	△	◆	■
Nivolumab	◆	◆	◆	◆	◆	◆	◆
Obinutuzumab	◆	◆	◆	◆	◆	◆	■
Ofatumumab	◆	◆	◆	◆	◆	◆	■
Olaparib	◆	◆	◆	◆	◆	◆	■
Olaratumab	◆	◆	◆	◆	◆	◆	■
Osimertinib	◆	◆	■	■	◆	■	■
Oxaliplatin	◆	◆	◆	■	△	■	■
Paclitaxel	◆	◆	◆	◆	◆	◆	■
Palbociclib	◆	◆	■	■	◆	■	■
Panitumumab	◆	◆	◆	◆	◆	◆	■
Panobinostat	◆	◆	◆	◆	◆	◆	■
Pazopanib	◆	◆	◆	◆	◆	◆	◆
Pembrolizumab	◆	◆	◆	◆	◆	◆	■
Pemetrexed	◆	◆	◆	◆	◆	◆	■
Pemigatinib	◆	◆	■	■	◆	■	■
Pentostatin	●	●	●	●	●	●	●
Pertuzumab	◆	◆	◆	◆	◆	◆	■
Pexidartinib	◆	◆	◆	◆	◆	◆	■
Polatuzumab vedotin	◆	◆	◆	◆	◆	◆	◆
Pomalidomide	◆	◆	◆	◆	◆	◆	■
Ponatinib	◆	◆	■	■	◆	■	■
Pralsetinib	◆	△	■	■	△	■	■
Procarbazine	◆	◆	◆	◆	◆	◆	■
Regorafenib	◆	◆	◆	◆	◆	◆	■
Relugolix	◆	◆	◆	◆	◆	◆	◆
Repotrectinib	◆	◆	◆	◆	◆	◆	◆
Ribociclib	◆	◆	■	■	◆	■	■
Rituximab	◆	◆	◆	◆	◆	◆	■
Romidepsin	◆	◆	◆	◆	◆	◆	■
Rucaparib	◆	△	◆	◆	△	◆	■
Ruxolitinib	◆	◆	■	■	◆	■	■

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Cancer Therapies (continued)							
Selpercatinib	◆	△	△	△	◆	△	◆
Sorafenib	◆	◆	◆	■	◆	■	◆
Sotorasib	◆	◆	■	■	◆	■	■
Sunitinib	◆	◆	◆	◆	◆	◆	◆
Talazoparib	◆	◆	◆	◆	◆	◆	■
Tamoxifen	◆	◆	◆	◆	◆	◆	◆
Tegafur/ Gimeracil/ Oteracil	△	△	△	△	△	△	■
Temsirolimus	◆	◆	◆	◆	◆	◆	◆
Teniposide	◆	◆	◆	◆	◆	◆	■
Tepotinib	◆	◆	■	■	◆	■	■
Thiotepa	◆	◆	◆	◆	◆	◆	■
Tisotumab vedotin	◆	◆	◆	◆	◆	◆	■
Tivozanib	◆	◆	◆	◆	◆	◆	■
Topotecan	◆	◆	◆	◆	◆	◆	■
Toremifene	◆	◆	◆	◆	◆	◆	◆
Trabectedin	◆	◆	◆	◆	◆	◆	■
Trametinib	◆	◆	◆	◆	◆	◆	■
Trastuzumab	◆	◆	◆	◆	◆	◆	■
Trastuzumab emtansine	◆	◆	◆	◆	◆	◆	■
Trifluridine/Tipiracil	◆	◆	◆	◆	◆	◆	■
Tucatinib	◆	◆	△	△	◆	△	◆
Vemurafenib	◆	◆	◆	◆	◆	◆	■
Venetoclax	◆	◆	◆	◆	◆	◆	■
Vinblastine	◆	◆	◆	◆	◆	◆	■
Vincristine	◆	◆	◆	◆	◆	◆	■
Vinorelbine	◆	◆	◆	◆	◆	◆	◆
Vorinostat	◆	◆	◆	◆	◆	◆	■
Contraceptives/HRT							
Bazedoxifene	◆	◆	◆	◆	◆	◆	◆
Chlormadinone (COC)	◆	◆	◆	◆	◆	◆	◆
Conjugated estrogens	◆	◆	◆	◆	◆	◆	◆
Desogestrel (COC)	◆	◆	◆	◆	◆	◆	◆
Desogestrel (POP)	◆	◆	◆	◆	◆	◆	◆
Drospirenone (COC)	◆	◆	◆	◆	◆	◆	◆
Drospirenone (HRT)	◆	◆	◆	◆	◆	◆	◆
Drospirenone (POP)	◆	◆	◆	◆	◆	◆	◆
Dydrogesterone (HRT)	◆	◆	◆	◆	◆	◆	◆
Estradiol	◆	◆	◆	◆	◆	◆	◆
Ethinylestradiol	◆	◆	◆	◆	◆	◆	◆
Etonogestrel (implant)	◆	◆	◆	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	◆	◆	◆	◆	◆	◆
Gestodene (COC)	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (COC)	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (implant)	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	△	◆	△	◆
Medroxyprogesterone (HRT)	◆	◆	◆	◆	◆	◆	◆
Norelgestromin (patch)	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	◆	◆	◆	◆
Norgestimate (COC)	◆	◆	◆	◆	◆	◆	◆
Norgestimate (HRT)	◆	◆	◆	◆	◆	◆	◆
Norgestrel (COC)	◆	◆	◆	◆	◆	◆	◆
Norgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆
Progesterone (HRT)	◆	◆	◆	◆	◆	◆	◆
Tibolone (HRT)	◆	◆	◆	◆	◆	◆	◆
Ulipristal	◆	◆	◆	◆	◆	◆	◆
Cough and Cold Preparations							
Benzonatate	◆	◆	◆	◆	◆	◆	◆
Carbocisteine	◆	◆	◆	◆	◆	◆	◆
Dextromethorphan	◆	◆	◆	◆	◆	◆	◆
Pseudoephedrine	◆	◆	◆	◆	◆	◆	◆
Cystic Fibrosis Agents							
Deutivacaftor/Tezacaftor/ Vanzacaftor	◆	◆	△	△	◆	△	◆
Ivacaftor	◆	◆	△	△	◆	△	◆
Ivacaftor/Lumacaftor	◆	◆	◆	◆	◆	◆	◆
Ivacaftor/Tezacaftor	◆	◆	△	△	◆	△	◆
Ivacaftor/Tezacaftor/ Elexacaftor	◆	◆	△	△	◆	△	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

ABC	Abacavir (Ziagen®)	3TC	Lamivudine (Epivir®)
FTC	Emtricitabine (Emtriva®)	TDF	Tenofovir disoproxil fumarate (Viread®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)	ZDV	Zidovudine (Retrovir®)
F/TDF	Emtricitabine + Tenofovir-DF (Truvada®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Dementia Therapies							
Donepezil	◆	◆	◆	◆	◆	◆	◆
Ergoloid mesylates	◆	◆	◆	◆	◆	◆	◆
Galantamine	◆	◆	◆	◆	◆	◆	◆
Memantine	◆	◆	◆	◆	◆	◆	◆
Rivastigmine	◆	◆	◆	◆	◆	◆	◆
Erectile Dysfunctional Agents							
Alprostadil	◆	◆	◆	◆	◆	◆	◆
Avanafil	◆	◆	◆	◆	◆	◆	◆
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆
Vardenafil	◆	◆	◆	◆	◆	◆	◆
Yohimbine	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents							
Alosetron	◆	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆
Bismuth subsalicylate	◆	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	◆	◆	◆	◆
Dexlansoprazole	◆	◆	◆	◆	◆	◆	◆
Docusate	◆	◆	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆	◆
Hyoscine butylbromide	◆	◆	◆	◆	◆	◆	◆
Ispaghula husk	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆	◆
Linaclotide	◆	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	◆	◆	◆
Macrogol (PEG 3350, PEG 4000)	△	△	△	△	△	△	△
Mebeverine	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆
Nizatidine	◆	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆
Psyllium husk	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆	◆
Roxatidine	◆	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆	◆
Sucralfate	◆	◆	◆	◆	◆	◆	◆
Vonoprazan	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)							
Aprepitant	◆	◆	◆	◆	◆	◆	◆
Cyclizine	◆	◆	◆	◆	◆	◆	■
Dolasetron	◆	◆	◆	◆	◆	◆	◆
Domperidone	◆	◆	◆	◆	◆	◆	◆
Dronabinol	◆	◆	◆	◆	◆	◆	◆
Fosaprepitant	◆	◆	◆	◆	◆	◆	◆
Granisetron	◆	◆	◆	◆	◆	◆	◆
Hyoscine (Scopolamine)	◆	◆	◆	◆	◆	◆	◆
Hyoscine hydrobromide	◆	◆	◆	◆	◆	◆	◆
Metoclopramide	◆	◆	◆	◆	◆	◆	◆
Netupitant	◆	◆	◆	◆	◆	◆	■
Ondansetron	◆	◆	◆	◆	◆	◆	◆
Palonosetron	◆	◆	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	◆	◆	■
Rolapitant	◆	◆	■	■	◆	■	◆
Tropisetron	◆	◆	◆	◆	◆	◆	◆

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Herbals/Supplements/Vitamins							
African potato	◆	◆	■	◆	◆	◆	◆
Aloe vera	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C) [alone]	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Ashwagandha (Withania somnifera)	◆	◆	◆	◆	◆	◆	◆
Ayahuasca	◆	◆	◆	◆	◆	◆	◆
Berberine	◆	◆	◆	◆	◆	◆	◆
Beta-alanine	◆	◆	◆	◆	◆	◆	◆
Biotin (vitamin B7, vitamin H) [alone]	◆	◆	◆	◆	◆	◆	◆
Biotin (vitamin B7, vitamin H) [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Black cohosh	◆	◆	◆	◆	◆	◆	◆
Branched chain amino acids	◆	◆	◆	◆	◆	◆	◆
Caffeine (anhydrous powder)	◆	◆	◆	◆	◆	◆	◆
Calcium supplements	◆	◆	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	◆	◆	◆	◆	◆	◆	◆
Coenzyme Q10 (Ubidecarenone)	◆	◆	◆	◆	◆	◆	◆
Colecalciferol (vitamin D3) [alone]	◆	◆	◆	◆	◆	◆	◆
Colecalciferol [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Collagen hydrolysate	◆	◆	◆	◆	◆	◆	◆
Creatine monohydrate	◆	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	△	■	◆	■	◆
Cyanocobalamin [alone]	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Ecdysterone (20-hydroxyecdysone)	◆	◆	◆	◆	◆	◆	◆
Echinacea	◆	◆	◆	◆	◆	◆	◆
Enteral Feeds	◆	◆	◆	◆	◆	◆	◆
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆
Ferrous fumarate	◆	◆	◆	◆	◆	◆	◆
Ferrous sulfate	◆	◆	◆	◆	◆	◆	◆
Folic acid [alone]	◆	◆	◆	◆	◆	◆	◆
Folic acid [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Garlic	◆	◆	■	◆	◆	◆	◆
Ginger (Zinigiber officinale)	◆	◆	◆	◆	◆	◆	◆
Ginkgo biloba	◆	◆	◆	◆	◆	◆	◆
Ginseng (P. ginseng, P. quinquefolius)	◆	◆	◆	◆	◆	◆	◆
Glucosamine	◆	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	◆	◆	◆
Green tea extracts (Camellia sinensis)	◆	◆	△	△	◆	△	◆
Guggulsterone	◆	◆	◆	◆	◆	◆	◆
Homeopathic remedies	◆	◆	◆	◆	◆	◆	◆
Hops (Humulus lupulus)	◆	◆	■	◆	◆	◆	◆
Inula racemosa	◆	◆	◆	◆	◆	◆	◆
Iodine [alone]	◆	◆	◆	◆	◆	◆	◆
Iodine [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Iron supplements (injection/infusion)	◆	◆	◆	◆	◆	◆	◆
Iron supplements (oral)	◆	◆	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	◆	△	■	◆	■	◆
Magnesium supplements	◆	◆	◆	◆	◆	◆	◆
Malabar nut tree	◆	◆	◆	◆	◆	◆	◆
Menthol	◆	◆	◆	◆	◆	◆	◆
Milk thistle (silymarin)	◆	◆	◆	◆	◆	◆	◆
Mucuna pruriens	◆	◆	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆	◆	◆
Nicotinamide [alone]	◆	◆	◆	◆	◆	◆	◆
Nicotinamide [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Omega-3 fatty acids [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Oral nutritional supplements	◆	◆	◆	◆	◆	◆	◆
Phytomenadione (vitamin K) [alone]	◆	◆	◆	◆	◆	◆	◆
Phytomenadione [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6) [alone]	◆	◆	◆	◆	◆	◆	◆
Pyridoxine [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Quercetin	◆	◆	◆	◆	◆	◆	◆
Red yeast rice	◆	◆	◆	◆	◆	◆	◆
Retinol (vitamin A) [alone]	◆	◆	◆	◆	◆	◆	◆
Retinol (vitamin A) [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Riboflavin (vitamin B2) [alone]	◆	◆	◆	◆	◆	◆	◆
Riboflavin [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	◆	◆	◆
St John's Wort	◆	◆	■	◆	◆	◆	◆
Thiamine (vitamin B1) [alone]	◆	◆	◆	◆	◆	◆	◆
Thiamine [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [alone]	◆	◆	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [in multivitamins]	◆	◆	◆	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	△	△	◆	△	◆
Valerian	◆	◆	◆	◆	◆	◆	◆
Whey protein	◆	◆	◆	◆	◆	◆	◆
Zinc	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Key to abbreviations

ABC	Abacavir (Ziagen®)	3TC	Lamivudine (Epivir®)
FTC	Emtricitabine (Emtriva®)	TDF	Tenofovir disoproxil fumarate (Viread®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)	ZDV	Zidovudine (Retrovir®)
F/TDF	Emtricitabine + Tenofovir-DF (Truvada®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Hypertension / Heart Failure Agents							
Aliskiren	◆	◆	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	△	◆	◆
Azilsartan	◆	◆	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆	◆
Bosentan	◆	◆	◆	◆	◆	◆	◆
Bumetanide	◆	◆	◆	■	◆	■	◆
Candesartan	◆	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆	◆
Finerenone	◆	◆	◆	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	△	◆	△	◆
Hydralazine	◆	◆	◆	■	◆	■	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	◆	◆	◆
Irbesartan	◆	◆	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆	◆	◆
Ivabradine	◆	◆	◆	◆	◆	◆	◆
Labetalol	◆	◆	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆	◆	◆	◆
Lercanidipine	◆	◆	◆	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆	■
Metolazone	◆	◆	◆	◆	◆	◆	◆
Minoxidil	◆	◆	◆	◆	◆	◆	◆
Moexipril	◆	◆	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	△	◆	△	◆
Olmesartan	◆	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	■	■	◆	■	◆
Riociguat	◆	◆	◆	◆	◆	◆	◆
Sacubitril	◆	◆	◆	△	◆	△	◆
Selexipag	◆	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	◆	◆	◆	◆
Torasemide	◆	◆	◆	◆	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆	◆	◆
Triamterene	◆	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆	◆
Illicit/Recreational							
Alcohol	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	◆	◆	◆
Cocaine	◆	◆	◆	◆	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆	◆
Enobosarm (Ostarine)	◆	◆	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆	◆	◆
Methylone	◆	◆	◆	◆	◆	◆	◆
Monkey dust	◆	◆	◆	◆	◆	◆	◆
Nitazenes	◆	◆	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	◆	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆	◆
Psilocybin	◆	◆	◆	◆	◆	◆	◆
Trenbolone	◆	◆	◆	◆	◆	◆	◆

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Immune Modulators							
Interferon alpha	■	■	■	■	◆	■	■
Interferon gamma-1b	■	■	■	■	■	■	■
Interleukin 2 (Aldesleukin)	◆	◆	◆	■	◆	■	■
Peginterferon alfa-2a	■	■	■	■	■	■	●
Peginterferon alfa-2b	■	■	■	■	■	■	●
Immunosuppressants							
Abatacept	◆	◆	◆	◆	◆	◆	■
Abrocitinib	◆	◆	◆	◆	◆	◆	◆
Adalimumab	◆	◆	◆	◆	◆	◆	■
Anakinra	◆	◆	◆	◆	◆	◆	■
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆	◆
Apremilast	◆	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆	△
Baricitinib	◆	◆	◆	◆	◆	◆	■
Basiliximab	◆	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆	◆
Belimumab	◆	◆	◆	◆	◆	◆	◆
Bimekizumab	◆	◆	◆	◆	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆	◆	■
Certolizumab pegol	◆	◆	◆	◆	◆	◆	■
Ciclosporin	◆	◆	■	■	◆	■	◆
Cladribine (oral)	●	●	●	●	●	●	●
Dimethyl fumarate	◆	◆	◆	■	◆	■	■
Etanercept	◆	◆	◆	◆	◆	◆	◆
Golimumab	◆	◆	◆	◆	◆	◆	■
Guselkumab	◆	◆	◆	◆	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆	◆	■
Ixekizumab	◆	◆	◆	◆	◆	◆	◆
Leflunomide	◆	◆	◆	◆	◆	◆	■
Methotrexate	◆	◆	◆	■	◆	■	■
Mycophenolate	◆	◆	◆	■	◆	■	△
Risankizumab	◆	◆	◆	◆	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆	◆	■
Secukinumab	◆	◆	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	△	◆	△	◆
Tacrolimus	◆	◆	◆	◆	◆	◆	◆
Tildrakizumab	◆	◆	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆	◆	◆
Tofacitinib	◆	◆	◆	◆	◆	◆	■
Ustekinumab	◆	◆	◆	◆	◆	◆	◆
Vedolizumab	◆	◆	◆	◆	◆	◆	◆
Lipid Lowering Agents							
Alirocumab	◆	◆	◆	◆	◆	◆	◆
Atorvastatin	◆	◆	◆	◆	◆	◆	◆
Bempedoic acid	◆	◆	◆	◆	◆	◆	■
Bezafibrate	◆	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆	◆
Colesevelam	△	△	△	△	△	△	△
Evolocumab	◆	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆	◆
Icosapent ethyl	◆	◆	◆	◆	◆	◆	◆
Inclisiran	◆	◆	◆	◆	◆	◆	◆
Lomitapide	◆	◆	◆	◆	◆	◆	◆
Lovastatin	◆	◆	◆	◆	◆	◆	◆
Omega-3 fatty acids	◆	◆	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

ABC	Abacavir (Ziagen®)	3TC	Lamivudine (Epivir®)
FTC	Emtricitabine (Emtriva®)	TDF	Tenofovir disoproxil fumarate (Viread®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)	ZDV	Zidovudine (Retrovir®)
F/TDF	Emtricitabine + Tenofovir-DF (Truvada®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Other							
Acamprosate	◆	△	△	△	◆	◆	△
Acetazolamide	◆	◆	◆	■	◆	■	■
Acitretin	◆	◆	◆	◆	◆	◆	◆
Activated charcoal	△	△	△	△	△	△	△
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	◆	◆	◆	◆	◆
Allopurinol	◆	◆	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆	◆	◆
Birch tree pollen allergen extract	◆	◆	◆	◆	◆	◆	◆
Brimonidine	◆	◆	◆	◆	◆	◆	◆
Brinzolamide	◆	◆	◆	◆	◆	◆	◆
Bromocriptine	◆	◆	◆	◆	◆	◆	◆
Cabergoline (lactation suppression)	◆	◆	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆	◆	◆
Calcitonin	◆	◆	◆	◆	◆	◆	◆
Calcium folinate	◆	◆	◆	◆	◆	◆	◆
Cannabidiol (CBD)	◆	◆	◆	◆	◆	◆	◆
Carbimazole	◆	◆	◆	◆	◆	◆	■
Cinacalcet	◆	◆	◆	◆	◆	◆	◆
Clomifene	◆	◆	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆	◆	◆	◆
Colestyramine (Cholestyramine)	△	△	△	△	△	△	△
Cyproterone acetate	◆	◆	◆	◆	◆	◆	◆
Cytisine	◆	◆	◆	◆	◆	◆	◆
Dapoxetine	◆	◆	◆	◆	◆	◆	◆
Darbepoetin alfa	◆	◆	◆	◆	◆	◆	◆
Deferasirox	◆	◆	◆	◆	◆	◆	■
Denosumab	◆	◆	◆	◆	◆	◆	◆
Desmopressin	◆	◆	◆	◆	◆	◆	◆
Disulfiram	△	◆	◆	◆	◆	◆	◆
Drotaverine	◆	◆	◆	◆	◆	◆	◆
Dupilumab	◆	◆	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	◆	◆	◆
Elagolix	◆	◆	■	■	◆	■	◆
Epoetin alfa	◆	◆	◆	◆	◆	◆	◆
Epoetin beta	◆	◆	◆	◆	◆	◆	◆
Fampridine (Dalfampridine)	◆	◆	◆	◆	△	◆	◆
Febuxostat	◆	◆	◆	◆	◆	◆	◆
Fezolinetant	◆	◆	◆	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆	◆
Flibanserin	◆	◆	◆	◆	◆	◆	◆
Glacial acetic acid (topical)	◆	◆	◆	◆	◆	◆	◆
Glucose monohydrate (IV)	◆	◆	◆	◆	◆	◆	◆
Glyceryl trinitrate (Nitroglycerin)	◆	◆	◆	◆	◆	◆	◆
Goserelin	◆	◆	◆	◆	◆	◆	◆
Grass pollen allergen extract	◆	◆	◆	◆	◆	◆	◆
Hexobarbital	△	◆	●	◆	◆	◆	■
House dust mite allergen extract	◆	◆	◆	◆	◆	◆	◆
Isosorbide mononitrate	◆	◆	◆	◆	◆	◆	◆
Isotretinoin	△	◆	◆	◆	◆	◆	◆
Leuprorelin	◆	◆	◆	◆	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆	◆	◆
Mannitol	◆	◆	◆	◆	△	◆	◆
Medroxyprogesterone	◆	◆	◆	◆	◆	◆	◆
Methylergometrine (Methylergonovine)	◆	◆	◆	◆	◆	◆	◆
Midodrine	◆	◆	◆	◆	◆	◆	◆
Minoxidil (topical)	◆	◆	◆	◆	◆	◆	◆
Modafinil	◆	◆	◆	◆	◆	◆	◆
Naftidrofuryl	◆	◆	◆	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆	◆
Nicotine	◆	◆	◆	◆	◆	◆	◆
Octreotide	◆	◆	◆	◆	◆	◆	◆
Orlistat	△	△	△	△	△	△	△
Ospemifene	◆	◆	◆	◆	◆	◆	◆
Pancreatic enzymes	◆	◆	◆	◆	◆	◆	◆
Penicillamine	◆	◆	◆	■	◆	■	■
Pentosan polysulfate sodium	◆	◆	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆	◆
Phentermine	◆	◆	◆	◆	◆	◆	◆
Phenylephrine	◆	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆	◆
Piracetam	◆	◆	◆	◆	◆	◆	◆
Pitolisant	◆	◆	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆	◆

	ABC	FTC	F/TAF	F/TDF	3TC	TDF	ZDV
Other (continued)							
Probenecid	△	◆	◆	■	△	■	■
Propylthiouracil	◆	◆	◆	◆	◆	◆	■
Protamine sulphate	◆	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	△	△	△	△	△	◆
Raloxifene	◆	◆	◆	◆	◆	◆	◆
Ramelteon	◆	◆	◆	◆	◆	◆	◆
Riluzole	◆	◆	◆	◆	◆	◆	■
Ruxolitinib (topical)	◆	◆	◆	◆	◆	◆	◆
Sevelamer	△	△	△	△	△	△	△
Sodium phosphate	◆	◆	◆	◆	◆	◆	◆
Sodium zirconium cyclosilicate	◆	◆	◆	◆	◆	◆	◆
Strontium ranelate	△	△	△	△	△	△	△
Sulfasalazine	◆	◆	◆	◆	◆	◆	■
Tamsulosin	◆	◆	◆	◆	◆	◆	◆
Tasimelteon	◆	◆	◆	◆	◆	◆	◆
Telotristat	◆	◆	◆	◆	◆	◆	◆
Tenapanor	◆	◆	◆	◆	◆	◆	◆
Terlipressin	◆	◆	◆	◆	◆	◆	◆
Tesamorelin	◆	◆	◆	◆	◆	◆	◆
Thalidomide	◆	◆	◆	◆	◆	◆	◆
Thiamazole (Methimazole)	◆	◆	◆	◆	◆	◆	■
Tolvaptan	◆	◆	△	△	◆	△	◆
Triptorelin	◆	◆	◆	◆	◆	◆	◆
Ursodeoxycholic acid	◆	◆	◆	◆	◆	◆	◆
Varenicline	◆	◆	◆	◆	◆	◆	◆
Zileuton	◆	◆	◆	◆	◆	◆	◆
Overactive Bladder Agents							
Darifenacin	◆	◆	◆	◆	◆	◆	◆
Fesoterodine	◆	◆	◆	◆	◆	◆	◆
Mirabegron	◆	◆	◆	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	◆	◆	◆	◆
Silodosin	◆	◆	◆	◆	◆	◆	◆
Solifenacin	◆	◆	◆	◆	◆	◆	◆
Tolterodine	◆	◆	◆	◆	◆	◆	◆
Trospium	◆	◆	◆	◆	△	◆	◆
Oxytocics							
Ergometrine (Ergonovine)	◆	◆	◆	◆	◆	◆	◆
Mifepristone	◆	◆	◆	◆	◆	◆	◆
Misoprostol	◆	◆	◆	◆	◆	◆	◆
Oxytocin	◆	◆	◆	◆	◆	◆	◆
Parkinsonism Agents							
Apomorphine	◆	◆	◆	◆	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆	◆	◆
Benzatropine (Benztropine)	◆	◆	◆	◆	◆	◆	◆
Cabergoline (Parkinson's)	◆	◆	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆	◆	◆
Entacapone	◆	◆	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆	◆
Orphenadrine	◆	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	△	◆	◆
Procyclidine	◆	◆	◆	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆	◆	◆
Safinamide	◆	◆	◆	◆	◆	◆	◆
Selegiline	◆	◆	◆	◆	◆	◆	◆
Steroids							
Beclometasone	◆	◆	◆	◆	◆	◆	◆
Betamethasone	◆	◆	◆	◆	◆	◆	◆
Betamethasone (topical)	◆	◆	◆	◆	◆	◆	◆
Budesonide	◆	◆	◆	◆	◆	◆	◆
Ciclesonide	◆	◆	◆	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆	◆	◆	◆
Cortisone	◆	◆	◆	◆	◆	◆	◆
Cortisone (topical)	◆	◆	◆	◆	◆	◆	◆
Deflazacort	◆	◆	◆	◆	◆	◆	◆
Dexamethasone (doses >16 mg)	◆	◆	◆	◆	◆	◆	◆
Dexamethasone (low dose; ≤16 mg)	◆	◆	◆	◆	◆	◆	◆
Fludrocortisone	◆	◆	◆	◆	◆	◆	◆
Flunisolide	◆	◆	◆	◆	◆	◆	◆
Fluocinolone	◆	◆	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆	◆	◆	◆
Hydrocortisone (oral)	◆	◆	◆	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	◆	◆	◆
Mometasone	◆	◆	◆	◆	◆	◆	◆
Nandrolone	◆	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆	◆	◆
Oxymetholone	◆	◆	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆	◆	◆	◆
Stanozolol	◆	◆	◆	◆	◆	◆	◆
Testosterone	◆	◆	◆	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

ABC	Abacavir (Ziagen®)	3TC	Lamivudine (Epivir®)
FTC	Emtricitabine (Emtriva®)	TDF	Tenofovir disoproxil fumarate (Viread®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)	ZDV	Zidovudine (Retrovir®)
F/TDF	Emtricitabine + Tenofovir-DF (Truvada®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.