

# Interactions with Entry & Integrase Inhibitors

Charts revised January 2019. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ F/TAF	DTG	DTG/ RPV	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
<b>Anaesthetics &amp; Muscle Relaxants</b>							
Alcuronium	■	■	■	▲	▲	◆	◆
Bupivacaine	◆	◆	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆	◆
Ephedrine	■	■	■	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	■	■	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	▲	◆	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	▲	◆	◆	◆	◆
Sufentanil	◆	◆	◆	■	■	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	▲	◆	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆	◆
<b>Analgesics</b>							
Alfentanil	◆	◆	◆	■	■	◆	◆
Aspirin	◆	◆	◆	◆	■	◆	◆
Buprenorphine	◆	◆	◆	◆	■	◆	◆
Celecoxib	◆	◆	◆	◆	■	◆	◆
Codeine	◆	◆	◆	▲	▲	◆	◆
Dextropropoxyphene	◆	◆	◆	▲	▲	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	■	■	◆	◆
Diclofenac	◆	◆	◆	◆	■	◆	◆
Dihydrocodeine	◆	◆	◆	▲	▲	◆	◆
Fentanyl	◆	◆	◆	■	■	◆	◆
Hydrocodone	◆	◆	◆	■	■	◆	◆
Hydromorphone	◆	◆	◆	◆	■	◆	◆
Ibuprofen	◆	◆	◆	◆	■	◆	◆
Mefenamic acid	◆	◆	◆	◆	■	◆	◆
Methadone	◆	◆	▲	◆	◆	◆	◆
Morphine	◆	◆	◆	■	■	◆	◆
Naproxen	◆	◆	◆	◆	■	◆	◆
Nimesulide	◆	◆	◆	◆	■	◆	◆
Oxycodone	◆	◆	◆	■	■	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	▲	▲	◆	◆
Piroxicam	◆	◆	◆	◆	■	◆	◆
Tramadol	◆	◆	◆	▲	▲	◆	◆
<b>Anthelmintics</b>							
Albendazole	◆	◆	◆	▲	▲	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	▲	▲	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	■	■	◆	◆
Niclosamide	◆	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	▲	▲	◆	◆
Praziquantel	◆	◆	◆	■	■	◆	◆
Pyrantel	◆	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	▲	▲	▲	◆	◆
<b>Antiarrhythmics</b>							
Amiodarone	■	◆	■	●	●	◆	◆
Bepiridil	◆	◆	◆	■	■	◆	◆
Disopyramide	■	■	■	●	●	◆	◆
Dofetilide	●	●	●	●	●	◆	◆
Flecainide	◆	◆	▲	■	■	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	■	■	◆	◆
Mexiletine	◆	◆	◆	■	■	◆	◆
Propafenone	◆	◆	◆	■	■	◆	◆
Quinidine	■	◆	■	●	●	◆	◆

For personal use only. Not for distribution.

	BIC/ F/TAF	DTG	DTG/ RPV	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
<b>Antibacterials</b>							
Amikacin	◆	◆	◆	◆	■	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆	◆
Ampicillin	▲	◆	◆	▲	▲	◆	◆
Azithromycin	◆	◆	▲	◆	◆	◆	◆
Bedaquiline	◆	◆	■	■	■	◆	◆
Capreomycin	▲	▲	▲	▲	▲	◆	◆
Cefalexin	◆	◆	◆	◆	▲	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	▲	▲	▲	◆	◆
Ciprofloxacin	◆	◆	◆	◆	◆	▲	◆
Clarithromycin	■	◆	■	■	■	◆	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	■	■	◆	◆
Clofazimine	◆	◆	▲	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	▲	■	■	◆	◆
Doxycycline	◆	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆	◆
Erythromycin	▲	◆	■	■	■	◆	◆
Ethambutol	◆	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	▲	◆	▲	◆	▲	▲	◆
Gentamicin	◆	◆	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	■	◆	◆
Levofloxacin	◆	◆	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	▲	◆	◆	▲	◆
Moxifloxacin	◆	◆	▲	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	▲	◆	◆	◆	◆
Para-aminosalicylic acid	▲	◆	◆	▲	▲	◆	◆
Penicillins	◆	◆	◆	◆	▲	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆	◆	◆
Rifabutin	●	◆	■	■	■	◆	◆
Rifampicin	●	■	●	●	●	■	■
Rifapentine	●	■	●	●	●	■	■
Rifaximin	◆	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	■	◆	◆
Sulfadiazine	■	◆	◆	■	■	◆	◆
Telithromycin	▲	◆	■	■	■	◆	◆
Tetracyclines	◆	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	▲	◆	◆	▲	▲	◆	◆
Vancomycin	◆	◆	◆	◆	■	◆	◆
<b>Anti-coagulant, Anti-platelet and Fibrinolytic</b>							
Acenocoumarol	◆	◆	◆	■	■	◆	◆
Apixaban	◆	◆	◆	●	●	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	■	■	◆	◆
Betrixaban	◆	◆	◆	■	■	◆	◆
Clopidogrel	◆	◆	◆	●	●	◆	◆
Dabigatran	◆	◆	▲	●	●	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	■	■	◆	◆
Eltrombopag	◆	◆	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	■	■	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	●	●	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	●	●	◆	◆
Warfarin	◆	◆	◆	■	■	◆	◆

**Key to abbreviations**

BIC/F/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)
DTG	Dolutegravir (Tivicay™)
DTG/RPV	Dolutegravir + Rilpivirine (Juluca™)
E/C/F/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
E/C/F/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (StriBild™)
MVC	Maraviroc (Celsentri®, Selzentry™)
RAL	Raltegravir (Isentress™)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool  
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise however or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with Entry & Integrase Inhibitors

Charts revised January 2019. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ F/TAF	DTG	DTG/ RPV	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
<b>Anticonvulsants</b>							
Carbamazepine	●	■	●	●	●	■	■
Clonazepam	◆	◆	◆	■	■	◆	◆
Ethosuximide	◆	◆	◆	■	■	◆	◆
Gabapentin	◆	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆	◆
Oxcarbazepine	●	●	●	■	■	■	■
Phenobarbital (Phenobarbitone)	●	●	●	■	■	■	■
Phenytoin	●	●	●	■	■	■	■
Pregabalin	◆	◆	◆	◆	◆	◆	◆
Topiramate	◆	◆	◆	■	■	◆	◆
Valproate (Divalproex)	■	■	■	■	■	■	■
Vigabatrin	◆	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆	◆
<b>Antidepressants</b>							
Agomelatine	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	▲	▲	▲	◆	◆
Bupropion	◆	◆	◆	▲	▲	◆	◆
Citalopram	◆	◆	▲	▲	▲	◆	◆
Clomipramine	◆	◆	▲	■	■	◆	◆
Desipramine	◆	◆	▲	▲	▲	◆	◆
Doxepin	◆	◆	▲	▲	▲	◆	◆
Duloxetine	◆	◆	▲	▲	▲	◆	◆
Escitalopram	◆	◆	▲	▲	▲	◆	◆
Fluoxetine	◆	◆	▲	▲	▲	◆	◆
Fluvoxamine	◆	◆	▲	▲	▲	◆	◆
Imipramine	◆	◆	▲	■	■	◆	◆
Lithium	◆	◆	▲	▲	▲	◆	◆
Maprotiline	◆	◆	▲	▲	▲	◆	◆
Mianserin	◆	◆	▲	▲	▲	◆	◆
Milnacipran	◆	◆	▲	▲	▲	◆	◆
Mirtazapine	◆	◆	▲	■	■	◆	◆
Nefazodone	▲	◆	▲	■	■	◆	◆
Nortriptyline	◆	◆	▲	▲	▲	◆	◆
Paroxetine	◆	◆	▲	■	■	◆	◆
Phenelzine	◆	◆	▲	■	■	◆	◆
Reboxetine	◆	◆	▲	■	■	◆	◆
Sertraline	◆	◆	▲	▲	▲	◆	◆
Tranylcypromine	◆	◆	▲	■	■	◆	◆
Trazodone	◆	◆	▲	■	■	◆	◆
Trimipramine	◆	◆	▲	▲	▲	◆	◆
Venlafaxine	◆	◆	▲	▲	▲	◆	◆
Vortioxetine	◆	◆	▲	▲	▲	◆	◆
<b>Anti-diabetics</b>							
Acarbose	◆	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	■	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	■	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	■	◆	◆
Exanatide	◆	◆	■	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	■	■	◆	◆
Gliclazide	◆	◆	◆	■	■	◆	◆
Glimepiride	◆	◆	◆	■	■	◆	◆
Glipizide	◆	◆	◆	■	■	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	■	◆	◆	◆	◆
Metformin	■	■	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	■	■	◆	◆
Pioglitazone	◆	◆	◆	▲	▲	◆	◆
Repaglinide	◆	◆	◆	■	■	◆	◆
Rosiglitazone	◆	◆	◆	■	■	◆	◆
Saxagliptin	◆	◆	◆	■	■	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	■	■	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆	◆
<b>Antifungals</b>							
Amphotericin B	◆	◆	◆	◆	■	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	▲	▲	◆	◆
Flucytosine	■	◆	◆	■	■	◆	◆
Griseofulvin	■	◆	■	■	■	◆	◆
Itraconazole	■	◆	■	■	■	◆	◆
Ketoconazole	■	◆	■	■	■	◆	◆
Miconazole	◆	◆	▲	◆	◆	▲	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆
Posaconazole	▲	◆	■	■	■	◆	◆
Terbinafine	◆	◆	◆	▲	▲	◆	◆
Voriconazole	▲	◆	■	■	■	◆	◆

For personal use only. Not for distribution.

	BIC/ F/TAF	DTG	DTG/ RPV	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
<b>Antihistamines</b>							
Astemizole	◆	◆	▲	●	●	◆	◆
Cetirizine	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	▲	▲	◆	◆
Diphenhydramine	◆	◆	◆	▲	▲	◆	◆
Fexofenadine	◆	◆	◆	▲	▲	◆	◆
Levocetirizine	◆	◆	◆	▲	▲	◆	◆
Loratadine	◆	◆	◆	▲	▲	◆	◆
Promethazine	◆	◆	◆	▲	▲	◆	◆
Terfenadine	◆	◆	■	●	●	◆	◆
<b>Antimigraine Agents</b>							
Almotriptan	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	▲	●	●	▲	◆
Ergotamine	◆	◆	▲	●	●	▲	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆
<b>Antiprotozoals</b>							
Amodiaquine	◆	◆	◆	◆	◆	◆	◆
Artemisinin	▲	◆	▲	■	■	▲	◆
Atovaquone	◆	◆	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	+	+	◆	◆
Chloroquine	◆	◆	▲	◆	◆	◆	◆
Diloxanide	◆	◆	◆	◆	◆	◆	◆
Eflornithine	▲	◆	◆	▲	▲	◆	◆
Halofantrine	◆	◆	■	●	●	◆	◆
Lumefantrine	◆	◆	◆	■	■	◆	◆
Mefloquine	◆	◆	▲	■	■	◆	◆
Meglumine antimoniate	◆	◆	▲	◆	■	◆	◆
Melarsoprol	◆	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	▲	◆	■	◆	◆
Primaquine	◆	◆	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆	◆
Pyrimethamine	▲	◆	◆	◆	▲	◆	◆
Quinine	◆	◆	▲	■	■	▲	◆
Sodium stibogluconate	◆	◆	◆	◆	◆	◆	◆
Sulfadoxine	▲	◆	◆	▲	▲	◆	◆
<b>Antipsychotics/Neuroleptics</b>							
Amisulpride	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	■	■	◆	◆
Asenapine	◆	◆	◆	▲	▲	◆	◆
Chlorpromazine	◆	◆	▲	▲	▲	◆	◆
Clozapine	◆	◆	▲	■	■	◆	◆
Fluphenazine	◆	◆	▲	▲	▲	◆	◆
Haloperidol	◆	◆	▲	▲	▲	◆	◆
Iloperidone	◆	◆	▲	■	■	◆	◆
Levomepromazine	◆	◆	▲	▲	▲	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	▲	▲	◆	◆
Perazine	◆	◆	◆	■	■	◆	◆
Periciazine	◆	◆	▲	▲	▲	◆	◆
Perphenazine	◆	◆	▲	▲	▲	◆	◆
Pimozide	◆	◆	▲	●	●	◆	◆
Pipotiazine	◆	◆	▲	▲	▲	◆	◆
Quetiapine	◆	◆	▲	●	●	◆	◆
Risperidone	◆	◆	◆	■	■	◆	◆
Sulpiride	◆	◆	▲	◆	◆	◆	◆
Thioridazine	■	◆	■	▲	▲	■	◆
Tiapride	◆	◆	▲	◆	◆	◆	◆
Ziprasidone	◆	◆	●	■	■	◆	◆
Zotepine	◆	◆	◆	■	■	◆	◆
Zuclophenthixol	◆	◆	▲	■	■	◆	◆

**Key to abbreviations**

BIC/F/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)
DTG	Dolutegravir (Tivicay™)
DTG/RPV	Dolutegravir + Rilpivirine (Juluca™)
E/C/F/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
E/C/F/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild™)
MVC	Maraviroc (Celsentri™, Selzentry™)
RAL	Raltegravir (Isentress™)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool  
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with Entry & Integrase Inhibitors

Charts revised January 2019. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Page 3 of 5

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ F/TAF	DTG	DTG/ RPV	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
<b>Antivirals</b>							
Aciclovir	◆	◆	◆	◆	◆	◆	◆
Adefovir	●	◆	◆	●	●	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆	◆
Boceprevir	●	◆	◆	●	◆	◆	◆
Cidofovir	◆	◆	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆	◆	◆
Eibasvir/Grazoprevir	◆	◆	◆	●	●	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	▲	◆	◆	◆	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	■	◆	■	●	●	◆	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	■	◆	■	●	●	◆	◆
Oseltamivir	◆	◆	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆	◆
Simeprevir	◆	◆	◆	●	●	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	◆	◆	◆	◆
Telaprevir	●	◆	◆	●	◆	◆	◆
Telbivudine	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆	◆
<b>Anxiolytics/Hypnotics/ Sedatives</b>							
Alprazolam	◆	◆	◆	■	■	◆	◆
Bromazepam	◆	◆	◆	▲	▲	◆	◆
Buspirone	◆	◆	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	■	■	◆	◆
Clorazepate	◆	◆	◆	■	■	◆	◆
Diazepam	◆	◆	◆	■	■	◆	◆
Estazolam	◆	◆	◆	■	■	◆	◆
Flunitrazepam	◆	◆	◆	■	■	◆	◆
Flurazepam	◆	◆	◆	■	■	◆	◆
Hydroxyzine	◆	◆	◆	■	■	◆	◆
Lorazepam	◆	◆	◆	■	■	◆	◆
Lormetazepam	◆	◆	◆	■	■	◆	◆
Midazolam (oral)	◆	◆	◆	●	●	◆	◆
Midazolam (parenteral)	◆	◆	◆	■	■	◆	◆
Oxazepam	◆	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	●	●	◆	◆
Zaleplon	◆	◆	◆	▲	▲	◆	◆
Zolpidem	◆	◆	◆	■	■	◆	◆
Zopiclone	◆	◆	◆	■	■	◆	◆
<b>Beta Blockers</b>							
Atenolol	■	■	■	■	■	◆	◆
Bisoprolol	◆	◆	◆	▲	▲	◆	◆
Carvedilol	◆	◆	◆	▲	▲	◆	◆
Metoprolol	◆	◆	◆	▲	▲	◆	◆
Nebivolol	◆	◆	◆	▲	▲	◆	◆
Oxprenolol	◆	◆	◆	▲	▲	◆	◆
Pindolol	◆	◆	◆	▲	▲	◆	◆
Propranolol	◆	◆	◆	▲	▲	◆	◆
Timolol	◆	◆	◆	▲	▲	◆	◆
<b>Bronchodilators</b>							
Acclidinium bromide	◆	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	▲	◆	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	▲	▲	◆	◆
Olodaterol	◆	◆	◆	▲	▲	◆	◆
Roflumilast	◆	◆	◆	▲	▲	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	▲	■	■	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	▲	▲	◆	◆
Vilanterol	◆	◆	◆	▲	▲	◆	◆

For personal use only. Not for distribution.

	BIC/ F/TAF	DTG	DTG/ RPV	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
<b>Calcium Channel Blockers</b>							
Amlodipine	◆	◆	◆	◆	◆	◆	◆
Diltiazem	▲	◆	■	■	■	◆	◆
Felodipine	◆	◆	◆	■	■	◆	◆
Nicardipine	◆	◆	■	■	■	◆	◆
Nifedipine	◆	◆	◆	■	■	◆	◆
Nisoldipine	◆	◆	◆	■	■	◆	◆
Nitrendipine	◆	◆	◆	■	■	◆	◆
Verapamil	■	◆	■	■	■	◆	◆
<b>Cancer Therapies</b>							
Anastrozole	◆	◆	◆	■	■	◆	◆
Asparaginase	◆	◆	◆	◆	◆	◆	◆
Bevacizumab	◆	◆	◆	◆	◆	◆	◆
Bexarotene	■	◆	■	■	■	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆	◆
Bortezomib	◆	◆	▲	■	■	◆	◆
Capecitabine	■	◆	◆	■	■	◆	◆
Carboplatin	◆	◆	◆	◆	◆	◆	◆
Cetuximab	◆	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆	◆
Cisplatin	■	◆	◆	■	■	◆	◆
Cyclophosphamide	◆	◆	◆	■	■	◆	◆
Cytarabine	◆	◆	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	■	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆	◆
Dasatinib	◆	◆	▲	■	■	▲	◆
Daunorubicin	◆	◆	▲	◆	◆	◆	◆
Docetaxel	◆	◆	■	■	■	◆	◆
Doxorubicin	◆	◆	■	◆	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	▲	◆	◆	◆	◆
Erlotinib	◆	◆	◆	■	■	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	■	■	◆	◆
Everolimus	◆	◆	◆	●	●	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆	◆	◆
Fluorouracil	■	◆	◆	■	■	◆	◆
Formestane	◆	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	■	■	◆	◆
Gemcitabine	◆	◆	◆	◆	◆	◆	◆
Ifosfamide	■	◆	■	◆	◆	■	◆
Imatinib	◆	◆	■	■	■	◆	◆
Irinotecan	◆	◆	◆	■	■	◆	◆
Lapatinib	◆	◆	▲	■	■	▲	◆
Letrozole	◆	◆	◆	■	■	◆	◆
Mercaptopurine	◆	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	▲	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆	◆
Mitoxantrone	◆	◆	▲	■	■	◆	◆
Nilotinib	■	◆	▲	■	■	▲	◆
Oxaliplatin	◆	◆	■	■	■	◆	◆
Paclitaxel	■	■	■	■	■	◆	◆
Pazopanib	◆	◆	▲	■	■	▲	◆
Procarbazine	◆	◆	◆	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆	◆	◆
Sorafenib	◆	◆	▲	◆	◆	◆	◆
Sunitinib	◆	◆	▲	■	■	◆	◆
Tamoxifen	■	◆	■	■	■	◆	◆
Temsirolimus	◆	◆	▲	■	■	▲	◆
Topotecan	◆	◆	■	■	■	◆	◆
Toremifene	◆	◆	▲	■	■	◆	◆
Vinblastine	■	■	■	■	■	■	■
Vincristine	◆	◆	◆	■	■	◆	◆
Vorinostat	◆	◆	▲	◆	◆	◆	◆

**Key to abbreviations**

BIC/F/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)
DTG	Dolutegravir (Tivicay™)
DTG/RPV	Dolutegravir + Rilpivirine (Juluca™)
E/C/F/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
E/C/F/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild™)
MVC	Maraviroc (Celsentri™, Selzentry™)
RAL	Raltegravir (Isentress™)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool  
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with Entry & Integrase Inhibitors

Charts revised January 2019. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ F/TAF	DTG	DTG/ RPV	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
<b>Contraceptives/HRT</b>							
Desogestrel (COC)	◆	◆	◆	▲	▲	◆	◆
Desogestrel (POP)	◆	◆	◆	▲	▲	◆	◆
Drospirenone (COC)	◆	◆	◆	▲	▲	◆	◆
Drospirenone (HRT)	◆	◆	◆	▲	▲	◆	◆
Dydrogesterone (HRT)	◆	◆	◆	▲	▲	◆	◆
Estradiol	◆	◆	◆	▲	▲	◆	◆
Ethinylestradiol	◆	◆	◆	▲	▲	◆	◆
Etonogestrel (implant)	◆	◆	◆	▲	▲	◆	◆
Etonogestrel (vaginal ring)	◆	◆	◆	▲	▲	◆	◆
Gestodene (COC)	◆	◆	◆	▲	▲	◆	◆
Levonorgestrel (COC)	◆	◆	◆	▲	▲	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	▲	▲	◆	◆
Levonorgestrel (HRT)	◆	◆	◆	▲	▲	◆	◆
Levonorgestrel (implant)	◆	◆	◆	▲	▲	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	▲	▲	◆	◆
Levonorgestrel (POP)	◆	◆	◆	▲	▲	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	▲	▲	◆	◆
Medroxyprogesterone (oral)	◆	◆	◆	▲	▲	◆	◆
Norelgestromin (patch)	◆	◆	◆	▲	▲	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	◆	▲	▲	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	◆	▲	▲	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	▲	▲	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	▲	▲	◆	◆
Norgestimate (COC)	◆	◆	◆	▲	▲	◆	◆
Norgestrel (COC)	◆	◆	◆	▲	▲	◆	◆
Norgestrel (HRT)	◆	◆	◆	▲	▲	◆	◆
Ulipristal	◆	◆	◆	▲	▲	◆	◆
<b>Erectile Dysfunctional Agents</b>							
Sildenafil (Erectile Dysfunction)	◆	◆	◆	▲	▲	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	▲	▲	◆	◆
Vardenafil	◆	◆	◆	▲	▲	◆	◆
<b>Gastrointestinal Agents</b>							
Alosetron	◆	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆	◆
<b>Gastrointestinal Agents (anti-emetics)</b>							
Aprepitant	◆	◆	▲	◆	◆	◆	◆
Dolasetron	◆	◆	▲	◆	◆	◆	◆
Domperidone	◆	◆	▲	◆	◆	◆	◆
Dronabinol	◆	◆	▲	◆	◆	◆	◆
Granisetron	◆	◆	▲	◆	◆	◆	◆
Metoclopramide	◆	◆	▲	◆	◆	◆	◆
Ondansetron	◆	◆	▲	◆	◆	◆	◆
Prochlorperazine	◆	◆	▲	◆	◆	◆	◆
<b>Herbals/Supplements/Vitamins</b>							
African potato	◆	◆	◆	◆	◆	◆	◆
Aloe vera	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C)	◆	◆	◆	◆	◆	◆	◆
Calcium supplements	◆	◆	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	◆	◆	◆	◆	◆	◆	◆
Colecalciferol (vitamin D3)	◆	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin	◆	◆	◆	◆	◆	◆	◆
Echinacea	◆	◆	◆	◆	◆	◆	◆
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆
Folic acid	◆	◆	◆	◆	◆	◆	◆
Garlic	◆	◆	◆	◆	◆	◆	◆
Ginger (Zingiber officinale)	◆	◆	◆	◆	◆	◆	◆
Ginkgo biloba	◆	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	BIC/ F/TAF	DTG	DTG/ RPV	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
<b>Herbals/Supplements/Vitamins (continued)</b>							
Hops (Humulus lupulus)	◆	◆	◆	◆	◆	◆	◆
Inula racemosa	◆	◆	◆	◆	◆	◆	◆
Iodine	◆	◆	◆	◆	◆	◆	◆
Iron supplements	◆	◆	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	◆	◆	◆	◆	◆	◆
Magnesium supplements	◆	◆	◆	◆	◆	◆	◆
Malabar nut tree	◆	◆	◆	◆	◆	◆	◆
Menthol	◆	◆	◆	◆	◆	◆	◆
Milk thistle (silymarin)	◆	◆	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆	◆	◆
Nicotinamide	◆	◆	◆	◆	◆	◆	◆
Phytomenadione (vitamin K)	◆	◆	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6)	◆	◆	◆	◆	◆	◆	◆
Quercetin	◆	◆	◆	◆	◆	◆	◆
Retinol (vitamin A)	◆	◆	◆	◆	◆	◆	◆
Riboflavin (vitamin B2)	◆	◆	◆	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	◆	◆	◆
St John's Wort	◆	◆	◆	◆	◆	◆	◆
Thiamine (vitamin B1)	◆	◆	◆	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆	◆	◆
Vitamin E	◆	◆	◆	◆	◆	◆	◆
<b>Hypertension / Heart Failure Agents</b>							
Aliskiren	◆	◆	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆	◆
Bosentan	◆	◆	◆	◆	◆	◆	◆
Candesartan	◆	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆	◆
Digoxin	◆	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆
Erosartan	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	◆	◆	◆
Irbesartan	◆	◆	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆	◆	◆
Ivabradine	◆	◆	◆	◆	◆	◆	◆
Labelalol	◆	◆	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆	◆	◆	◆
Lercanidipine	◆	◆	◆	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆	◆
Olmesartan	◆	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	◆	◆	◆	◆	◆
Riociguat	◆	◆	◆	◆	◆	◆	◆
Sacubitril	◆	◆	◆	◆	◆	◆	◆
Selexipag	◆	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆	◆
Spirolactone	◆	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	◆	◆	◆	◆
Torsemide	◆	◆	◆	◆	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆	◆

**Key to abbreviations**

BIC/F/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)
DTG	Dolutegravir (Tivicay™)
DTG/RPV	Dolutegravir + Rilpivirine (Juluca™)
E/C/F/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
E/C/F/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (StriBild™)
MVC	Maraviroc (Celsentri™, Selzentry™)
RAL	Raltegravir (Isentress™)

**Key to symbols**

◆	These drugs should not be coadministered
▲	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool  
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly excludes liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with Entry & Integrase Inhibitors

Charts revised January 2019. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ F/TAF	DTG	DTG/ RPV	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
<b>Illicit/Recreational</b>							
Alcohol	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	◆	◆	◆
Cocaine	◆	◆	▲	◆	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	◆	◆	◆
Poppers(Amyl nitrate)	◆	◆	◆	◆	◆	◆	◆
<b>Immune Modulators</b>							
Hydroxyurea (Hydroxycarbamide)	■	◆	◆	■	◆	◆	◆
Interferon alpha	■	◆	◆	■	◆	◆	◆
Interleukin 2 (Aldesleukin)	■	◆	◆	■	◆	◆	◆
Peginterferon alfa-2a	■	◆	◆	■	◆	◆	◆
<b>Immunosuppressants</b>							
Adalimumab	◆	◆	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆	◆
Ciclosporin	■	◆	▲	■	■	▲	◆
Mycophenolate	◆	◆	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	●	●	◆	◆
Tacrolimus	◆	◆	◆	◆	◆	◆	◆
<b>Lipid Lowering Agents</b>							
Atorvastatin	◆	◆	◆	■	■	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆	◆
Evolocumab	◆	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	■	■	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆	◆
Lovastatin	◆	◆	◆	●	●	◆	◆
Pitavastatin	◆	◆	◆	▲	▲	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	●	●	◆	◆
<b>Overactive Bladder Agents</b>							
Darifenacin	◆	◆	◆	●	●	◆	◆
Fesoterodine	◆	◆	◆	■	■	◆	◆
Mirabegron	◆	◆	◆	◆	◆	◆	◆
Oxybutnin	◆	◆	◆	■	■	◆	◆
Solifenacin	◆	◆	◆	■	■	◆	◆
Tolterodine	◆	◆	▲	■	■	◆	◆
Trospium	◆	◆	◆	◆	◆	◆	◆
<b>Oxytocics</b>							
Ergometrine (Ergonovine)	◆	◆	◆	●	●	◆	◆
Mifepristone	◆	◆	◆	▲	▲	◆	◆
Misoprostol	◆	◆	◆	◆	◆	◆	◆
Oxytocin	◆	◆	◆	◆	◆	◆	◆
<b>Parkinsonism Agents</b>							
Apomorphine	◆	◆	◆	◆	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	■	■	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆	◆	◆
<b>Steroids</b>							
Beclometasone	◆	◆	◆	◆	◆	◆	◆
Betamethasone	■	◆	■	■	■	◆	◆
Budesonide	◆	◆	◆	●	●	◆	◆
Clobetasol	◆	◆	◆	■	■	◆	◆
Dexamethasone	■	◆	●	■	■	◆	◆
Fludrocortisone	◆	◆	◆	■	■	◆	◆
Fluocinolone	◆	◆	◆	■	■	◆	◆
Fluticasone	◆	◆	◆	●	●	◆	◆
Hydrocortisone (oral)	◆	◆	◆	■	■	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	■	■	◆	◆
Methylprednisolone	◆	◆	◆	■	■	◆	◆
Mometasone	◆	◆	◆	●	●	◆	◆
Nandrolone	◆	◆	◆	+	+	◆	◆
Oxandrolone	◆	◆	◆	+	+	◆	◆
Prednisolone	◆	◆	◆	■	■	◆	◆
Prednisone	◆	◆	◆	■	■	◆	◆
Stanozolol	◆	◆	◆	■	■	◆	◆
Testosterone	◆	◆	◆	■	■	◆	◆
Triamcinolone	◆	◆	◆	●	●	◆	◆

For personal use only. Not for distribution.

	BIC/ F/TAF	DTG	DTG/ RPV	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
<b>Other</b>							
Acamprosate	▲	◆	◆	▲	▲	◆	◆
Acetazolamide	▲	◆	◆	◆	■	◆	◆
Acitretin	◆	◆	◆	◆	◆	◆	◆
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆	◆
Alendronic Acid	◆	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	◆	●	●	◆	◆
Allopurinol	◆	◆	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	+	+	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆	◆	◆
Cannabidiol (CBD)	◆	◆	◆	■	■	◆	◆
Carbamazole	◆	◆	◆	◆	◆	◆	◆
Clomifene	◆	◆	◆	▲	▲	◆	◆
Colchicine	◆	◆	◆	■	■	◆	◆
Cyproterone acetate	◆	◆	◆	■	■	◆	◆
Denosumab	◆	◆	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	■	■	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆	◆
Filbanserin	◆	◆	▲	●	●	▲	◆
Goserelin	◆	◆	◆	◆	◆	◆	◆
Ibandronic acid	◆	◆	◆	◆	◆	◆	◆
Isotretinoin	◆	◆	◆	■	■	◆	◆
Leuprorelin	◆	◆	◆	◆	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆	◆	◆
Modafinil	▲	◆	■	■	■	■	◆
Naftidrofuryl	◆	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆	◆
Orlistat	▲	▲	▲	▲	▲	▲	▲
Penicillamine	◆	◆	◆	◆	■	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆	◆
Probenecid	◆	◆	◆	◆	■	◆	◆
Propylthiouracil	◆	◆	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆	◆	◆
Pyridostigmine	▲	▲	▲	▲	▲	▲	▲
Strontium ranelate	■	■	■	■	■	▲	■
Sulfasalazine	◆	◆	◆	◆	◆	◆	◆
Tamsulosin	◆	◆	◆	■	■	◆	◆
Thalidomide	◆	◆	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆	◆
Triptorelin	◆	◆	◆	◆	◆	◆	◆
Varenicline	◆	◆	◆	◆	◆	◆	◆
Zoledronic acid	◆	◆	◆	◆	■	◆	◆

**Key to abbreviations**

BIC/F/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)
DTG	Dolutegravir (Tivicay™)
DTG/RPV	Dolutegravir + Rilpivirine (Juluca™)
E/C/F/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
E/C/F/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild™)
MVC	Maraviroc (Celsentri®, Selzentry™)
RAL	Raltegravir (Isentress™)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool  
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise however or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.