

# Interactions with Integrase Inhibitors

Charts revised September 2020. Full information available at www.hiv-druginteractions.org

Page 1 of 5

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/FTC/TAF	EVG/C/FTC/TDF	RAL
<b>Anaesthetics &amp; Muscle Relaxants</b>										
Alcuronium	■	◆	◆	■	■	■	■	▲	▲	◆
Bupivacaine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ephedrine	■	◆	◆	■	■	■	■	■	■	◆
Etidocaine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Halothane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Minaxolone	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	■	◆	◆	◆	■	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	■	◆	◆	◆	■	◆	◆	◆
Sufentanil	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Analgesics</b>										
Alfentanil	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Aspirin	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Buprenorphine	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Celecoxib	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Codeine	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Dextropropoxyphene	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Diclofenac	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Dihydrocodeine	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Fentanyl	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Hydrocodone	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Hydromorphone	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Ibuprofen	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Methadone	◆	◆	■	◆	▲	◆	■	◆	■	◆
Morphine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Naproxen	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Nimesulide	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Oxycodone	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Piroxicam	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Tapentadol	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Tramadol	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
<b>Anthelmintics</b>										
Albendazole	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Diethylcarbamazine	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Ivermectin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Niclosamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Praziquantel	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Pyrantel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
<b>Antiarrhythmics</b>										
Amiodarone	■	◆	■	◆	◆	◆	■	●	●	◆
Bepidil	◆	◆	■	◆	◆	◆	■	■	■	◆
Disopyramide	■	◆	■	■	■	■	■	■	■	◆
Dofetilide	●	◆	■	●	●	●	●	●	●	◆
Flecainide	◆	◆	■	◆	◆	◆	■	■	■	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Mexiletine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Propafenone	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Quinidine	■	◆	■	◆	◆	◆	■	●	●	◆

	BIC/FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/FTC/TAF	EVG/C/FTC/TDF	RAL
<b>Antibacterials</b>										
Amikacin	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Amoxicillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ampicillin	▲	◆	◆	▲	▲	◆	▲	▲	▲	◆
Azithromycin	◆	◆	■	◆	◆	◆	■	◆	◆	◆
Bedaquiline	◆	◆	▲	◆	◆	◆	▲	■	■	◆
Capreomycin	▲	◆	◆	▲	▲	▲	▲	■	■	◆
Cefalexin	◆	◆	◆	◆	◆	◆	◆	◆	▲	◆
Cefazolin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Ciprofloxacin	◆	◆	■	◆	◆	◆	■	◆	◆	◆
Clarithromycin	■	◆	■	◆	◆	◆	■	■	■	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Clofazimine	▲	◆	▲	◆	◆	◆	▲	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	▲	◆	◆	◆	▲	■	■	◆
Doxycycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erythromycin	▲	◆	■	◆	◆	◆	■	■	■	◆
Ethambutol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	▲	◆	■	◆	■	◆	◆	◆	▲	◆
Gentamicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Levofloxacin	◆	◆	■	◆	◆	◆	■	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Moxifloxacin	◆	◆	■	◆	◆	◆	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Para-aminosalicylic acid	▲	◆	◆	▲	▲	▲	▲	▲	▲	◆
Penicillins	◆	◆	◆	◆	◆	◆	◆	◆	▲	◆
Piperacillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rifabutin	●	●	●	■	■	■	■	■	■	◆
Rifampicin	●	●	●	■	■	■	■	■	■	◆
Rifapentine	●	●	●	■	■	■	■	■	■	◆
Rifaximin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Sulfadiazine	■	◆	◆	■	■	◆	■	■	■	◆
Tazobactam	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Telithromycin	▲	◆	▲	◆	◆	◆	▲	◆	■	◆
Tetracyclines	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆	◆	◆	◆	▲	◆
Trimethoprim/Sulfamethoxazole	▲	◆	◆	▲	▲	▲	▲	▲	▲	◆
Vancomycin	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
<b>Anti-coagulant, Anti-platelet and Fibrinolytic</b>										
Acenocoumarol	◆	◆	◆	◆	◆	◆	◆	◆	■	■
Apixaban	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Argatroban	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Betrixaban	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Clopidogrel	◆	◆	◆	■	◆	◆	◆	◆	■	◆
Dabigatran	◆	◆	◆	◆	◆	◆	◆	▲	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Dipyridamole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Eltrombopag	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Prasugrel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Warfarin	◆	◆	◆	◆	◆	◆	◆	◆	■	◆

For personal use only. Not for distribution.

**Key to abbreviations**

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
CAB (oral)	Cabotegravir (oral, Vocabria®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB/RPV	Cabotegravir/rilpivirine (long acting, Cabenuva®)	EVG/C/FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
DTG	Dolutegravir (Tivicay®)	EVG/C/FTC/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with Integrase Inhibitors

Charts revised September 2020. Full information available at www.hiv-druginteractions.org

Page 2 of 5

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
<b>Anticonvulsants</b>										
Carbamazepine	●	●	●	■	■	■	●	●	●	■
Clonazepam	●	●	●	■	■	■	■	■	■	■
Eslicarbazepine	●	●	●	■	■	■	●	●	●	■
Ethosuximide	●	●	●	■	■	■	■	■	■	■
Gabapentin	●	●	●	■	■	■	■	■	■	■
Lacosamide	●	●	●	■	■	■	■	■	■	■
Lamotrigine	●	●	●	■	■	■	■	■	■	■
Levetiracetam	●	●	●	■	■	■	■	■	■	■
Oxcarbazepine	●	●	●	■	■	■	●	●	●	■
Phenobarbital (Phenobarbitone)	●	●	●	■	■	■	●	●	●	■
Phenytoin	●	●	●	■	■	■	●	●	●	■
Pregabalin	●	●	●	■	■	■	■	■	■	■
Primidone	●	●	●	■	■	■	●	●	●	■
Tiagabine	●	●	●	■	■	■	■	■	■	■
Topiramate	●	●	●	■	■	■	■	■	■	■
Valproate (Divalproex)	●	●	●	■	■	■	■	■	■	■
Vigabatrin	●	●	●	■	■	■	■	■	■	■
Zonisamide	●	●	●	■	■	■	■	■	■	■
<b>Antidepressants</b>										
Agomelatine	●	●	●	■	■	■	■	■	■	■
Amitriptyline	●	●	●	■	■	■	■	■	■	■
Bupropion	●	●	●	■	■	■	■	■	■	■
Citalopram	●	●	●	■	■	■	■	■	■	■
Clomipramine	●	●	●	■	■	■	■	■	■	■
Desipramine	●	●	●	■	■	■	■	■	■	■
Doxepin	●	●	●	■	■	■	■	■	■	■
Duloxetine	●	●	●	■	■	■	■	■	■	■
Escitalopram	●	●	●	■	■	■	■	■	■	■
Fluoxetine	●	●	●	■	■	■	■	■	■	■
Fluvoxamine	●	●	●	■	■	■	■	■	■	■
Imipramine	●	●	●	■	■	■	■	■	■	■
Lithium	●	●	●	■	■	■	■	■	■	■
Maprotiline	●	●	●	■	■	■	■	■	■	■
Mianserin	●	●	●	■	■	■	■	■	■	■
Milnacipran	●	●	●	■	■	■	■	■	■	■
Mirtazapine	●	●	●	■	■	■	■	■	■	■
Nefazodone	●	●	●	■	■	■	■	■	■	■
Nortriptyline	●	●	●	■	■	■	■	■	■	■
Paroxetine	●	●	●	■	■	■	■	■	■	■
Phenelzine	●	●	●	■	■	■	■	■	■	■
Reboxetine	●	●	●	■	■	■	■	■	■	■
Sertraline	●	●	●	■	■	■	■	■	■	■
Tranylcypromine	●	●	●	■	■	■	■	■	■	■
Trazodone	●	●	●	■	■	■	■	■	■	■
Trimipramine	●	●	●	■	■	■	■	■	■	■
Venlafaxine	●	●	●	■	■	■	■	■	■	■
Vortioxetine	●	●	●	■	■	■	■	■	■	■
<b>Anti-diabetics</b>										
Acarbose	●	●	●	■	■	■	■	■	■	■
Alogliptin	●	●	●	■	■	■	■	■	■	■
Canagliflozin	●	●	●	■	■	■	■	■	■	■
Dapagliflozin	●	●	●	■	■	■	■	■	■	■
Dulaglutide	●	●	●	■	■	■	■	■	■	■
Empagliflozin	●	●	●	■	■	■	■	■	■	■
Exenatide	●	●	●	■	■	■	■	■	■	■
Glibenclamide (Glyburide)	●	●	●	■	■	■	■	■	■	■
Gliclazide	●	●	●	■	■	■	■	■	■	■
Glimepiride	●	●	●	■	■	■	■	■	■	■
Glipizide	●	●	●	■	■	■	■	■	■	■
Insulin	●	●	●	■	■	■	■	■	■	■
Linagliptin	●	●	●	■	■	■	■	■	■	■
Liraglutide	●	●	●	■	■	■	■	■	■	■
Metformin	●	●	●	■	■	■	■	■	■	■
Nateglinide	●	●	●	■	■	■	■	■	■	■
Pioglitazone	●	●	●	■	■	■	■	■	■	■
Repaglinide	●	●	●	■	■	■	■	■	■	■
Rosiglitazone	●	●	●	■	■	■	■	■	■	■
Saxagliptin	●	●	●	■	■	■	■	■	■	■
Sitagliptin	●	●	●	■	■	■	■	■	■	■
Tolbutamide	●	●	●	■	■	■	■	■	■	■
Vildagliptin	●	●	●	■	■	■	■	■	■	■

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
<b>Antifungals</b>										
Amphotericin B	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Itraconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ketoconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Miconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Antihistamines</b>										
Astemizole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Antimigraine Agents</b>										
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eletriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Antiprotozoals</b>										
Amodiaquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Artemisinin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diloxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Halofantrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydroxychloroquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lumefantrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mefloquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meglumine antimoniate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Melarsoprol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Piperavaquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Primaquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quinine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sodium stibogluconate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Antipsychotics/Neuroleptics</b>										
Amisulpride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Asenapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorpromazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clozapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluphenazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Haloperidol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iloperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levomepromazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Periciazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perphenazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pimozide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pipotiazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quetiapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Risperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulpiride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thioridazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiapride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zotepine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zuclopenthixol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

**Key to abbreviations**

BIC/ FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
CAB (oral)	Cabotegravir (oral, Vocabria®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB/RPV	Cabotegravir/rilpivirine (long acting, Cabenuva®)	EVG/C/ FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
DTG	Dolutegravir (Tivicay®)	EVG/C/ FTC/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG/ ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

# Interactions with Integrase Inhibitors

Charts revised September 2020. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Page 3 of 5

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
<b>Antivirals</b>										
Aciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Adefovir	●	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	▲	▲	▲	▲	◆	◆
Cidofovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oseltamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Simeprevir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Telbivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	●	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Anxiolytics/Hypnotics/ Sedatives</b>										
Alprazolam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bupirone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clobazam	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clorazepate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zaleplon	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zopiclone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Beta Blockers</b>										
Atenolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Bronchodilators</b>										
Acclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
<b>Calcium Channel Blockers</b>										
Amlodipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diltiazem	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Felodipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicardipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifedipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Verapamil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Cancer Therapies</b>										
Anastrozole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Asparaginase	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bevacizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bexarotene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bortezomib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Capecitabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cetuximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cisplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyclophosphamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cytarabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dasatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daunorubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Docetaxel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxorubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erlotinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Formestane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ifosfamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Imatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Irinotecan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lapatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lenalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Letrozole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mercaptopurine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mitoxantrone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nilotinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxaliplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paclitaxel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pazopanib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Procabazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sorafenib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sunitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tamoxifen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Temsirolimus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Topotecan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Toremifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trastuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trastuzumab emtansine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vinblastine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vincristine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vinorelbine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vorinostat	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

**Key to abbreviations**

BIC/ FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
CAB (oral)	Cabotegravir (oral, Vocabria®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB/RPV	Cabotegravir/rilpivirine (long acting, Cabenuva®)	EVG/C/ FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
DTG	Dolutegravir (Tivicay®)	EVG/C/ FTC/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG/ ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.



# Interactions with Integrase Inhibitors

Charts revised September 2020. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
<b>Illicit/Recreational</b>										
Alcohol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Amphetamine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cannabis	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cocaine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ecstasy (MDMA)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
GHB (Gamma-hydroxybutyrate)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Heroin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
LSD (Lysergic acid diethylamide)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mephedrone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Methamphetamine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Phencyclidine (PCP)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Poppers (Amyl nitrate)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
<b>Immune Modulators</b>										
Hydroxyurea (Hydroxycarbamide)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Interferon alpha	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Interleukin 2 (Aldesleukin)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Peginterferon alfa-2a	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Peginterferon alfa-2b	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
<b>Immunosuppressants</b>										
Adalimumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Anti-thymocyte globulin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Azathioprine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Basiliximab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Belatacept	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ciclosporin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mycophenolate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sirolimus	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tacrolimus	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
<b>Lipid Lowering Agents</b>										
Atorvastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Bezafibrate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clofibrate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Evolocumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ezetimibe	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fenofibrate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fish oils	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fluvastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Gemfibrozil	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Lovastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pitavastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pravastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rosuvastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Simvastatin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
<b>Overactive Bladder Agents</b>										
Darifenacin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fesoterodine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mirabegron	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxybutynin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Solifenacin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tolterodine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Trospium	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
<b>Oxytocics</b>										
Ergometrine (Ergonovine)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mifepristone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Misoprostol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxytocin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
<b>Parkinsonism Agents</b>										
Apomorphine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Benserazide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Carbidopa	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Levodopa	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pramipexole	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rasagiline	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ropinirole	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
<b>Steroids</b>										
Beclometasone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Betamethasone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Budesonide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ciclesonide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clobetasol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dexamethasone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fludrocortisone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Flunisolide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fluocinolone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fluticasone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Hydrocortisone (oral)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Hydrocortisone (topical)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Megestrol acetate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Methylprednisolone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mometasone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nandrolone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Oxandrolone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Prednisolone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Prednisone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Stanozolol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Testosterone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Triamcinolone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
<b>Other</b>										
Acamprosate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Acetazolamide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Acitretin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Adrenaline (Epinephrine)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Alendronic Acid	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Alfuzosin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Allopurinol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Atomoxetine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Atropine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Baclofen	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Betahistine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Biperiden	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Brimonidine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cabergoline	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Caffeine citrate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Calcium folinate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cannabidiol (CBD)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Carbimazole	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clomifene	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Colchicine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Colestyramine (Cholestyramine)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Cyproterone acetate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Denosumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Disulfiram	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Dutasteride	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fampridine (Dalfampridine)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Filgrastim	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Finasteride	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Flibanserin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Glyceril trinitrate (Nitroglycerin)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Goserelin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ibandronic acid	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Isotretinoin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Leuprorelin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Levothyroxine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Mannitol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Methylphenidate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Modafinil	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Naftidrofuryl	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Naloxone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Naltrexone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Neostigmine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nicorandil	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Orlistat	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Penicillamine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pentoxifylline	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pilocarpine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Potassium	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Probenecid	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Propylthiouracil	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Protamine sulphate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pyridostigmine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sevelamer	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Strontium ranelate	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sulfasalazine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tamsulosin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Thalidomide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Tranexamic acid	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Triptorelin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Varenicline	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Zoledronic acid	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦

For personal use only. Not for distribution.

### Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
CAB (oral)	Cabotegravir (oral, Vocabria®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB/RPV	Cabotegravir/rilpivirine (long acting, Cabenuva®)	EVG/C/FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
DTG	Dolutegravir (Tivicay®)	EVG/C/FTC/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

### Key to symbols

●	These drugs should not be coadministered
◻	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
♦	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.