

Interactions with Integrase Inhibitors

Charts revised October 2021. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/FTC/TAF	EVG/C/FTC/DF	RAL
Anaesthetics & Muscle Relaxants										
Alcuronium	■	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bupivacaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ephedrine	■	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etidocaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Minaxolone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sufentanil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Analgesics										
Alfentanil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aspirin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Celecoxib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Codeine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fentanyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydrocodone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydromorphone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meloxicam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methadone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Morphine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nimesulide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxycodone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Piroxicam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anthelmintics										
Albendazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicosamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyrantel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antiarrhythmics										
Amiodarone	■	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bepidil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Digoxin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Disopyramide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dofetilide	●	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flecainide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mexiletine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quinidine	■	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	BIC/FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/FTC/TAF	EVG/C/FTC/DF	RAL
Antibacterials										
Amikacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ampicillin	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Azithromycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bedaquiline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Capreomycin	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clarithromycin	■	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clofazimine	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxycycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erythromycin	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ethambutol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gentamicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levofloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Para-aminosalicylic acid	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Penicillins	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Piperacillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rifabutin	●	●	●	●	●	●	●	●	●	●
Rifampicin	●	●	●	●	●	●	●	●	●	●
Rifapentine	●	●	●	●	●	●	●	●	●	●
Rifaximin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tazobactam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Telithromycin	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tetracyclines	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vancomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anti-coagulant, Anti-platelet and Fibrinolytic										
Acenocoumarol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Apixaban	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Argatroban	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betrixaban	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clopidogrel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dabigatran	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Warfarin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
CAB	Cabotegravir (Vocabria®; oral and injection)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB/RPV, Cabenuva®; RPV, Rekambys®)	EVG/C/FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
DTG	Dolutegravir (Tivicay®)	EVG/C/FTC/DF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent

Interactions with Integrase Inhibitors

Charts revised October 2021. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/DF	RAL
Anticonvulsants										
Carbamazepine	●	●	●	■	■	■	●	●	●	■
Clonazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eslicarbazepine	●	●	●	■	■	■	●	●	●	■
Ethosuximide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gabapentin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Oxcarbazepine	●	●	●	■	■	■	●	●	●	■
Phenobarbital (Phenobarbitone)	●	●	●	■	■	■	●	●	●	■
Phenytoin	●	●	●	■	■	■	●	●	●	■
Pregabalin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Primidone	●	●	●	■	■	■	●	●	●	■
Tiagabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Topiramate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valproate (Divalproex)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antidepressants										
Agomelatine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆	◆	▲	▲	▲	◆
Bupropion	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Citalopram	◆	◆	■	◆	◆	◆	▲	▲	▲	◆
Clomipramine	◆	◆	◆	◆	◆	◆	■	■	■	◆
Desipramine	◆	◆	▲	◆	◆	◆	▲	▲	▲	◆
Desvenlafaxine	◆	◆	◆	◆	◆	◆	▲	▲	▲	◆
Doxepin	◆	◆	◆	◆	◆	◆	▲	▲	▲	◆
Duloxetine	◆	◆	◆	◆	◆	◆	▲	▲	▲	◆
Escitalopram	◆	◆	■	◆	◆	◆	▲	▲	▲	◆
Fluoxetine	◆	◆	◆	◆	◆	◆	▲	▲	▲	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆	▲	▲	▲	◆
Imipramine	◆	◆	▲	◆	◆	◆	■	■	■	◆
Lithium	◆	◆	▲	◆	◆	◆	▲	▲	▲	◆
Maprotiline	◆	◆	◆	◆	◆	◆	▲	▲	▲	◆
Mianserin	◆	◆	▲	◆	◆	◆	▲	▲	▲	◆
Milnacipran	◆	◆	◆	◆	◆	◆	■	■	■	◆
Mirtazapine	◆	◆	▲	◆	◆	◆	▲	▲	▲	◆
Nefazodone	▲	▲	▲	◆	◆	◆	■	■	■	◆
Nortriptyline	◆	◆	▲	◆	◆	◆	▲	▲	▲	◆
Paroxetine	◆	◆	◆	◆	◆	◆	▲	▲	▲	◆
Phenelzine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆	◆	■	■	■	◆
Sertraline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	◆	◆	◆	■	■	■	◆
Trazodone	◆	◆	◆	◆	◆	◆	■	■	■	◆
Trimipramine	◆	◆	▲	◆	◆	◆	▲	▲	▲	◆
Venlafaxine	◆	◆	▲	◆	◆	◆	▲	▲	▲	◆
Vortioxetine	◆	◆	◆	◆	◆	◆	▲	▲	▲	◆
Anti-diabetics										
Acarbose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gliclazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metformin	■	◆	◆	■	■	■	■	■	■	◆
Nateglinide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆	◆	▲	▲	▲	◆
Repaglinide	◆	◆	◆	◆	◆	◆	■	■	■	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	◆	◆	■	■	■	◆
Semaqlutide	◆	◆	◆	◆	◆	◆	■	■	■	◆
Sitagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/DF	RAL
Antifungals										
Amphotericin B	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clotrimazole (pessary, troche)	◆	◆	◆	◆	◆	◆	▲	◆	◆	◆
Clotrimazole (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	■	◆	◆	◆	■	▲	■	◆
Flucytosine	■	◆	◆	■	■	■	■	■	■	◆
Griseofulvin	■	■	●	◆	◆	◆	■	■	■	◆
Isavuconazole	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Itraconazole	■	◆	▲	◆	◆	◆	▲	■	■	◆
Ketoconazole	■	◆	▲	◆	◆	◆	▲	■	■	◆
Miconazole	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Posaconazole	▲	◆	▲	◆	◆	◆	▲	■	■	◆
Terbinafine	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Voriconazole	▲	◆	▲	◆	◆	◆	▲	■	■	◆
Antihistamines										
Astemizole	◆	◆	■	◆	◆	◆	■	●	●	◆
Cetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Fexofenadine	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Loratadine	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Promethazine	◆	◆	▲	◆	◆	◆	◆	▲	▲	◆
Terfenadine	◆	◆	■	◆	◆	◆	■	●	●	◆
Antimigraine Agents										
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	▲	◆	◆	◆	▲	●	●	◆
Eletriptan	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Ergotamine	◆	◆	▲	◆	◆	◆	▲	●	●	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Antiprotozoals										
Amodiaquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Artemisinin	▲	◆	■	◆	◆	◆	▲	■	■	◆
Atovaquone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloroquine	■	◆	■	◆	◆	◆	■	▲	▲	◆
Diloxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eflornithine	▲	◆	◆	▲	▲	▲	▲	▲	▲	◆
Halofantrine	◆	◆	■	◆	◆	◆	■	●	●	◆
Hydroxychloroquine	■	◆	◆	◆	◆	◆	■	▲	▲	◆
Lumefantrine	◆	◆	▲	◆	◆	◆	▲	■	■	◆
Mefloquine	◆	◆	▲	◆	◆	◆	▲	■	■	◆
Meglumine antimoniate	◆	◆	■	◆	◆	◆	◆	◆	◆	◆
Melarsoprol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	■	◆	◆	◆	■	■	■	◆
Piperazine	▲	◆	▲	◆	◆	◆	▲	■	■	◆
Primaquine	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyrimethamine	▲	◆	◆	▲	▲	▲	▲	▲	▲	◆
Quinine	◆	◆	■	◆	◆	◆	■	■	■	◆
Sodium stibogluconate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulfadoxine	▲	◆	◆	▲	▲	▲	▲	▲	▲	◆

For personal use only. Not for distribution.

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
CAB	Cabotegravir (Vocabria®: oral and injection)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB/RPV, Cabenuva®: RPV, Rekambys®)	EVG/C/FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
DTG	Dolutegravir (Tivicay®)	EVG/C/FTC/DF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Integrase Inhibitors

Charts revised October 2021. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/DF	RAL
Antipsychotics/Neuroleptics										
Amisulpride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Asenapine	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Chlorpromazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clozapine	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Fluphenazine	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Haloperidol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iloperidone	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Levomepromazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Perazine	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Periciazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perphenazine	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Pimozide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pipotiazine	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Quetiapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Risperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulpiride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thioridazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiapride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zotepine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zuclopentixol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antivirals										
Aciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bulevirtide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cidofovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Letermovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oseltamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Simeprevir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Telbivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/DF	RAL
Anxiolytics/Hypnotics/ Sedatives										
Alprazolam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clobazam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clorazepate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zaleplon	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zopiclone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Beta Blockers										
Atenolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bronchodilators										
Acclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terbutaline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium Channel Blockers										
Amlodipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diltiazem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Felodipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicardipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifedipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Verapamil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
CAB	Cabotegravir (Vocabria®: oral and injection)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB/RPV, Cabenuva®: RPV, Rekamby®)	EVG/C/FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
DTG	Dolutegravir (Tivicay®)	EVG/C/FTC/DF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Integrase Inhibitors

Charts revised October 2021. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/DF	RAL
Cancer Therapies										
Abiraterone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anastrozole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Asparaginase	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Avelumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bevacizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bexarotene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bortezomib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brentuximab vedotin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Capecitabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cetuximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cisplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyclophosphamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cytarabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dasatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daunorubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Docetaxel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxorubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enzalutamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erlotinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Formestane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ifosfamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Imatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Irinotecan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lapatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lenalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Letrozole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mercaptopurine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mitoxantrone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nilotinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxaliplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paclitaxel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pazopanib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Polatuzumab vedotin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Procarbazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sorafenib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sunitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tamoxifen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Temsirolimus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Topotecan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Toremifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trastuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trastuzumab emtansine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vinblastine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vincristine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vinorelbine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vorinostat	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/DF	RAL
Contraceptives/HRT										
Bazedoxifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Conjugated estrogens	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desogestrel (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desogestrel (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dydrogesterone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Estradiol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ethinylestradiol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etonogestrel (implant)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gestodene (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (implant)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norelgestromin (patch)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norgestimate (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norgestimate (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norgestrel (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Progesterone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tibolone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ulipristal	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erectile Dysfunctional Agents										
Avanafil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vardenafil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Yohimbine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents										
Allosetron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexlansoprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)										
Aprepitant	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dolasetron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Domperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dronabinol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Granisetron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metoclopramide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ondansetron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
CAB	Cabotegravir (Vocabria®: oral and injection)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB/RPV, Cabenuva®: RPV, Rekambys®)	EVG/C/FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
DTG	Dolutegravir (Tivicay®)	EVG/C/FTC/DF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

◆	These drugs should not be coadministered
◆	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
◆	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Integrase Inhibitors

Charts revised October 2021. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/DF	RAL
Herbals/Supplements/Vitamins										
African potato	■	◆	■	■	■	■	■	■	◆	■
Aloe vera	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Ashwagandha (Withania somnifera)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ayahuasca	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Black cohosh	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium supplements	■	■	■	■	■	■	■	■	■	■
Cat's claw (Uncaria tomentosa)	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol (vitamin D3) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Cubeb pepper (Piper cubeba)	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Echinacea	▲	■	◆	◆	◆	◆	◆	◆	◆	◆
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ferrous fumarate	■	■	■	■	■	■	■	■	■	■
Folic acid [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Folic acid [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Garlic	■	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ginger (Zingiber officinale)	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Ginkgo biloba	▲	●	▲	▲	▲	▲	▲	▲	◆	◆
Ginseng (P. ginseng, P. quinquefolius)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Green tea extracts (Camellia sinensis)	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Guggulsterone	■	■	■	■	■	■	■	■	■	■
Hops (Humulus lupulus)	■	■	■	■	■	■	■	■	■	■
Inula racemosa	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Iodine [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iodine [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Iron supplements	■	■	■	■	■	■	■	■	■	■
Liquorice (Glycyrrhiza glabra)	▲	◆	▲	▲	▲	▲	▲	▲	▲	▲
Magnesium supplements	■	■	■	■	■	■	■	■	■	■
Malabar nut tree	■	◆	◆	◆	◆	◆	◆	◆	◆	◆
Menthol	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Milk thistle (silymarin)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mucuna pruriens	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Multivitamins	■	■	■	■	■	■	■	■	■	■
Nicotinamide [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicotinamide [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Phytomenadione (vitamin K) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phytomenadione [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Pyridoxine (vitamin B6) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridoxine [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Quercetin	◆	▲	◆	◆	◆	◆	◆	◆	◆	◆
Red yeast rice	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Retinol (vitamin A) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Retinol (vitamin A) [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Riboflavin (vitamin B2) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Riboflavin [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
St John's Wort	●	●	●	●	●	●	●	●	●	●
Thiamine (vitamin B1) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiamine [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Tocopherol (vitamin E) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [in multivitamins]	■	■	■	■	■	■	■	■	■	■
Turmeric (Curcuma longa)	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	BIC/ FTC/TAF	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/DF	RAL
Hypertension / Heart Failure Agents										
Aliskiren	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	▲	▲	▲	▲	◆	◆	◆
Azilsartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bosentan	■	●	▲	▲	▲	■	■	■	◆	◆
Candesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Enalapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆	◆	◆	▲	◆
Hydralazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Irbesartan	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ivabradine	◆	◆	▲	◆	◆	◆	▲	●	●	◆
Labetalol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Lercanidipine	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Macitentan	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Methyldopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	◆	◆	◆	◆	◆	▲	◆
Olmesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Prazosin	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ranolazine	■	◆	▲	◆	◆	◆	▲	●	●	◆
Riociguat	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Sacubitril	◆	◆	◆	◆	◆	◆	◆	◆	▲	◆
Selexipag	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Spirolactone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Telmisartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Torasemide	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triamterene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Illicit/Recreational										
Alcohol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cannabis	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Cocaine	◆	◆	■	◆	◆	◆	◆	■	■	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆	◆	◆	■	■	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Mephedrone	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Methamphetamine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Phencyclidine (PCP)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
CAB	Cabotegravir (Vocabria®; oral and injection)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB/RPV, Cabenuva®; RPV, Rekambys®)	EVG/C/FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
DTG	Dolutegravir (Tivicay®)	EVG/C/FTC/DF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

