

# Interactions with Integrase Inhibitors

Charts revised December 2024. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Page 1 of 7

**Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.**

	BIC/ FTCTAF	CAB (oral)	CAB/PREP	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EV/GC/ FTCTAF	EV/GC/ FTCTDF
<b>Anaesthetics &amp; Muscle Relaxants</b>										
Alcuronium	■	◆◆◆	◆◆◆	◆◆◆	■■■	■■■	■■■	■■■	▲▲	▲▲
Bupivacaine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Cisatracurium	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Desflurane	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Dexmedetomidine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Enflurane	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Ephedrine	■■■	◆◆◆	◆◆◆	◆◆◆	■■■	■■■	■■■	■■■	◆◆◆	◆◆◆
Etidocaine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Halothane	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Isoflurane	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	◆◆◆
Ketamine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Methocarbamol	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Minaxolone	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Nitrous oxide	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Propofol	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Rocuronium	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Ropivacaine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Sevoflurane	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Sufentanil	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Suxamethonium (succinylcholine)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Tetracaine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Thiopental	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Tizanidine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Vecuronium	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
<b>Analgesics</b>										
Alfentanil	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Aspirin	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Buprenorphine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Celecoxib	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Codeine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲▲	▲▲
Dexketoprofen	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Dextropropoxyphene	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	●●	●●
Diamorphine (diacetylmorphine)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Diclofenac	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Dihydrocodeine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲▲	▲▲
Etoricoxib	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Fentanyl	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Hydrocodone	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Hydromorphone	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Ibuprofen	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Indometacin (Indomethacin)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Ketoprofen	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Ketorolac	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Mefenamic acid	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Meloxicam	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲▲	▲▲
Metamizole	●●●	◆◆◆	◆◆◆	●●●	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Methadone	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Morphine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Naproxen	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Nefopam	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲▲	▲▲
Nimesulide	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Oxycodone	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Paracetamol (Acetaminophen)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Pethidine (Meperidine)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲▲	▲▲
Piroxicam	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Tapentadol	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Tramadol	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲▲	▲▲
<b>Anthelmintics</b>										
Albendazole	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲▲	▲▲
Diethylcarbamazine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Ivermectin	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲▲	▲▲
Levamisole (Ergamisol)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Mebendazole	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Niclosamide	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Oxamniquine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲▲	▲▲
Praziquantel	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Pyrantel	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Suramin sodium	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Triclabendazole	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲▲	▲▲
<b>Antiarrhythmics</b>										
Amiodarone	■■■	◆◆◆	◆◆◆	■■■	◆◆◆	◆◆◆	◆◆◆	■■■	●●●	●●●
Bephril	◆◆◆	◆◆◆	◆◆◆	■■■	◆◆◆	◆◆◆	◆◆◆	■■■	■■■	■■■
Digoxin	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Disopyramide	■■■	◆◆◆	◆◆◆	■■■	◆◆◆	◆◆◆	◆◆◆	■■■	●●●	●●●
Dofetilide	●●●	◆◆◆	◆◆◆	■■■	◆◆◆	◆◆◆	◆◆◆	■■■	●●●	●●●
Dronedarone	■■■	◆◆◆	◆◆◆	■■■	◆◆◆	◆◆◆	◆◆◆	■■■	●●●	●●●
Flecainide	◆◆◆	◆◆◆	◆◆◆	■■■	◆◆◆	◆◆◆	◆◆◆	■■■	■■■	■■■
Lidocaine (Lignocaine)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Mexiteline	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Propafenone	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	■■■	■■■
Quinidine	■■■	◆◆◆	◆◆◆	■■■	◆◆◆	◆◆◆	◆◆◆	■■■	●●●	●●●

*For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.*

### *Key to abbreviations*

Key to abbreviations				
BIC/ FTC/TAF	Bictegravir + Emtricitabine + Tenfovaf disoproxil fumarate (Biktarvy®)	DTG/3TC DTG/RPV	Dolutegravir + Lamivudine (Dovato®) Dolutegravir + Rilpivirine (Juluca®)	
CAB	Cabotegravir (Vocabria®, orl; Aprezole® injection)	EVG/C FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenfovaf alafenamide (Genvoya®)	
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria® CAB/RPV, Cabenuva®, RPV, Rekambys®)	EVG/C FTC/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenfovaf disoproxil fumarate (Stribild®)	
DTG	Dolutegravir (Tivicay®)	DTG/ABC/3TC DTG/RAL	Dolutegravir + Abacavir + Lamivudine (Trumpeo®) Dolutegravir (Isentress®)	

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX

We aim to ensure that information is accurate and up-to-date. Liverpool Drug Information Group, University of Liverpool, Floor 6, Henry Pinfold Building, 6 West Derby Street, Liverpool L8 8A<sup>2</sup>. It is the responsibility of the user to know and understand any consequences arising from the use of any substances mentioned. Liverpool University accept no responsibility for any consequences arising from negligence or otherwise however arising from the use of any substances mentioned. Liverpool University accept no responsibility for errors, omissions or inaccuracy for the continued currency of information in this publication whether arising from negligence or otherwise however arising from the use of any substances mentioned.

# Interactions with Integrase Inhibitors

Charts revised December 2024. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Page 2 of 7

**Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.**

*For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.*

	BIC/ FTCTAF	CAB (oral)	CAB P-EP	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTCTAF	EVG/C/ FTCTDF	RAL
<b>Antifungals</b>											
Amphotericin B	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	■
Anidulafungin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Caspofungin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Clotrimazole (pessary, troche)	♦	♦	♦	♦	♦	♦	♦	▲	♦	♦	♦
Clotrimazole (topical)	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fluconazole	♦	♦	♦	■	♦	♦	♦	♦	■	▲	■
Flucytosine	■	♦	♦	●	♦	■	■	♦	■	■	♦
Griseofulvin	■	■	■	■	♦	♦	♦	♦	■	■	♦
Isavuconazole	♦	♦	♦	▲	♦	♦	♦	▲	●	●	♦
Itraconazole	■	♦	♦	▲	♦	♦	♦	▲	■	■	♦
Ketoconazole	■	♦	♦	▲	♦	♦	♦	▲	■	■	♦
Miconazole	♦	♦	♦	▲	♦	♦	♦	▲	♦	♦	♦
Nystatin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Posaconazole	▲	♦	♦	▲	♦	♦	♦	▲	■	■	♦
Rezafungin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Terbinafine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Voriconazole	▲	♦	♦	▲	♦	♦	♦	▲	■	■	♦
<b>Antihaemorrhagics</b>											
Avatrombopag	♦	♦	♦	♦	♦	♦	♦	♦	■	■	♦
Eltrombopag	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Emicizumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Fostamatinib	♦	♦	♦	▲	♦	♦	♦	♦	■	■	♦
Tranexamic acid	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
<b>Antihistamines</b>											
Astemizole	♦	♦	♦	■	♦	♦	♦	♦	●	●	♦
Bilastine	♦	♦	♦	♦	♦	♦	♦	♦	■	■	♦
Cetirizine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Chlorphenamine	♦	♦	♦	♦	♦	♦	♦	♦	▲	♦	♦
Desloratadine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Diphenhydramine	♦	♦	♦	♦	♦	♦	♦	♦	▲	▲	♦
Doxylamine	♦	♦	♦	♦	♦	♦	♦	♦	■	■	♦
Fexofenadine	♦	♦	♦	♦	♦	♦	♦	♦	▲	▲	♦
Levocetirizine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Loratadine	♦	♦	♦	♦	♦	♦	♦	♦	▲	▲	♦
Promethazine	♦	♦	♦	▲	♦	♦	♦	♦	▲	▲	♦
Terfenadine	♦	♦	■	♦	♦	♦	♦	♦	●	●	♦
<b>Antimigraine Agents</b>											
Almotriptan	♦	♦	♦	♦	♦	♦	♦	♦	■	■	♦
Atogepant	♦	♦	♦	♦	♦	♦	♦	♦	■	■	♦
Dihydroergotamine	♦	♦	♦	▲	♦	♦	♦	▲	●	●	♦
Eletriptan	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Eptinezumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Erenumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ergotamine	♦	♦	♦	▲	♦	♦	♦	▲	●	●	♦
Fremanezumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Frovatriptan	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Galcanezumab	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Naratriptan	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pizotifen	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Rimegepant	♦	♦	♦	♦	♦	♦	♦	♦	●	●	♦
Rizatriptan	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Sumatriptan	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Ubrogepant	♦	♦	♦	♦	♦	♦	♦	♦	●	●	♦
Zolmitriptan	♦	♦	♦	♦	♦	♦	♦	♦	■	■	♦
<b>Antiprotozoals</b>											
Amodiaquine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Artemisinin	▲	♦	♦	■	♦	♦	♦	▲	■	■	♦
Atovaquone	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Benznidazole	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Chloroquine	■	♦	♦	■	♦	♦	♦	♦	▲	▲	♦
Diloxanide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Eflornithine	▲	♦	♦	♦	♦	▲	▲	♦	▲	▲	♦
Halofantrine	♦	♦	♦	♦	♦	♦	♦	♦	■	●	♦
Hydroxychloroquine	■	♦	♦	■	♦	♦	♦	♦	▲	▲	♦
Lumefantrine	♦	♦	♦	▲	♦	♦	♦	♦	▲	♦	♦
Mefloquine	♦	♦	♦	▲	♦	♦	♦	▲	♦	♦	♦
Meglumine antimoniate	♦	♦	♦	■	♦	♦	♦	♦	♦	♦	♦
Melarsoprol	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Miltefosine	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nifurtimox	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Nitazoxanide	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Paromomycin	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pentamidine	♦	♦	♦	■	♦	♦	♦	♦	♦	♦	♦
Piperazine	▲	♦	♦	▲	♦	♦	♦	▲	■	■	♦
Primaquine	♦	♦	♦	▲	♦	♦	♦	▲	♦	♦	♦
Proguanil	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦	♦
Pyrimethamine	▲	♦	♦	♦	♦	▲	▲	▲	▲	▲	♦
Quinine	♦	♦	♦	■	♦	♦	♦	♦	■	■	♦
Sodium stibogluconate	♦	♦	♦	■	♦	♦	♦	♦	■	■	♦
Sulfadoxine	▲	♦	♦	♦	♦	▲	▲	▲	▲	▲	♦

### **Key to abbreviations**

Key to abbreviations:			
BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
CAB	Cabotegravir (Vocabria®, oral; Apretude® injection)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria® CAB/RPV, Cabenuva® RPV, Rekambys®)	EVG/C	Elvitegravir + Cobicitabine + Emtricitabine + Tenofovir alafenamide (Genovo®)
DTG	Dolutegravir (Tivicay®)	FTC/TDF	Emtricitabine + Tenoforodisoproxil fumarate (Stribild®)
DTG/3TC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	PAL	Palenegravir (Isentress®)

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

### *Key to symbols*

Key to Symbols
● These drugs should not be coadministered
▣ Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲ Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆ No clinically significant interaction expected

# Interactions with Integrase Inhibitors

Charts revised December 2024. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Page 3 of 7

**Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.**

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

	BIC/ FTC/TAF	CAB (oral)	CAB P-EP	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
<b>Anxiolytics/Hypnotics/ Sedatives</b>											
Alprazolam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clobazam	▲	◆	◆	■	▲	▲	▲	▲	◆	◆	◆
Clorazepate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daridorexant	◆	◆	◆	◆	◆	◆	◆	◆	●	●	●
Diazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (buccal)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	◆	◆	◆	◆	●	●	●
Midazolam (parenteral)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	◆	◆	◆	◆	●	●	●
Zaleplon	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zopiclone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Beta Blockers</b>											
Atenolol	■	◆	◆	◆	■	■	■	■	■	■	■
Bisoprolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sotalol	■	◆	◆	◆	■	■	■	■	■	■	■
Timolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Bisphosphonates</b>											
Alendronic acid (Alendronate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ibandronic acid (Ibandronate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Risedronic acid (Risedronate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zoledronic acid (Zoledronate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
<b>Bronchodilators</b>											
Aclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	◆	▲	◆	◆	◆	◆	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terbutaline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Calcium Channel Blockers</b>											
Amlodipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diltiazem	▲	◆	◆	▲	◆	◆	◆	◆	◆	◆	◆
Felodipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicardipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifedipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Verapamil	■	◆	◆	▲	◆	◆	◆	◆	◆	◆	◆

### **Key to abbreviations**

Key to abbreviations			
BIC/	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
FTC/TAF		DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB	Cabotegravir (Vocabria®, orl; Apretude®, injection)	EVG/C	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria®, CAB/RPV, Cabenuva®, RPV, Rekambys®)	FTC/TAF	
		EVG/C	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG	Tivicay®	FTC/TDF	
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

### *Key to symbols*

Key to symbols
● These drugs should not be coadministered
■ Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲ Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆ No clinically significant interaction expected

# Interactions with Integrase Inhibitors

Charts revised December 2024. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Page 4 of 7

**Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.**

For personal use only. Not for distribution.

	BIC/ FTCT/AT	CAB (oral)	CAB P-EP	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EV/G/ FTCT/AT	EV/G/ FTCTDF	RAL
<b>Cancer Therapies (continued)</b>											
Ibrutinib	◆	◆	◆	◆	◆	◆	◆	◆	●	●	
Idarubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Idelalisib	▲	◆	◆	◆	◆	◆	◆	▲	◆	◆	
Ifosfamide	■	◆	◆	●	◆	◆	◆	◆	◆	◆	
Imatinib	◆	◆	◆	■	◆	◆	◆	◆	◆	◆	
Infigratinib	◆	◆	◆	◆	◆	◆	◆	◆	●	●	
Inotuzumab ozogamicin	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Ipilimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Irinotecan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Isatuximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Ivosidenib	●	●	●	●	■	■	■	●	●	●	
Ixazomib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Lapatinib	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Larotrectinib	◆	◆	◆	◆	◆	◆	◆	◆	●	●	
Lenalidomide	■	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Lenvatinib	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Letrozole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Lomustine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Lorlatinib	●	◆	◆	●	◆	◆	◆	◆	●	●	
Mercaptopurine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Mesna	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Methotrexate	◆	■	■	■	◆	◆	◆	◆	◆	◆	
Midostaurin	●	◆	◆	●	◆	◆	◆	◆	●	●	
Mitomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Mitotane	●	◆	◆	●	●	●	●	●	●	●	
Mitoxantrone	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Mobocertinib	■	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Necitumumab	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Neratinib	◆	◆	◆	◆	◆	◆	◆	◆	●	●	
Nilotinib	■	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Nilutamide	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Nintedanib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Niraparib	▲	◆	◆	◆	◆	◆	◆	▲	◆	◆	
Nivolumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Obinutuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Oftatumumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Olaparib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Olaratumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Osimertinib	■	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Oxaliplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Pacitaxel	■	■	■	■	■	■	■	■	●	●	
Palbociclib	■	■	■	■	■	■	■	■	■	■	
Panitumumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Panobinostat	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Pazopanib	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Pembrolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Pemetrexed	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Pemigatinib	■	◆	◆	◆	◆	◆	◆	◆	●	●	
Pertuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Pexidartinib	●	◆	◆	●	◆	◆	◆	◆	●	●	
Polatuzumab vedotin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Pomalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Ponatinib	■	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Pralsetinib	■	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Procarbazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Regorafenib	▲	◆	◆	◆	◆	◆	◆	◆	●	●	
Relugolix	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Repotrectinib	●	◆	◆	●	◆	◆	◆	◆	●	●	
Ribociclib	■	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Rituximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Romidepsin	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Rucaparib	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Ruxolitinib	■	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Selpercatinib	▲	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Sorafenib	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Sotorasib	●	◆	◆	●	◆	◆	◆	◆	●	●	
Sunitinib	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Talazoparib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Tamoxifen	▲	◆	◆	■	◆	◆	◆	◆	◆	◆	
Tegafur/ Gimeracil/ Oteracil	▲	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Tensirolimus	◆	◆	◆	◆	◆	◆	◆	◆	●	●	
Tepotinib	■	◆	◆	▲	◆	◆	◆	▲	◆	◆	
Thiotepa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Tisotumab vedotin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Tivozanib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Topotecan	◆	◆	◆	■	◆	◆	◆	◆	◆	◆	
Toremifene	◆	◆	◆	◆	◆	◆	◆	◆	●	●	
Trametinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Trastuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Trastuzumab emtansine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Trifluridine/Tipiracil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Vemurafenib	●	◆	◆	●	◆	◆	◆	◆	●	●	
Venetoclax	◆	◆	◆	◆	●	◆	◆	◆	◆	◆	
Vinblastine	■	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Vinorelbine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
Vorinostat	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	

### *Key to abbreviations*

BIC/ FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Billktary®)	DTG/3TC DTG/RPV	Dolutegravir + Lamivudine (Dovato®) Dolutegravir + Rilpivirine (Juluka®)
CAB	Cabotegravir (Vocabria®, oral; Apretude® injection)	EV/G/C FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria® CAB/RPV, Cabenuva®, RPV, Rekambys®)	EV/G/C FTC/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG	Dolutegravir (Truvicay®)	DTG/ABC/3TC DTG/RAL	Dolutegravir + Abacavir + Lamivudine (Triumeq®) Raltegravir (Isentress®)

### **Key to symbols**

- These drugs should not be coadministered
- Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
- ▲ Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
- ◆ No clinically significant interaction expected

*Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.*

# Interactions with Integrase Inhibitors

Charts revised December 2024. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Page 5 of 7

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	CAB (oral)	CAB P/EP	CAB/RPV	DTG DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
<b>Contraceptives/HRT</b>										
Bazedoxifene	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Chlormadinone (COC)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Conjugated estrogens	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Desogestrel (COC)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Desogestrel (POP)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Dospirenone (COC)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Dospirenone (HRT)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Dospirenone (POP)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Dydrogesterone (HRT)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Estradiol	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Ethinylestradiol	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Etonogestrel (implant)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Etonogestrel (vaginal ring)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Gestodene (COC)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Levonorgestrel (COC)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Levonorgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Levonorgestrel (implant)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Levonorgestrel (POP)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Medroxyprogesterone (HRT)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Norelgestromin (patch)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Norethisterone [Norethindrone] (COC)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Norgestimate (COC)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Norgestimate (HRT)	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Progesterone (HRT)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tibolone (HRT)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Ulipristal	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
<b>Dementia Therapies</b>										
Donepezil	◆	◆	■	◆	◆	◆	◆	■	■	◆
Galantamine	◆	◆	▲	◆	◆	◆	◆	■	■	◆
Memantine	■	◆	◆	■	◆	◆	◆	■	■	◆
Rivastigmine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
<b>Erectile Dysfunctional Agents</b>										
Alprostadil	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Avanafil	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Vardenafil	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Yohimbine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
<b>Gastrointestinal Agents</b>										
Alosetron	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Antacids	■	◆	◆	■	◆	◆	◆	■	■	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Bismuth subsalicylate	■	◆	◆	■	◆	◆	◆	■	■	◆
Cimetidine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cisapride	◆	◆	■	◆	◆	◆	◆	●	●	◆
Dexlansoprazole	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Esomeprazole	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Famotidine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Hyoscine butylbromide	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Ispaghula husk	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Lansoprazole	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Loperamide	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Macrogol (PEG 3350, PEG 4000)	▲	▲	◆	▲	▲	▲	▲	▲	▲	◆
Mebeverine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Nizatidine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Omeprazole	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Pantoprazole	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Psyllium husk	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Ranitidine	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Senna	◆	◆	■	◆	◆	◆	◆	■	■	◆
Sucralfate	●	◆	◆	■	◆	◆	◆	■	■	◆
<b>Gastrointestinal Agents (anti-emetics)</b>										
Aprepitant	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cyclizine	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Dolasetron	◆	◆	▲	◆	◆	◆	◆	■	■	◆
Domperidone	◆	◆	■	◆	◆	◆	◆	●	●	◆
Dronabinol	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Granisetron	◆	◆	▲	◆	◆	◆	◆	■	■	◆
Hyoscine (Scopolamine)	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Hyoscine hydrobromide	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Metoclopramide	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Netupitant	◆	◆	▲	◆	◆	◆	◆	■	■	◆
Ondansetron	◆	◆	▲	◆	◆	◆	◆	■	■	◆
Palonosetron	◆	◆	▲	◆	◆	◆	◆	■	■	◆
Prochlorperazine	◆	◆	▲	◆	◆	◆	◆	■	■	◆

### Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)
CAB	Cabotegravir (Vocabria®, oral; Apretide®, injection)
CAB/RPV	Cabotegravir/rilpivirine (long acting), CAB, Vocabria®, CAB/RPV, Cabenuva®, RPV, Rekamby®
DTG	DTLegravir (Truvada®)
DTG/ABC/3TC	DTLegravir + Abacavir + Lamivudine (Triumeq®)

### Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with Integrase Inhibitors

Charts revised December 2024. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Page 6 of 7

**Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.**

*For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.*

### *Key to abbreviations*

BIC/ FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Billktary®)	DTG/3TC DTG/RPV	Dolutegravir + Lamivudine (Dovato®) Dolutegravir + Rilpivirine (Juluka®)
CAB	Cabotegravir (Vocabria®, oral; Apretude® injection)	EV/G/C FTC/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria® CAB/RPV, Cabenuva®, RPV, Rekambys®)	EV/G/C FTC/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
DTG	Dolutegravir (Truvicay®)	DTG/ABC/3TC DTG/RAL	Dolutegravir + Abacavir + Lamivudine (Triumeq®) Raltegravir (Isentress®)

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

### **Key to symbols**

- These drugs should not be coadministered
- Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
- ▲ Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
- ◆ No clinically significant interaction expected

# Interactions with Integrase Inhibitors

Charts revised December 2024. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

*Page 7 of 7*

**Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.**

	BIC/ FTCTAF	CAB (oral)	CAB P-EP	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTCTAF	EVG/C/ FTCTDF	RAL
<b>Other</b>											
Acamprosate	▲	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲	◆	◆
Acetazolamide	◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Acitretin	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Activated charcoal	▲	▲	◆◆◆	◆◆◆	▲	▲	▲	▲	▲	▲	▲
Adrenaline (Epinephrine)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Alfuzosin	◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	●	●	●
Allpurinol	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Atomoxetine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲	▲	▲
Atropine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Baclofen	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Bethistine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Biperiden	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Brimonidine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Bromocriptine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Cabergoline (lactation suppression)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Caffeine citrate	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Calcitonin	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Calcium folinate	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Cannabidiol (CBD)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Carbamazole	▲	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Cinacalcet	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Clomifene	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲	▲	▲
Colchicine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Colestyramine (Cholestyramine)	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Cyproterone acetate	▲	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Cytisine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Dapoxetine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	●	●	●
Deferasirox	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Denosumab	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Desmopressin	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Disulfiram	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Drotaverine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Dupilumab	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Dutasteride	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Elagolix	●	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Fampridine (Dalfampridine)	◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Febuxostat	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Fezolinetant	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Filgrastim	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Finasteride	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Flibanserin	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Glucose monohydrate (IV)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Glyceryl trinitrate (Nitroglycerin)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Goserelin	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Isosorbide mononitrate	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Isothiazolin	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Leuprorelin	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Levothyroxine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Lisdexamfetamine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Mannitol	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Medroxyprogesterone	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Methylergometrine (Methylergonovine)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	●	●	●
Methylphenidate	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Minoxidil (topical)	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Modafinil	●	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Naftidrofuryl	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Naloxone	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Naltrexone	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Neostigmine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Nicorandil	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Nicotine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Octreotide	▲	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Orlistat	▲	▲	◆◆◆	◆◆◆	▲	▲	▲	▲	▲	▲	▲
Ospemifene	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Pancreatic enzymes	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Penicillamine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Pentosan polysulfate sodium	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Pentoxyfylline	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Phentermine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Pilocarpine	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Pitolisant	▲	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	▲	▲	▲
Potassium	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Probenecid	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Propylthiouracil	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Protamine sulphate	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆	◆◆◆
Pyrvidostigmine	▲	◆◆◆	◆◆◆	◆◆◆	▲	▲	▲	▲	▲	▲	▲

*For personal use only. Not for distribution.*   *For personal use only. Not for distribution.*   *For personal use only. Not for distribution.*

	BIC/ FTCTAF	CAB (oral)	CAB P-EP	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/RPV	EVG/C/ FTCTAF	EVG/C/ FTCTDF	RAL
<b>Other (continued)</b>											
Raloxifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Riluzole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ruxolitinib (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sevelamer	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Sodium zirconium cyclosilicate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Strontium ranelate	■	■	◆	◆	■	■	■	■	■	■	■
Sulfasalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tamsulosin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tenapanor	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terlipressin	◆	◆	■	◆	◆	◆	◆	◆	◆	◆	◆
Tesamorelin	▲	▲	▲	▲	◆	◆	◆	▲	◆	◆	◆
Thalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tolvaptan	▲	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Triptorelin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ursodeoxycholic acid	■	◆	■	◆	◆	◆	■	◆	◆	◆	◆
Varenicline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Overactive Bladder Agents</b>											
Darifenacin	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Fesoterodine	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Mirabegron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Silodosin	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Solifenacina	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tolterodine	◆	◆	◆	▲	◆	◆	◆	◆	■	■	◆
Trospium	◆	◆	◆	◆	▲	▲	▲	◆	◆	◆	◆
<b>Oxytocics</b>											
Ergometrine (Ergonovine)	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Mifepristone	◆	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Misoprostol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxytocin	◆	◆	◆	▲	◆	◆	◆	◆	▲	◆	◆
<b>Parkinsonism Agents</b>											
Apomorphine	◆	◆	◆	▲	◆	◆	◆	▲	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benzatropine (Benztropine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cabergoline (Parkinson's)	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Carbidopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Entacapone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Orphenadrine	◆	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Pramipexole	◆	◆	◆	◆	▲	▲	▲	▲	◆	◆	◆
Procyclidine	◆	◆	◆	◆	◆	◆	◆	◆	▲	▲	◆
Rasagiline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Safinamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Selegiline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>Steroids</b>											
Bclometasone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betamethasone	●	◆	◆	●	◆	◆	◆	◆	■	■	◆
Budesonide	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Ciclesonide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Deflazacort	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Dexamethasone (doses >16 mg)	■	◆	◆	●	◆	◆	◆	◆	●	■	◆
Dexamethasone (low dose; ≤16 mg)	◆	◆	◆	■	◆	◆	◆	◆	■	■	◆
Fludrocortisone	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Flunisolide	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Fluocinolone	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Fluticasone	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	●
Hydrocortisone (oral)	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Mometasone	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Nandrolone	◆	◆	◆	■	■	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	■	■	◆	◆	◆	◆	◆	◆
Oxymetholone	◆	◆	◆	■	■	◆	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	◆
Stanozolol	◆	◆	◆	■	■	◆	◆	◆	◆	■	◆
Testosterone	◆	◆	◆	■	■	◆	◆	◆	◆	■	◆
Triamcinolone	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆

### *Key to abbreviations*

BIC/ FTC/Taf	Bictegravir + Emtricitabine + Tenfoviro alafenamide (Biktarvy®)	DTG/3TC DTG/RPV	Dolutegravir + Lamivudine (Dovato®) Dolutegravir + Rilpivirine (Juluca®)
CAB	Cabotegravir (Vocabria®, oral; Apretude® injection)	EVG/C	Elvitegravir + Cobicitab + Emtricitabine + Tenfoviro alafenamide (Genovo®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria® CAB/RPV, Cabenuva®, RPV, Rekambys®)	FTC/TAF	Dolutegravir + Elvitegravir + Cobicitab + Emtricitabine + Tenfoviro disoproxil fumarate (Stribild®)
DTG	Dolutegravir (Tivicay®)	EVG/C FTC/TDF	Elvitegravir + Cobicitab + Emtricitabine + Tenfoviro disoproxil fumarate (Stribild®)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

### **Key to symbols**

Key to Symbols
● These drugs should not be coadministered
■ Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲ Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆ No clinically significant interaction expected

*Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.*