Interactions with Integrase Inhibitors

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
ADHD Agents												
Atomoxetine	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Dexamfetamine (dextroamphetamine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Dexmethylphenidate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Guanfacine	◆	■	◆	△	◆	△	△	△	△	■	■	◆
Lisdexamfetamine	◆	◆	◆	△	◆	◆	◆	◆	△	■	■	◆
Methylphenidate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Serdexmethylphenidate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anaesthetics & Muscle Relaxants												
Alcuronium	■	■	◆	◆	■	■	■	■	■	△	△	◆
Bupivacaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyclobenzaprine	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Desflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ephedrine	■	■	◆	◆	■	■	■	■	■	◆	◆	◆
Esketamine (anaesthetic)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Etidocaine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Halothane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Ketamine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Methocarbamol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Minaxolone	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ropivacaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Sufentanil	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Analgesics												
Alfentanil	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Aspirin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Buprenorphine	◆	△	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Celecoxib	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Codeine	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Dexketoprofen	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Dextropropoxyphene	◆	●	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Diclofenac	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Dihydrocodeine	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Etoricoxib	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Fentanyl	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Hydrocodone	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Hydromorphone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Indometacin (Indomethacin)	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Ketoprofen	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Ketorolac	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Lornoxicam (Chlortenoxicam)	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Meloxicam	◆	◆	◆	◆	◆	◆	◆	■	◆	△	■	◆
Metamizole	●	●	◆	●	◆	◆	◆	◆	■	■	■	◆
Methadone	◆	△	◆	■	◆	△	◆	◆	■	◆	◆	◆
Morphine	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Naproxen	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Nefopam	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Nimesulide	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Oxycodone	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Piroxicam	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Suzetrigine	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Tapentadol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tramadol	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Anthelmintics												
Albendazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Diethylcarbamazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Niclosamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Praziquantel	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Pyrantel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Antiarrhythmics												
Amiodarone	■	●	◆	■	◆	◆	◆	■	■	●	●	◆
Bepridil	◆	■	◆	■	◆	◆	◆	◆	■	■	■	◆
Digoxin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Disopyramide	■	●	◆	■	■	■	■	■	■	●	●	◆
Dofetilide	●	◆	◆	■	●	●	●	●	●	●	●	◆
Dronedarone	■	■	◆	■	◆	◆	◆	◆	■	●	●	◆
Flecainide	◆	◆	◆	■	◆	◆	◆	◆	■	■	■	◆
Lidocaine (Lignocaine)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Mexiletine	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Procainamide	◆	◆	◆	△	◆	◆	◆	◆	◆	◆	◆	◆
Propafenone	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Quinidine	■	●	◆	■	◆	◆	◆	■	■	●	●	◆
Antibacterials												
Amikacin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Amoxicillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ampicillin	△	◆	◆	◆	◆	△	△	△	△	△	△	◆
Azithromycin	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Bedaquiline	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Capreomycin	△	◆	◆	◆	△	△	△	■	△	◆	■	◆
Cefalexin	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	△	◆
Cefazolin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cefuroxime	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆	◆	◆	△	△	△	◆
Ciprofloxacin	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Clarithromycin	■	△	◆	■	◆	◆	◆	■	■	■	■	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Clofazimine	△	△	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daptomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Delamanid	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Doxycycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erythromycin	△	△	◆	■	◆	◆	◆	◆	■	■	■	◆
Ethambutol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	△	△	◆	■	◆	■	◆	△	■	△	△	◆
Fosfomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Furazolidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gatifloxacin (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gemifloxacin	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Gentamicin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Gepotidacin	◆	■	◆	△	◆	◆	◆	◆	△	●	●	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Levofloxacin	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lymecycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Minocycline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Nafcillin	●	●	◆	●	◆	◆	◆	◆	■	■	■	◆
Neomycin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Para-aminosalicylic acid	△	◆	◆	◆	△	△	△	△	△	△	△	◆
Penicillins	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	△	◆
Piperacillin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Pretomanid	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Pyrazinamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rifabutin	■	●	◆	●	◆	◆	◆	◆	■	■	■	◆
Rifampicin	●	●	●	●	■	■	■	■	●	●	●	■
Rifapentine (daily)	●	●	●	●	■	■	■	■	●	●	●	■
Rifapentine (weekly)	●	●	●	●	△	△	△	△	●	●	●	◆
Rifaximin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Roxithromycin	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Sulfadiazine	■	◆	◆	◆	◆	■	■	■	◆	■	■	◆
Tazobactam	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Teicoplanin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Telavancin	◆	◆	◆	△	◆	◆	◆	■	△	◆	■	◆
Telithromycin	△	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Tetracyclines	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Tobramycin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Trimethoprim/Sulfamethoxazole	△	◆	◆	◆	◆	△	△	△	◆	△	△	◆
Vancomycin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Zoliflodacin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Using a saved or printed version? Click or scan to check for updates

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
BIC/LEN	Bictegravir + Lenacapavir (Bixlenvo®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB	Cabotegravir (Vocabria®)	EVG/C/ FTC + TAF + TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®) + Tenofovir disoproxil fumarate (Stribild®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria®; CAB/RPV, Cabenuva®; RPV, Rekambys®)		
DTG	Dolutegravir (Tivicay®)	DTG/3TC/TDF	Dolutegravir + Lamivudine + TDF (TLD)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Integrase Inhibitors

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Anti-coagulant, Anti-platelet and Fibrinolytic												
Acenocoumarol	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Apixaban	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Argatroban	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betrixaban	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Clopidogrel	◆	●	◆	◆	◆	■	◆	◆	◆	●	●	◆
Dabigatran	◆	■	◆	◆	◆	◆	◆	◆	△	■	■	◆
Dalteparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Edoxaban	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nadroparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Prasugrel	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Tinzaparin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vorapaxar	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Warfarin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Anticonvulsants												
Brivaracetam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carbamazepine	●	●	●	●	■	■	■	■	●	●	●	■
Cenobamate	●	●	◆	●	■	■	■	■	●	●	●	◆
Clonazepam	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Eslicarbazepine	●	●	●	●	■	■	■	■	●	■	■	■
Ethosuximide	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Felbamate	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Fosphenytoin	●	●	●	●	■	■	■	■	●	●	●	■
Gabapentin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	◆
Oxcarbazepine	●	●	●	●	■	■	■	■	●	●	●	■
Perampanel	■	■	◆	■	◆	◆	◆	◆	■	■	■	◆
Phenobarbital (Phenobarbitone)	●	●	●	●	■	■	■	■	●	●	●	■
Phenytoin	●	●	●	●	■	■	■	■	●	●	●	■
Pregabalin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Primidone	●	●	●	●	■	■	■	■	●	●	●	■
Sodium valproate	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tiagabine	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Topiramate	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Valproate semisodium (Divalproex)	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Valproic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Vigabatrin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antidepressants												
Agomelatine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Amoxapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Bupropion	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Citalopram	◆	◆	◆	■	◆	◆	◆	◆	■	△	△	◆
Clomipramine	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Desipramine	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Desvenlafaxine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Duloxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Escitalopram	◆	◆	◆	■	◆	◆	◆	◆	■	△	△	◆
Esketamine (antidepressant)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Imipramine	◆	◆	◆	△	◆	◆	◆	◆	△	■	■	◆
Lithium	◆	◆	◆	△	◆	◆	◆	■	△	◆	■	◆
Maprotiline	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Mianserin	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Milnacipran	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	△	◆	◆	◆	◆	△	■	■	◆
Moclobemide	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Nefazodone	△	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Nortriptyline	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Opipramol	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Paroxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Phenelzine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Sertraline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Trazodone	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Trimipramine	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Venlafaxine	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Vortioxetine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Anti-diabetics												
Acarbose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆
Glibenclamide (Glyburide)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Gliclazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Glimepiride	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Glipizide	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Insulin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆
Metformin	■	■	◆	◆	■	■	■	■	■	■	■	◆
Nateglinide	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Pioglitazone	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Repaglinide	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Semaglutide	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tirzepatide	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Vildagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antifungals												
Amphotericin B	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Anidulafungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clotrimazole (pessary, troche)	◆	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	◆
Clotrimazole (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	■	◆	◆	◆	■	■	△	■	◆
Flucytosine	■	◆	◆	◆	◆	■	■	■	■	■	■	◆
Griseofulvin	■	●	■	●	◆	◆	◆	◆	■	■	■	◆
Ibrexafungerp	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Isavuconazole	◆	△	◆	△	◆	◆	◆	◆	△	●	●	◆
Itraconazole	■	△	◆	△	◆	◆	◆	■	△	■	■	◆
Ketoconazole	■	△	◆	△	◆	◆	◆	■	△	■	■	◆
Miconazole	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Posaconazole	△	△	◆	△	◆	◆	◆	■	△	■	■	◆
Rezafungin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Voriconazole	△	△	◆	△	◆	◆	◆	■	△	■	■	◆
Antihaemorrhagics												
Avatrombopag	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Eltrombopag	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Emicizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fostamatinib	◆	■	◆	△	◆	◆	◆	◆	◆	■	■	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antihistamines												
Astemizole	◆	●	◆	■	◆	◆	◆	◆	■	●	●	◆
Bilastine	◆	◆	◆	△	◆	◆	◆	◆	◆	■	■	◆
Cetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Clemastine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desloratadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Doxylamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Fexofenadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loratadine	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Promethazine	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Terfenadine	◆	●	◆	■	◆	◆	◆	◆	■	●	●	◆
Antimigraine Agents												
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Atogepant	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Dihydroergotamine	◆	●	◆	△	◆	◆	◆	◆	△	●	●	◆
Eletriptan	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Eptinezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erenumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ergotamine	◆	●	◆	△	◆	◆	◆	◆	△	●	●	◆
Fremanezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Frovatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Galcanezumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methysergide	◆	●	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Naratriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pizotifen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rimegepant	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ubrogepant	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Zavegepant	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Zolmitriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
BIC/LEN	Bictegravir + Lenacapavir (Bixlenvo®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB	Cabotegravir (Vocabria®)	EVG/C/ FTC + TAF + TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®) + Tenofovir disoproxil fumarate (Stribild®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria®; CAB/RPV, Cabenuva®; RPV, Rekambys®)		
DTG	Dolutegravir (Tivicay®)	DTG/3TC/TDF	Dolutegravir + Lamivudine + TDF (TLD)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Integrase Inhibitors

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Antiprotozoals												
Amodiaquine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Artemether	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Artesunate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chloroquine	■	△	◆	■	◆	◆	◆	◆	■	△	△	◆
Diloxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eflornithine	△	◆	◆	◆	◆	△	△	△	◆	△	△	◆
Halofantrine	◆	●	◆	■	◆	◆	◆	◆	■	●	●	◆
Hydroxychloroquine	■	△	◆	■	◆	◆	◆	◆	■	△	△	◆
Lumefantrine	◆	◆	◆	△	◆	◆	◆	◆	△	■	■	◆
Mefloquine	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Meglumine antimoniate	◆	◆	◆	■	◆	◆	◆	■	■	◆	■	◆
Melarsoprol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitazoxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	■	◆	◆	◆	■	■	◆	■	◆
Piperaquine	△	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Primaquine	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyrimethamine	△	◆	◆	◆	◆	△	△	△	◆	△	△	◆
Quinine	◆	■	◆	■	◆	◆	◆	◆	■	■	■	◆
Sodium stibogluconate	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Sulfadoxine	△	◆	◆	◆	◆	△	△	△	◆	△	△	◆
Antipsychotics/Neuroleptics												
Amisulpride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Asenapine	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Brexpiprazole	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cariprazine	◆	●	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Chlorpromazine	◆	◆	◆	■	◆	◆	◆	◆	■	△	△	◆
Clozapine	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Flupentixol (Flupentixol)	◆	◆	◆	△	◆	◆	◆	◆	△	■	■	◆
Fluphenazine	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Haloperidol	◆	△	◆	■	◆	◆	◆	◆	■	△	△	◆
Iloperidone	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Levomepromazine	◆	◆	◆	■	◆	◆	◆	◆	■	△	△	◆
Lumateperone	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Lurasidone	◆	■	◆	△	◆	◆	◆	◆	△	●	●	◆
Milsaperidone	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Olanzapine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Perazine	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Periciazine	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Perospirone	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Perphenazine	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Pimavanserin	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Pimozide	◆	●	◆	■	◆	◆	◆	◆	■	●	●	◆
Pipotiazine	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Quetiapine	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Risperidone	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Sertindole	◆	●	◆	■	◆	◆	◆	◆	■	●	●	◆
Sulpiride	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Thioridazine	●	●	◆	●	◆	◆	◆	◆	■	■	■	◆
Tiapride	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Ziprasidone	◆	◆	◆	●	◆	◆	◆	◆	●	■	■	◆
Zotepine	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Zuclopenthixol	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Antiretrovirals - Entry, Attachment and Capsid Inhibitors												
Albuvirtide	△	△	◆	△	◆	△	△	△	△	△	△	◆
Enfuvirtide	△	△	◆	△	◆	△	△	△	△	△	△	◆
Fostemsavir	△	△	◆	△	◆	△	△	◆	△	△	△	◆
Ibalizumab-uiyk	△	△	◆	△	◆	△	△	△	△	△	△	◆
Lenacapavir	△	△	◆	△	◆	◆	◆	△	△	△	△	◆
Maraviroc	△	△	◆	△	◆	△	△	△	△	■	■	◆
Antiretrovirals - Integrase Inhibitors												
Bictegravir/ Emtricitabine/ TAF		●	●	●	●	●	●	●	●	●	●	●
Bictegravir/ Lenacapavir [daily]	●		●	●	●	●	●	●	●	●	●	●
Cabotegravir [oral]	●	●		■	◆	●	●	●	●	●	●	◆
Cabotegravir/Rilpivirine [long acting]	●	●	■		●	●	●	●	●	●	●	●
Dolutegravir	●	●	◆	●		■	■	■	■	●	●	◆
Dolutegravir/ Abacavir/ Lamivudine	●	●	●	●	■		●	●	●	●	●	●
Dolutegravir/ Lamivudine	●	●	●	●	■	●		●	●	●	●	●
Dolutegravir/ Lamivudine/ Tenofovir-DF	●	●	●	●	■	●	●		●	●	●	●
Dolutegravir/Rilpivirine	●	●	●	●	■	●	●	●		●	●	●
Elvitegravir/ Cobi/ Emtricitabine/ TAF	●	●	●	●	●	●	●	●	●		●	●
Elvitegravir/Cobi/ Emtricitabine/ TDF	●	●	●	●	●	●	●	●	●	●		●
Raltegravir	●	●	◆	●	◆	●	●	●	●	●	●	

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Antiretrovirals - Non-nucleoside Reverse Transcriptase Inhibitors												
Doravirine	△	△	◆	●	◆	△	△	△	●	△	△	◆
Doravirine/Islatravir	●	△	△	●	△	●	●	●	●	●	●	△
Doravirine/Lamivudine/Tenofovir-DF	●	△	△	●	△	●	●	●	●	●	●	△
Efavirenz	●	●	◆	●	■	■	■	■	●	●	●	◆
Etravirine	●	●	◆	●	■	■	■	■	●	●	●	△
Nevirapine	●	●	◆	●	■	■	■	■	●	●	●	◆
Rilpivirine	△	△	◆	■	◆	△	△	△	●	△	△	◆
Rilpivirine/ Emtricitabine/TAF	●	△	△	●	△	●	●	●	●	●	●	△
Rilpivirine/ Emtricitabine/Tenofovir-DF	●	△	△	●	△	●	●	●	●	●	●	△
Antiretrovirals - Nucleoside/tide Reverse Transcriptase Inhibitors												
Abacavir	△	△	◆	△	◆	●	△	△	△	△	△	◆
Emtricitabine	●	△	◆	△	◆	●	●	●	△	●	●	◆
Emtricitabine/Tenofovir alafenamide	●	△	◆	△	◆	●	●	●	△	●	●	◆
Emtricitabine/Tenofovir-D	●	△	◆	△	◆	●	●	●	△	●	●	◆
Lamivudine	●	△	◆	△	◆	●	●	●	△	●	●	◆
Tenofovir-DF	●	△	◆	△	◆	△	△	●	△	●	●	◆
Zidovudine	△	△	◆	△	◆	△	△	△	△	△	△	◆
Antiretrovirals - Protease Inhibitors												
Atazanavir alone	●	●	◆	■	△	△	△	●	■	△	△	△
Atazanavir + ritonavir	●	●	◆	■	△	△	△	■	■	●	●	△
Atazanavir/cobicistat	●	●	◆	■	△	△	△	■	■	●	●	△
Darunavir + ritonavir	■	△	◆	△	◆	△	△	■	△	●	●	◆
Darunavir/cobicistat	■	△	◆	△	◆	△	△	■	△	●	●	◆
Darunavir/cobicistat/ Emtricitabine/TAF	●	△	△	△	△	●	●	●	△	●	●	△
Lopinavir/ritonavir	■	△	◆	■	◆	△	△	■	■	●	●	◆
Ritonavir	■	△	◆	△	◆	△	△	■	△	●	●	◆
Antiretrovirals for PrEP												
Cabotegravir PrEP [long acting]	●	●	△	●	●	●	●	●	●	●	●	●
Dapivirine	●	●	●	●	●	●	●	●	●	●	●	●
Emtricitabine/Tenofovir alafenamide	●	●	●	●	●	●	●	●	●	●	●	●
Emtricitabine/Tenofovir-DF	●	●	●	●	●	●	●	●	●	●	●	●
Lenacapavir for PrEP	●	●	●	●	●	●	●	●	●	●	●	●
Antivirals												
Aciclovir	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Adefovir	●	◆	◆	◆	◆	◆	◆	●	◆	●	●	◆
Amantadine	◆	◆	◆	◆	△	△	△	△	△	◆	◆	◆
Brincidofovir	△	◆	◆	◆	◆	◆	◆	△	◆	■	■	◆
Bulevirtide	◆	◆	◆	△	◆	◆	◆	◆	△	●	●	◆
Cidofovir	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Daclatasvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Elbasvir/Grazoprevir	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	◆	◆
Favipiravir	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Foscarnet	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Ganciclovir	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Glecaprevir/Pibrentasvir	△	△	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Letermovir	■	■	◆	△	◆	◆	◆	△	△	■	■	◆
Maribavir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nirmatrelvir/Ritonavir	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Ombitasvir/Paritaprevir/r	■	△	◆	■	◆	◆	◆	◆	■	●	●	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	■	△	◆	■	◆	◆	◆	◆	■	●	●	◆
Oseltamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Sotrovimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tecovirimat	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Telbivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	●	◆	◆	◆	◆	◆	◆	●	◆	●	●	◆
Tixagevimab/Cilgavimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Valganciclovir	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Zanamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
BIC/LEN	Bictegravir + Lenacapavir (Bixlenvo®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB	Cabotegravir (Vocabria®)	EVG/C/ FTC + TAF + TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®) + Tenofovir disoproxil fumarate (Stribild®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria®; CAB/RPV, Cabenuva®; RPV, Rekambys®)		
DTG	Dolutegravir (Tivicay®)	DTG/3TC/TDF	Dolutegravir + Lamivudine + TDF (TLD)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Integrase Inhibitors

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Anxiolytics/Hypnotics/ Sedatives												
Alprazolam	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Bromazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Buspirone	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Chlordiazepoxide	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Clobazam	△	■	◆	■	△	△	△	△	△	■	■	◆
Clorazepate	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Daridorexant	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Diazepam	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Estazolam	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Eszopiclone	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Flunitrazepam	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Flurazepam	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Hydroxyzine	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Lorazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (buccal)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Midazolam (oral)	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Midazolam (parenteral)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Oxazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Secobarbital (quinalbarbitone)	◆	●	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Suvorexant	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Zaleplon	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Zolpidem	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Zopiclone	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Beta Blockers												
Atenolol	■	■	◆	◆	■	■	■	■	■	■	■	◆
Bisoprolol	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Carvedilol	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Metoprolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Nebivolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Oxprenolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Propranolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Sotalol	■	■	◆	■	■	■	■	■	■	■	■	◆
Timolol	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Bisphosphonates												
Alendronic acid (Alendronate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ibandronic acid (Ibandronate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Risedronic acid (Risedronate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zoledronic acid (Zoledronate)	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Bronchodilators												
Aclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Arformoterol	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Formoterol	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Olodaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Roflumilast	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Terbutaline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Vilanterol	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Zafirlukast	◆	△	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium Channel Blockers												
Amlodipine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Barnidipine	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Diltiazem	△	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Felodipine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Nicardipine	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Nifedipine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Nimodipine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Nisoldipine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Nitrendipine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Verapamil	■	△	◆	△	◆	◆	◆	■	△	■	■	◆

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Cancer Therapies												
Abemaciclib	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Abiraterone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Acalabrutinib	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Afatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Alectinib	△	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Alemtuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alpelisib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amivantamab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anastrozole	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Apalutamide	●	●	●	●	■	■	■	■	●	●	●	■
Arsenic trioxide	◆	◆	◆	■	◆	◆	◆	◆	◆	◆	◆	◆
Asciminib	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Asparaginase	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atezolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Avapritinib	◆	●	◆	△	◆	◆	◆	◆	△	●	●	◆
Avelumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Axitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Azacitidine	△	■	◆	◆	◆	△	△	△	△	△	△	◆
Bendamustine	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Bevacizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bexarotene	■	●	◆	●	◆	◆	◆	◆	■	●	●	◆
Bicalutamide	◆	◆	◆	△	◆	◆	◆	△	△	■	■	◆
Binimetinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Blinatumomab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bortezomib	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Bosutinib	◆	●	◆	△	◆	◆	◆	◆	△	●	●	◆
Brentuximab vedotin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Brigatinib	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Busulfan	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cabazitaxel	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cabozantinib	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Capecitabine	△	◆	◆	△	◆	△	△	△	△	△	△	◆
Capmatinib	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Carboplatin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Carfilzomib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cedazuridine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cemiplimab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ceritinib	△	△	◆	◆	◆	◆	◆	◆	△	●	●	◆
Cetuximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cisplatin	■	◆	◆	◆	◆	■	■	■	◆	■	■	◆
Cladribine (injection)	●	●	●	●	●	●	●	●	●	●	●	●
Clofarabine	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Cobimetinib	◆	■	◆	△	◆	◆	◆	◆	△	●	●	◆
Copanlisib	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Crizotinib	△	■	◆	△	◆	◆	◆	◆	△	●	●	◆
Cyclophosphamide	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cytarabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dabrafenib	●	●	●	●	◆	◆	◆	■	◆	●	●	◆
Dacarbazine	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Dacomitinib	△	△	◆	◆	△	△	△	△	△	◆	◆	△
Dactinomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daratumumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Darolutamide	◆	◆	◆	△	◆	◆	◆	◆	△	■	■	◆
Dasatinib	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Daunorubicin	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Decitabine	△	◆	◆	◆	◆	△	△	△	◆	△	△	◆
Docetaxel	◆	■	◆	■	◆	◆	◆	◆	■	■	■	◆
Doxorubicin	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Durvalumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Duvelisib	△	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Elotuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Enasidenib	●	●	◆	●	△	△	△	△	●	●	●	◆
Encorafenib	●	●	●	●	■	■	■	■	●	●	●	◆
Enfortumab vedotin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Entrectinib	◆	●	◆	△	◆	◆	◆	◆	△	●	●	◆
Enzalutamide	●	●	●	●	■	■	■	■	●	●	●	■
Epcoritamab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Erdafitinib	△	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Eribulin	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Erlotinib	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Estramustine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etoposide	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Everolimus	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Exemestane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
BIC/LEN	Bictegravir + Lenacapavir (Bixlenvo®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB	Cabotegravir (Vocabria®)	EVG/C/ FTC + TAF + TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®) + Tenofovir disoproxil fumarate (Stribild®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria®; CAB/RPV, Cabenuva®; RPV, Rekambys®)		
DTG	Dolutegravir (Tivicay®)	DTG/3TC/TDF	Dolutegravir + Lamivudine + TDF (TLD)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Integrase Inhibitors

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Cancer Therapies (continued)												
Fedratinib	△	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Fludarabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluorouracil	△	◆	◆	△	◆	△	△	△	△	△	△	◆
Flutamide	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Formestane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fulvestrant	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gefitinib	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Gemcitabine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gilteritinib	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Glasdegib	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Hydroxycarbamide (Hydroxyurea)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ibrutinib	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Idarubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Idelalisib	△	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Ifosfamide	■	●	◆	●	◆	◆	◆	■	■	■	■	◆
Imatinib	◆	△	◆	■	◆	◆	◆	◆	■	■	■	◆
Infigratinib	◆	●	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Inotuzumab ozogamicin	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Ipilimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Irinotecan	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Isatuximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ivosidenib	●	●	●	●	■	■	■	■	●	●	●	■
Ixazomib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lapatinib	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Larotrectinib	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Lenalidomide	■	◆	◆	◆	◆	◆	◆	■	◆	■	■	◆
Lenvatinib	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Letrozole	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Lomustine	◆	■	◆	◆	◆	◆	◆	■	◆	■	■	◆
Lorlatinib	●	●	◆	●	◆	◆	◆	◆	■	●	●	◆
Mercaptopurine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	△	◆
Methotrexate	◆	◆	■	■	◆	◆	◆	■	◆	△	■	◆
Midostaurin	●	●	◆	●	◆	◆	◆	◆	■	●	●	◆
Mitomycin	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Mitotane	●	●	◆	●	●	●	●	●	●	●	●	◆
Mitoxantrone	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Mobocertinib	◆	■	◆	■	◆	◆	◆	◆	■	●	●	◆
Necitumumab	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Neratinib	■	●	◆	◆	◆	◆	◆	■	◆	●	●	◆
Nilotinib	■	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Nilutamide	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Nintedanib	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Niraparib	△	◆	◆	◆	◆	△	△	△	◆	△	△	◆
Nivolumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Obinutuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ofatumumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Olaparib	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Olaratumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Osimertinib	■	◆	◆	△	◆	◆	◆	■	△	■	■	◆
Oxaliplatin	■	■	◆	■	■	■	■	■	■	◆	■	◆
Paclitaxel	△	■	◆	■	■	△	■	△	■	●	●	△
Palbociclib	■	■	◆	◆	◆	◆	◆	■	◆	■	■	◆
Panitumumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Panobinostat	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Pazopanib	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Pembrolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pemetrexed	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pemigatinib	■	●	◆	◆	◆	◆	◆	■	△	●	●	◆
Pentostatin	●	●	●	●	●	●	●	●	●	●	●	●
Pertuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pexidartinib	●	●	◆	●	◆	◆	◆	◆	■	●	●	◆
Polatuzumab vedotin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Pomalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ponatinib	■	■	◆	◆	◆	◆	◆	■	◆	■	■	◆
Pralsetinib	■	■	◆	△	◆	△	△	■	△	●	●	◆
Procarbazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Regorafenib	△	●	◆	◆	△	△	△	△	△	●	●	△
Relugolix	◆	◆	◆	△	◆	◆	◆	◆	△	●	●	◆
Repotrectinib	●	●	◆	●	◆	◆	◆	◆	■	●	●	◆
Ribociclib	■	■	◆	△	◆	◆	◆	■	△	■	■	◆
Rituximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Romidepsin	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Rucaparib	△	■	◆	△	△	△	△	△	△	■	■	△
Ruxolitinib	■	■	◆	◆	◆	◆	◆	■	◆	■	■	◆

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Cancer Therapies (continued)												
Selpercatinib	△	■	◆	△	◆	◆	◆	△	△	■	■	◆
Sorafenib	◆	△	◆	△	◆	◆	◆	■	△	■	■	◆
Sotorasib	●	●	◆	●	◆	◆	◆	■	■	●	●	◆
Sunitinib	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Talazoparib	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tamoxifen	△	■	◆	■	◆	◆	◆	◆	■	■	■	◆
Tegafur/ Gimeracil/ Oteracil	△	◆	◆	◆	◆	△	△	△	◆	△	△	◆
Temsirolimus	◆	■	◆	△	◆	◆	◆	◆	△	●	●	◆
Teniposide	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tepotinib	■	◆	◆	△	◆	◆	◆	■	△	■	■	◆
Thiotepa	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tisotumab vedotin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tivozanib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Topotecan	◆	◆	◆	◆	◆	◆	◆	◆	■	■	■	◆
Toremifene	◆	■	◆	■	◆	◆	◆	◆	■	●	●	◆
Trabectedin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Trametinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Trastuzumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trastuzumab emtansine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Trifluridine/Tipiracil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tucatinib	△	△	◆	◆	◆	◆	◆	△	◆	△	△	◆
Vemurafenib	●	●	◆	●	◆	◆	◆	◆	■	●	●	◆
Venetoclax	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Vinblastine	■	■	◆	●	◆	◆	◆	◆	■	■	■	◆
Vincristine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Vinorelbine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Vorinostat	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Contraceptives/HRT												
Bazedoxifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Chlormadinone (COC)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Conjugated estrogens	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cyproterone acetate (2 mg or less)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Desogestrel (COC)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Desogestrel (POP)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Drospirenone (COC)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Drospirenone (HRT)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Drospirenone (POP)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Dydrogesterone (HRT)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Estradiol	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Ethinylestradiol	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Etonogestrel (implant)	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Etonogestrel (vaginal ring)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Gestodene (COC)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Levonorgestrel (COC)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Levonorgestrel (emergency contraception)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Levonorgestrel (HRT)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Levonorgestrel (implant)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	△	◆
Medroxyprogesterone (HRT)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Norelgestromin (patch)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Norethisterone [Norethindrone] (COC)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Norethisterone [Norethindrone] (HRT)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Norgestimate (COC)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Norgestimate (HRT)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Norgestrel (COC)	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Norgestrel (HRT)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Progesterone (HRT)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tibolone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ulipristal	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Cough and Cold Preparations												
Benzonatate	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Carbocisteine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dextromethorphan	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Pseudoephedrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cystic Fibrosis Agents												
Deutivacaftor/Tezacaftor/ Vanzacaftor	△	■	◆	◆	◆	◆	◆	△	◆	■	■	◆
Ivacaftor	△	■	◆	◆	◆	◆	◆	△	◆	■	■	◆
Ivacaftor/Lumacaftor	●	●	◆	●	■	■	■	■	●	●	●	◆
Ivacaftor/Tezacaftor	△	■	◆	◆	◆	◆	◆	△	◆	■	■	◆
Ivacaftor/Tezacaftor/ Elexacaftor	△	■	◆	◆	◆	◆	◆	△	◆	■	■	◆

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
BIC/LEN	Bictegravir + Lenacapavir (Bixlenvo®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB	Cabotegravir (Vocabria®)	EVG/C/ FTC + TAF + TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®) + Tenofovir disoproxil fumarate (Stribild®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria®; CAB/RPV, Cabenuva®; RPV, Rekambys®)		
DTG	Dolutegravir (Tivicay®)	DTG/3TC/TDF	Dolutegravir + Lamivudine + TDF (TLD)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Integrase Inhibitors

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Dementia Therapies												
Donepezil	◆	■	◆	■	◆	◆	◆	◆	■	■	■	◆
Ergoloid mesylates	◆	●	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Galantamine	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Memantine	■	◆	◆	◆	■	■	■	■	■	■	■	◆
Rivastigmine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erectile Dysfunctional Agents												
Alprostadil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Avanafil	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Sildenafil (Erectile Dysfunction)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tadalafil (Erectile Dysfunction)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Vardenafil	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Yohimbine	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Gastrointestinal Agents												
Alosetron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antacids	■	■	■	◆	■	■	■	■	■	■	■	■
Bisacodyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bismuth subsalicylate	■	■	■	◆	■	■	■	■	■	■	■	■
Cimetidine	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆
Cisapride	◆	●	◆	■	◆	◆	◆	◆	■	●	●	◆
Dexlansoprazole	◆	◆	◆	◆	◆	◆	◆	◆	●	◆	◆	◆
Docusate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eluxadoline	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Esomeprazole	◆	◆	◆	◆	◆	◆	◆	◆	●	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆
Hyoscine butylbromide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ispaghula husk	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆	◆	◆	●	◆	◆	◆
Linaclotide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loperamide	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Macrogol (PEG 3350, PEG 4000)	△	△	△	◆	△	△	△	△	△	△	△	△
Mebeverine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naloxegol	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Nizatidine	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆	◆	◆	●	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆	◆	◆	●	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Psyllium husk	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	◆	◆	●	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆
Roxatidine	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sucralfate	●	●	■	◆	■	■	■	■	■	■	■	●
Vonoprazan	◆	◆	◆	◆	◆	◆	◆	◆	●	◆	◆	◆
Gastrointestinal Agents (anti-emetics)												
Aprepitant	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cyclizine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Dolasetron	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Domperidone	◆	●	◆	■	◆	◆	◆	◆	■	●	●	◆
Dronabinol	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Fosaprepitant	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Granisetron	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Hyoscine (Scopolamine)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Hyoscine hydrobromide	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Metoclopramide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Netupitant	◆	◆	◆	△	◆	◆	◆	◆	△	■	■	◆
Ondansetron	◆	◆	◆	■	◆	◆	◆	◆	■	△	△	◆
Palonosetron	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Prochlorperazine	◆	◆	◆	△	◆	◆	◆	◆	△	△	△	◆
Rolapitant	■	◆	◆	◆	◆	◆	◆	■	◆	■	■	◆
Tradipitant	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tropisetron	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Herbals/Supplements/Vitamins												
African potato	■	■	◆	●	■	■	■	■	■	■	◆	■
Aloe vera	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Ashwagandha (Withania somnifera)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ayahuasca	◆	◆	◆	△	◆	◆	◆	◆	△	■	■	◆
Berberine	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Beta-alanine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Biotin (vitamin B7, vitamin H) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Biotin (vitamin B7, vitamin H) [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Black cohosh	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Branched chain amino acids	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caffeine (anhydrous powder)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcifediol (Calcidiol)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Calcium supplements	■	■	■	◆	■	■	■	■	■	■	■	■
Cat's claw (Uncaria tomentosa)	◆	△	◆	△	◆	◆	◆	◆	△	■	■	◆
Coenzyme Q10 (Ubidecarenone)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol (vitamin D3) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Collagen hydrolysate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Creatine monohydrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	△	◆	△	◆	◆	◆	■	△	■	■	◆
Cyanocobalamin [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Ecdysterone (20-hydroxyecdysone)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Echinacea	△	△	◆	■	◆	◆	◆	◆	△	◆	◆	◆
Enteral Feeds	■	■	■	◆	■	■	■	■	■	■	■	■
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ferrous fumarate	■	■	■	◆	■	■	■	■	■	■	■	■
Ferrous sulfate	■	■	■	◆	■	■	■	■	■	■	■	■
Folic acid [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Folic acid [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Garlic	■	■	◆	◆	■	■	■	■	■	■	■	◆
Ginger (Zinigiber officinale)	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Ginkgo biloba	△	■	◆	●	△	△	△	△	△	◆	◆	◆
Ginseng (P. ginseng, P. quinquefolius)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glucosamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	◆
Green tea extracts (Camellia sinensis)	△	◆	◆	◆	◆	◆	△	◆	◆	△	△	◆
Guggulsterone	■	●	◆	■	◆	◆	◆	◆	■	■	■	◆
Homeopathic remedies	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hops (Humulus lupulus)	■	△	◆	△	△	△	△	△	△	■	△	◆
Inula racemosa	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Iodine [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iodine [in multivitamins]	■	◆	■	◆	■	■	■	■	■	■	■	■
Iron supplements (injection/infusion)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iron supplements (oral)	■	■	■	◆	■	■	■	■	■	■	■	■
Liquorice (Glycyrrhiza glabra)	△	■	◆	■	△	△	△	■	△	■	■	◆
Magnesium supplements	■	■	■	◆	■	■	■	■	■	■	■	■
Malabar nut tree	■	■	◆	■	■	■	■	■	■	■	■	■
Menthol	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Milk thistle (silymarin)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mucuna pruriens	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Multivitamins	■	■	■	◆	■	■	■	■	■	■	■	■
Nicotinamide [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicotinamide [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Omega-3 fatty acids [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Oral nutritional supplements	■	■	■	◆	■	■	■	■	■	■	■	■
Phytomenadione (vitamin K) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phytomenadione [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Pyridoxine (vitamin B6) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridoxine [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Quercetin	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Red yeast rice	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Retinol (vitamin A) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Retinol (vitamin A) [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Riboflavin (vitamin B2) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Riboflavin [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	◆
St John's Wort	●	●	●	●	■	■	■	■	●	●	●	■
Thiamine (vitamin B1) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiamine [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Tocopherol (vitamin E) [alone]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [in multivitamins]	■	■	■	◆	■	■	■	■	■	■	■	■
Turmeric (Curcuma longa)	△	◆	◆	◆	◆	◆	◆	△	◆	△	△	◆
Valerian	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Whey protein	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zinc	■	■	■	◆	■	■	■	■	■	■	■	■

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
BIC/LEN	Bictegravir + Lenacapavir (Bixlenvo®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB	Cabotegravir (Vocabria®)	EVG/C/ FTC + TAF + TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®) + Tenofovir disoproxil fumarate (Stribild®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria®; CAB/RPV, Cabenuva®; RPV, Rekambys®)		
DTG	Dolutegravir (Tivicay®)	DTG/3TC/TDF	Dolutegravir + Lamivudine + TDF (TLD)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Integrase Inhibitors

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Hypertension / Heart Failure Agents												
Aficamten	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Aliskiren	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Ambrisentan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	△	△	△	△	△	◆	◆	◆
Azilsartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Benazepril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bosentan	●	●	●	●	◆	◆	◆	◆	■	■	■	◆
Bumetanide	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Candesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxazosin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Enalapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eplerenone	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Finerenone	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Fosinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	△	◆
Hydralazine	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Irbesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Ivabradine	◆	■	◆	■	◆	◆	◆	◆	■	●	●	◆
Labetalol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lacidipine	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Lercanidipine	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Macitentan	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Mavacamten	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Methyldopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Minoxidil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moexipril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	△	◆
Olmesartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ranolazine	■	■	◆	△	◆	◆	◆	■	△	●	●	◆
Riociguat	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Sacubitril	◆	◆	◆	◆	◆	◆	◆	△	◆	◆	△	◆
Selexipag	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	●	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Telmisartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Torasemide	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triamterene	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Illicit/Recreational												
Alcohol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cannabis	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Cocaine	◆	△	◆	■	◆	◆	◆	◆	■	■	■	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Enobosarm (Ostarine)	◆	◆	◆	■	◆	◆	◆	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	■	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Mephedrone	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Methamphetamine	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Methylone	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Monkey dust	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Nitazenes	△	●	◆	△	◆	◆	◆	◆	△	●	●	◆
Phencyclidine (PCP)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Psilocybin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trenbolone	◆	◆	◆	■	◆	◆	◆	◆	◆	◆	◆	◆

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Immune Modulators												
Interferon alpha	■	◆	◆	◆	◆	◆	◆	■	◆	■	■	◆
Interferon gamma-1b	■	◆	◆	◆	◆	■	■	■	◆	■	■	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Peginterferon alfa-2a	■	◆	◆	◆	◆	■	■	■	◆	■	■	◆
Peginterferon alfa-2b	■	◆	◆	◆	◆	■	■	■	◆	■	■	◆
Immunosuppressants												
Abatacept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Abrocitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Adalimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anakinra	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Apremilast	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Baricitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Belimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bimekizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Certolizumab pegol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ciclosporin	■	■	◆	△	◆	◆	◆	■	△	■	■	◆
Cladribine (oral)	●	●	●	●	●	●	●	●	●	●	●	●
Dimethyl fumarate	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Etanercept	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Golimumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Guselkumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ixekizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Leflunomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	■	■	◆	◆	◆	■	◆	△	■	◆
Mycophenolate	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Risankizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Secukinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sirolimus	◆	■	◆	◆	◆	◆	◆	△	◆	●	●	◆
Tacrolimus	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Tildrakizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tofacitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Ustekinumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vedolizumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lipid Lowering Agents												
Alirocumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atorvastatin	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Bempedoic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colesevelam	△	△	△	◆	△	△	△	△	△	△	△	△
Evolocumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Icosapent ethyl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Inclisiran	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lomitapide	◆	●	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Lovastatin	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Omega-3 fatty acids	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Pravastatin	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Rosuvastatin	◆	△	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Simvastatin	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
BIC/LEN	Bictegravir + Lenacapavir (Bixlenvo®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB	Cabotegravir (Vocabria®)	EVG/C/ FTC + TAF + TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®) + Tenofovir disoproxil fumarate (Stribild®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria®; CAB/RPV, Cabenuva®; RPV, Rekambys®)		
DTG	Dolutegravir (Tivicay®)	DTG/3TC/TDF	Dolutegravir + Lamivudine + TDF (TLD)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Integrase Inhibitors

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Other												
Acamprosate	△	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Acetazolamide	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Acitretin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Activated charcoal	△	△	△	◆	△	△	△	△	△	△	△	△
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	■	◆	△	◆	◆	◆	◆	△	●	●	◆
Allopurinol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Birch tree pollen allergen extract	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brimonidine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Brinzolamide	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Bromocriptine	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Cabergoline (lactation suppression)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcitonin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcitriol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium folinate	△	△	△	△	△	△	△	△	△	△	△	△
Cannabidiol (CBD)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Carbimazole	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Cinacalcet	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Clomifene	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Colchicine	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Colestyramine (Cholestyramine)	△	△	△	◆	△	△	△	△	△	△	△	△
Cyproterone acetate (≥50 mg)	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cytisine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dapoxetine	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Darbepoetin alfa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Deferasirox	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Desmopressin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Drotaverine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dupilumab	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dutasteride	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Elagolix	●	●	●	●	◆	◆	◆	■	■	■	■	◆
Elinzanetant	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Epoetin alfa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Epoetin beta	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fampridine (Dalfampridine)	■	■	◆	◆	●	●	●	●	●	◆	◆	◆
Febuxostat	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fezolinetant	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flibanserin	◆	●	◆	△	◆	◆	◆	◆	△	●	●	◆
Glacial acetic acid (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glucose monohydrate (IV)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glyceryl trinitrate (Nitroglycerin)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Goserelin	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Grass pollen allergen extract	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hexobarbital	●	●	●	●	●	●	●	●	●	●	●	●
House dust mite allergen extract	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isosorbide mononitrate	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Isotretinoin	◆	△	◆	◆	◆	△	◆	◆	◆	■	■	◆
Leuprorelin	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lofexidine	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆	△	△	△	◆	◆	◆	◆
Medroxyprogesterone	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Methylergometrine (Methylergonovine)	◆	●	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Midodrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Minoxidil (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Modafinil	●	●	◆	●	◆	◆	◆	◆	■	◆	◆	◆
Naftidrofuryl	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicotine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Octreotide	△	△	△	△	◆	◆	◆	◆	△	■	■	◆
Orforglipron	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Orlistat	△	△	△	◆	△	△	△	△	△	△	△	△
Ospemifene	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Pancreatic enzymes	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Penicillamine	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	■	◆
Pentosan polysulfate sodium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phentermine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phenylephrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Piracetam	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pitolisant	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

	BIC/ FTC/TAF	BIC/LEN	CAB (oral)	CAB/RPV	DTG	DTG/ ABC/3TC	DTG/3TC	DTG/ 3TC/TDF	DTG/RPV	EVG/C/ FTC/TAF	EVG/C/ FTC/TDF	RAL
Other (continued)												
Probenecid	◆	△	◆	◆	◆	△	△	■	◆	◆	■	◆
Propylthiouracil	◆	◆	◆	◆	◆	◆	△	△	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridostigmine	△	◆	◆	◆	△	△	△	△	△	△	△	△
Raloxifene	◆	◆	◆	◆	◆	◆	△	△	◆	◆	◆	◆
Ramelteon	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Riluzole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ruxolitinib (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Samidorphan	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sevelamer	△	△	△	◆	△	△	△	△	△	△	△	△
Sodium phosphate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sodium zirconium cyclosilicate	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆
Strontium ranelate	■	■	■	◆	■	■	■	■	■	■	■	■
Sulfasalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tamsulosin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tasimelteon	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Telotristat	●	●	◆	●	◆	◆	◆	◆	■	■	■	◆
Tenapanor	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terlipressin	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Tesamorelin	△	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Thalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiamazole (Methimazole)	△	△	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Tolvaptan	△	■	◆	◆	◆	◆	◆	△	◆	●	●	◆
Triptorelin	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ursodeoxycholic acid	■	■	◆	■	◆	◆	◆	◆	■	◆	◆	◆
Varenicline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zileuton	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Overactive Bladder Agents												
Darifenacin	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Fesoterodine	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Mirabegron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxybutynin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Silodosin	◆	△	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Solifenacin	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Tolterodine	◆	■	◆	△	◆	◆	◆	◆	△	■	■	◆
Trospium	◆	◆	◆	◆	△	△	△	△	△	◆	◆	◆
Oxytocics												
Ergometrine (Ergonovine)	◆	●	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Mifepristone	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Misoprostol	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxytocin	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Parkinsonism Agents												
Apomorphine	◆	◆	◆	△	◆	◆	◆	◆	△	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benzatropine (Benztropine)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cabergoline (Parkinson's)	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Carbidopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Entacapone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Orphenadrine	◆	◆	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Pramipexole	◆	◆	◆	◆	△	△	△	△	△	◆	◆	◆
Procyclidine	◆	△	◆	◆	◆	◆	◆	◆	◆	△	△	◆
Rasagiline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Safinamide	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Selegiline	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Steroids												
Beclometasone	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betamethasone	●	●	◆	●	◆	◆	◆	◆	■	■	■	◆
Betamethasone (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Budesonide	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Ciclesonide	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Clobetasol	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cortisone	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Cortisone (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Deflazacort	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Dexamethasone (doses >16 mg)	■	●	◆	●	◆	◆	◆	◆	●	■	■	◆
Dexamethasone (low dose; ≤16 mg)	◆	■	◆	■	◆	◆	◆	◆	■	■	■	◆
Fludrocortisone	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Flunisolide	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Fluocinolone	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Fluticasone	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Hydrocortisone (oral)	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylprednisolone	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Mometasone	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆
Nandrolone	◆	◆	◆	■	◆	◆	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	■	◆	◆	◆	◆	◆	◆	◆	◆
Oxymetholone	◆	◆	◆	■	◆	◆	◆	◆	◆	◆	◆	◆
Prednisolone	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Prednisone	◆	△	◆	◆	◆	◆	◆	◆	◆	■	■	◆
Stanozolol	◆	△	◆	■	◆	◆	◆	◆	◆	■	■	◆
Testosterone	◆	◆	◆	■	◆	◆	◆	◆	◆	■	■	◆
Triamcinolone	◆	■	◆	◆	◆	◆	◆	◆	◆	●	●	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

BIC/FTC/TAF	Bictegravir + Emtricitabine + Tenofovir alafenamide (Biktarvy®)	DTG/3TC	Dolutegravir + Lamivudine (Dovato®)
BIC/LEN	Bictegravir + Lenacapavir (Bixlenvo®)	DTG/RPV	Dolutegravir + Rilpivirine (Juluca®)
CAB	Cabotegravir (Vocabria®)	EVG/C/ FTC + TAF + TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®) + Tenofovir disoproxil fumarate (Stribild®)
CAB/RPV	Cabotegravir/rilpivirine (long acting), (CAB, Vocabria®; CAB/RPV, Cabenuva®; RPV, Rekambys®)		
DTG	Dolutegravir (Tivicay®)	DTG/3TC/TDF	Dolutegravir + Lamivudine + TDF (TLD)
DTG/ABC/3TC	Dolutegravir + Abacavir + Lamivudine (Triumeq®)	RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, Centre for Experimental Therapeutics, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.