

# Interactions with PBC Agents

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Anaesthetics &amp; Muscle Relaxants</b>		
Bupivacaine	◆	◆
Cisatracurium	◆	◆
Isoflurane	◆	◆
Ketamine	◆	◆
Nitrous oxide	◆	◆
Propofol	◆	◆
Thiopental	◆	◆
Tizanidine	■	▲
<b>Analgesics</b>		
Acetoclofenac	◆	◆
Alfentanil	◆	◆
Aspirin	◆	◆
Buprenorphine	◆	◆
Celecoxib	◆	◆
Codeine	◆	▲
Dexketoprofen	◆	◆
Dextropropoxyphene	◆	▲
Diamorphine	◆	▲
Diclofenac	◆	◆
Diflunisal	◆	◆
Dihydrocodeine	◆	▲
Etoricoxib	▲	◆
Fentanyl	◆	◆
Flurbiprofen	◆	◆
Hydrocodone	◆	▲
Hydromorphone	◆	◆
Ibuprofen	◆	◆
Indometacin	▲	◆
Ketoprofen	◆	◆
Mefenamic acid	◆	◆
Meloxicam	▲	◆
Metamizole (Dipyrone)	◆	◆
Methadone	■	▲
Morphine	◆	◆
Naproxen	◆	◆
Oxycodone	◆	▲
Paracetamol	◆	◆
Pethidine (Meperidine)	◆	▲
Piroxicam	◆	◆
Tapentadol	◆	▲
Tramadol	◆	▲
<b>Anthelmintics</b>		
Albendazole	◆	◆
Ivermectin	◆	◆
Oxamniquine	◆	◆
Praziquantel	▲	◆
Pyrantel	◆	◆
<b>Antiarrhythmics</b>		
Amiodarone	▲	▲
Bepridil	◆	◆
Digoxin	◆	◆
Disopyramide	◆	◆
Dofetilide	◆	▲
Dronedarone	▲	▲
Flecainide	◆	▲
Lidocaine (Lignocaine)	◆	▲
Mexiletine	■	▲
Propafenone	■	▲
Quinidine	◆	▲
Vernakalant	◆	◆
<b>Antibacterials</b>		
Amikacin	◆	◆
Amoxicillin	◆	◆
Ampicillin	◆	◆
Azithromycin	◆	◆
Aztreonam	◆	◆
Bedaquiline	◆	◆
Benzylpenicillin	◆	◆
Capreomycin	◆	◆
Cefaclor	◆	◆
Cefadroxil	◆	◆
Cefalexin	◆	◆
Cefazolin	◆	◆
Cefixime	◆	◆
Cefotaxime	◆	◆
Cefradine	◆	◆
Ceftaroline	◆	◆
Ceftazidime	◆	◆
Ceftriaxone	◆	◆
Cefuroxime	◆	◆
Chloramphenicol	◆	◆
Ciprofloxacin	◆	■
Clarithromycin	◆	◆
Clavulanic acid	◆	◆
Clindamycin	◆	▲
Clofazimine	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Antibacterials (continued)</b>		
Cloxacillin	◆	◆
Dapsone	◆	■
Delamanid	◆	◆
Ertapenem	◆	◆
Erythromycin	■	◆
Ethambutol	◆	◆
Flucloxacillin	◆	◆
Gentamicin	◆	◆
Imipenem	◆	◆
Isoniazid	▲	◆
Levofloxacin	◆	◆
Linezolid	◆	▲
Lymercycline	◆	◆
Meropenem	◆	◆
Methenamine	◆	◆
Metronidazole	◆	◆
Moxifloxacin	◆	◆
Nitrofurantoin	◆	◆
Norfloxacin	◆	◆
Ofloxacin	◆	◆
Penicillin V	◆	◆
Piperacillin	◆	◆
Pivmecillinam	◆	◆
Pyrazinamide	◆	◆
Rifabutin	▲	▲
Rifampicin	▲	▲
Rifapentine	■	▲
Rifaximin	▲	▲
Spectinomycin	◆	◆
Streptomycin	◆	◆
Sulfadiazine	◆	◆
Tazobactam	◆	◆
Telithromycin	■	◆
Temocillin	◆	◆
Tetracyclines	◆	◆
Ticarillin	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆
Troleandomycin	◆	◆
Vancomycin	◆	◆
<b>Anticoagulant, Antiplatelet &amp; Fibrinolytic</b>		
Acenocoumarol	▲	▲
Anagrelide	▲	▲
Apixaban	▲	▲
Clopidogrel	▲	◆
Dabigatran	◆	▲
Dalteparin	◆	◆
Danaparoid	◆	◆
Dipyridamole	■	◆
Edoxaban	◆	▲
Eltrombopag	◆	◆
Enoxaparin	◆	◆
Fluidione	▲	▲
Fondaparinux	◆	◆
Heparin	◆	◆
Phenprocoumon	◆	▲
Prasugrel	◆	◆
Rivaroxaban	◆	▲
Streptokinase	◆	◆
Ticagrelor	◆	◆
Ticlopidine	◆	◆
Tinzaparin	◆	◆
Warfarin	■	▲
<b>Anticonvulsants</b>		
Carbamazepine	◆	▲
Clonazepam	◆	◆
Eslicarbazepine	◆	◆
Ethosuximide	◆	◆
Gabapentin	◆	◆
Lacosamide	◆	◆
Lamotrigine	◆	◆
Levetiracetam	◆	◆
Oxcarbazepine	◆	◆
Perampamel	◆	◆
Phenobarbital	◆	▲
Phenytoin	◆	▲
Pregabalin	◆	◆
Primidone	◆	◆
Retigabine	◆	◆
Rufinamide	◆	◆
Sultiame	◆	◆
Tiagabine	◆	◆
Topiramate	◆	◆
Valproate (Divalproex)	◆	◆
Vigabatrin	◆	◆
Zonisamide	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Antidepressants</b>		
Agomelatine	▲	◆
Amiriptryline	◆	▲
Bupropion	◆	◆
Citalopram	◆	◆
Clomipramine	◆	▲
Desipramine	◆	▲
Desvenlafaxine	◆	◆
Dosulepin	◆	▲
Doxepin	◆	▲
Duloxetine	◆	◆
Escitalopram	◆	◆
Fluoxetine	◆	◆
Fluvoxamine	◆	◆
Imipramine	◆	▲
Lithium	◆	◆
Maprotiline	◆	▲
Mianserin	◆	◆
Milnacipran	◆	▲
Mirtazapine	◆	◆
Moclobemide	◆	◆
Nefazodone	■	◆
Nortriptyline	◆	▲
Paroxetine	◆	◆
Sertraline	◆	◆
Tianeptine	◆	◆
Trazodone	◆	◆
Trimipramine	◆	▲
Venlafaxine	◆	◆
Vortioxetine	◆	◆
<b>Antidiabetics</b>		
Acarbose	◆	◆
Albiglutide	◆	◆
Alogliptin	◆	◆
Canagliflozin	◆	◆
Dapagliflozin	◆	◆
Dulaglutide	◆	◆
Empagliflozin	◆	◆
Exenatide	◆	◆
Glibenclamide (Glyburide)	■	▲
Gliclazide	◆	◆
Glimepiride	■	▲
Glipizide	◆	◆
Insulin	◆	◆
Linagliptin	◆	◆
Liraglutide	◆	◆
Lixisenatide	◆	◆
Metformin	◆	◆
Nateglinide	◆	◆
Pioglitazone	▲	◆
Repaglinide	▲	◆
Rosiglitazone	■	◆
Saxagliptin	◆	◆
Sitagliptin	◆	◆
Tolbutamide	◆	▲
Vildagliptin	◆	◆
<b>Antifungals</b>		
Amphotericin B	◆	◆
Anidulafungin	◆	◆
Caspofungin	◆	◆
Fluconazole	◆	◆
Flucytosine	◆	◆
Griseofulvin	◆	◆
Isavuconazole	◆	◆
Itraconazole	■	▲
Ketoconazole	■	▲
Miconazole	◆	◆
Nystatin	◆	◆
Posaconazole	■	▲
Terbinafine	◆	◆
Voriconazole	◆	▲

**Key to symbols**

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

**Notes**

- Further information is available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,  
 University of Liverpool, Pharmacology Research Labs,  
 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF  
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with PBC Agents

Charts created January 2021. Full information available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Antihistamines</b>		
Astemizole	▲	▲
Bilastine	◆	◆
Cetirizine	◆	◆
Chlorphenamine	◆	▲
Desloratadine	◆	◆
Diphenhydramine	◆	◆
Doxylamine	◆	◆
Ebastine	◆	◆
Fexofenadine	◆	◆
Hydroxyzine	■	◆
Levocetirizine	◆	◆
Loratadine	■	◆
Promethazine	◆	◆
Terfenadine	◆	▲
<b>Antimigraine Agents</b>		
Almotriptan	◆	◆
Dihydroergotamine	◆	◆
Eletriptan	◆	◆
Ergotamine	◆	▲
Frovatriptan	◆	◆
Methylergonovine	◆	▲
Naratriptan	◆	◆
Pizotifen	◆	◆
Rizatriptan	◆	◆
Sumatriptan	◆	◆
Zolmitriptan	■	◆
<b>Antiprotozoals</b>		
Amodiaquine	◆	▲
Artemether	◆	◆
Artemisinin	◆	◆
Artesunate	◆	◆
Atovaquone	◆	▲
Chloroquine	◆	▲
Dihydroartemisinin	◆	◆
Doxycycline	◆	◆
Halofantrine	◆	▲
Hydroxychloroquine	◆	◆
Lumefantrine	◆	◆
Mefloquine	◆	◆
Pentamidine	◆	◆
Primaquine	▲	◆
Proguanil	◆	◆
Pyrimethamine	◆	▲
Quinine	◆	▲
Sodium stibogluconate	◆	◆
Sulfadoxine	◆	◆
<b>Antipsychotics/Neuroleptics</b>		
Amisulpride	◆	◆
Aripiprazole	◆	◆
Asenapine	▲	◆
Chlorpromazine	◆	◆
Chlorprothixene	◆	▲
Clozapine	■	◆
Flupentixol	◆	▲
Fluphenazine	▲	◆
Haloperidol	◆	▲
Iloperidone	▲	▲
Levomepromazine	◆	◆
Lurasidone	◆	◆
Olanzapine	■	◆
Paliperidone	◆	▲
Perazine	◆	◆
Periciazine	◆	◆
Perphenazine	◆	◆
Pimozide	◆	▲
Pipotiazine	◆	◆
Prochlorperazine	◆	◆
Quetiapine	◆	◆
Risperidone	◆	▲
Sulpiride	◆	◆
Thioridazine	◆	▲
Tiapride	◆	▲
Trifluoperazine	◆	◆
Ziprasidone	◆	◆
Zuclopentixol	◆	▲

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Antivirals</b>		
Aciclovir	◆	◆
Amantadine	◆	◆
Brivudine	◆	◆
Cidofovir	◆	◆
Favipiravir	◆	◆
Foscarnet	◆	◆
Osetamivir	◆	◆
Rimantadine	◆	◆
Valaciclovir	◆	◆
Zanamivir	◆	◆
<b>Anxiolytics/Hypnotics/Sedatives</b>		
Alprazolam	◆	◆
Amobarbital	◆	▲
Bromazepam	◆	◆
Bromperidol	◆	◆
Buspirone	◆	◆
Clobazam	◆	◆
Clorazepate	◆	◆
Clozapine	◆	◆
Clotiapine	◆	◆
Diazepam	◆	◆
Estazolam	◆	◆
Flurazepam	◆	◆
Lorazepam	◆	◆
Lormetazepam	◆	◆
Midazolam (oral)	▲	◆
Midazolam (parenteral)	▲	◆
Oxazepam	◆	◆
Quazepam	◆	◆
Temazepam	◆	◆
Triazolam	◆	◆
Zaleplon	◆	◆
Zolpidem	◆	◆
Zopiclone	◆	◆
<b>Beta Blockers</b>		
Atenolol	◆	◆
Bisoprolol	◆	◆
Carvedilol	◆	▲
Celiprolol	◆	▲
Labetalol	◆	◆
Metoprolol	◆	◆
Nebivolol	◆	▲
Oxprenolol	◆	◆
Pindolol	◆	◆
Propranolol	◆	▲
Sotalol	◆	◆
Timolol	◆	▲
<b>Bisphosphonates</b>		
Alendronic acid	◆	◆
Clodronate	◆	◆
Ibandronic acid	◆	◆
Pamidronate	◆	◆
Risedronate	◆	◆
<b>Bronchodilators</b>		
Formoterol	◆	◆
Indacaterol	◆	◆
Ipratropium bromide	◆	◆
Montelukast	◆	◆
Omalizumab	◆	◆
Salbutamol	◆	◆
Salmeterol	◆	◆
Theophylline	■	◆
Tiotropium	◆	◆
<b>Calcium Channel Blockers</b>		
Amlodipine	◆	▲
Diltiazem	◆	▲
Felodipine	▲	▲
Nicardipine	■	▲
Nifedipine	▲	▲
Nisoldipine	▲	▲
Nitrendipine	▲	■
Verapamil	◆	▲

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Cancer Therapies</b>		
Abraterone	◆	◆
Acalabrutinib	◆	▲
Anastrozole	◆	◆
Avelumab	◆	◆
Axitinib	◆	◆
Bevacizumab	◆	◆
Blinatumomab	◆	◆
Bortezomib	◆	◆
Bosutinib	◆	◆
Brentuximab vedotin	◆	◆
Capecitabine	◆	◆
Carboplatin	◆	◆
Cetuximab	◆	◆
Chlorambucil	◆	▲
Cisplatin	◆	◆
Cyclophosphamide	◆	◆
Daratumumab	◆	◆
Dasatinib	■	◆
Doxorubicin	◆	◆
Erlotinib	◆	▲
Estramustine	◆	◆
Etoposide	◆	◆
Everolimus	■	▲
Exemestane	▲	◆
Fludarabine	◆	◆
Gefitinib	■	◆
Gemcitabine	◆	◆
Idarubicin	◆	▲
Imatinib	▲	◆
Ipilimumab	◆	◆
Irinotecan	◆	◆
Ixazomib	◆	◆
Lapatinib	■	◆
Letrozole	◆	◆
Medroxyprogesterone (oncology)	■	■
Mercaptopurine	◆	◆
Mesna	◆	◆
Methotrexate	◆	◆
Mitoxantrone	◆	◆
Nilotinib	◆	◆
Niraparib	◆	◆
Nivolumab	◆	◆
Obinutuzumab	◆	◆
Ofatumumab	◆	◆
Olaratumab	◆	◆
Oxaliplatin	◆	◆
Paclitaxel	▲	◆
Panitumumab	◆	◆
Pembrolizumab	◆	◆
Rituximab	◆	◆
Sorafenib	◆	◆
Sunitinib	▲	▲
Tamoxifen	◆	◆
Temsirolimus	■	◆
Vinblastine	◆	◆
Vincristine	◆	◆
Vinorelbine	◆	◆
<b>Contraceptives and Hormone Replacements</b>		
Conjugated estrogens (HRT)	■	■
Desogestrel (POP)	◆	■
Desogestrel/ethinylestradiol (COC)	■	■
Dienogest	◆	■
Drospirenone (POP)	■	■
Drospirenone/estradiol (HRT)	■	■
Drospirenone/estradiol (HRT)	■	■
Dydrogesterone/estradiol (HRT)	■	■
Ethinylestradiol	◆	■
Etonogestrel (implant)	◆	■
Etonogestrel (vaginal ring)	◆	■
Gestodene/ethinylestradiol (COC)	■	■

**Key to symbols**

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

**Notes**

- Further information is available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,  
 University of Liverpool, Pharmacology Research Labs,  
 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF  
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with PBC Agents

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Contraceptives and Hormone Replacements (cont)</b>		
Levonorgestrel (Emergency Contraception)	◆	◆
Levonorgestrel (HRT)	◆	◆
Levonorgestrel (implant)	◆	◆
Levonorgestrel (IUD)	◆	◆
Levonorgestrel (POP)	◆	◆
Levonorgestrel/ethinylestradiol (COC)	◆	◆
Medroxyprogesterone (depot)	◆	◆
Medroxyprogesterone (oral)	◆	◆
Medroxyprogesterone/conjugated estrogens (HRT)	◆	◆
Medroxyprogesterone/estradiol (HRT)	◆	◆
Norelgestromin/ethinylestradiol (patch)	◆	◆
Norethisterone (Norethindrone) (depot injection)	◆	◆
Norethisterone (Norethindrone) (POP)	◆	◆
Norethisterone (Norethindrone)/estradiol (HRT)	◆	◆
Norethisterone (Norethindrone) ethinylestradiol (COC)	◆	◆
Norethisterone (Norethindrone)/mestranol (COC)	◆	◆
Norgestimate/ethinylestradiol (COC)	◆	◆
Norgestrel/conjugated estrogens (HRT)	◆	◆
Norgestrel/ethinylestradiol (COC)	◆	◆
<b>Erectile Dysfunction Agents</b>		
Sildenafil	◆	◆
Tadalafil	◆	◆
Vardenafil	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Gastrointestinal Agents</b>		
Aluminium hydroxide	◆	◆
Alverine citrate	◆	◆
Antacids	◆	◆
Aprepitant	◆	◆
Bisacodyl	◆	◆
Cimetidine	◆	◆
Cisapride	◆	◆
Cyclizine	◆	◆
Dantron	◆	◆
Domperidone	◆	◆
Droperidol	◆	◆
Esomeprazole	◆	◆
Famotidine	◆	◆
Granisetron	◆	◆
Hyoscine	◆	◆
Ispaghula husk	◆	◆
Lactulose	◆	◆
Lansoprazole	◆	◆
Linacotide	◆	◆
Loperamide	◆	◆
Lubiprostone	◆	◆
Macrogol	◆	◆
Mebeverine	◆	◆
Mesalazine	◆	◆
Methylcellulose	◆	◆
Metoclopramide	◆	◆
Naloxegol	◆	◆
Omeprazole	◆	◆
Ondansetron	◆	◆
Pantoprazole	◆	◆
Prucalopride	◆	◆
Rabeprazole	◆	◆
Ranitidine	◆	◆
Senna	◆	◆
Simeticone	◆	◆
Sulfasalazine	◆	◆
Trimebutine	◆	◆
<b>HCC Therapies</b>		
Pembrolizumab	◆	◆
Regorafenib	◆	◆
<b>Hepatitis B Drugs</b>		
Adefovir	◆	◆
Entecavir	◆	◆
Lamivudine	◆	◆
Peginterferon alfa-2a	◆	◆
Peginterferon alfa-2b	◆	◆
Ribavirin	◆	◆
<b>Hepatitis C Drugs (Direct Acting Antivirals)</b>		
Daclatasvir	◆	◆
Elbasvir/Grazoprevir	◆	◆
Glecaprevir/Pibrentasvir	◆	◆
Ledipasvir/Sofosbuvir	◆	◆
OBV/PTV/r	◆	◆
OBV/PTV/r + Dasabuvir	◆	◆
Ribavirin	◆	◆
Simeprevir	◆	◆
Sofosbuvir (SOF)	◆	◆
SOF/Velpatasvir	◆	◆
SOF/Velpatasvir/Voxilaprevir	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Herbals/Supplements/Vitamins</b>		
Aloe vera	◆	◆
Ascorbic acid (Vitamin C)	◆	◆
Black cohosh (A. racemosa)	◆	◆
Cat's claw (U. tomentosa)	◆	◆
Colecalciferol (Vitamin D3)	◆	◆
Cyanocobalamin (B12)	◆	◆
Diosmin	◆	◆
Echinacea	◆	◆
Eucalyptus globulus	◆	◆
Folic acid	◆	◆
Garlic	◆	◆
Ginger (Z. officinale)	◆	◆
Ginkgo biloba	◆	◆
Ginseng	◆	◆
Goldenseal (H. canadensis)	◆	◆
Grape seed extract	◆	◆
Grapefruit juice	◆	◆
Green tea (C. sinensis)	◆	◆
Homeopathic remedies	◆	◆
Inula racemosa	◆	◆
Iodine	◆	◆
Iron supplements	◆	◆
Kava kava (P. methysticum)	◆	◆
Milk thistle	◆	◆
Retinol (Vitamin A)	◆	◆
Riboflavin (Vitamin B2)	◆	◆
Serenoa repens	◆	◆
St John's wort	◆	◆
Thiamine (Vitamin B1)	◆	◆
Turmeric (curcumin)	◆	◆
Valerian	◆	◆
Vitamin E	◆	◆
<b>HIV Drugs</b>		
<b>Entry/Integrase Inhibitors</b>		
Bictegravir/FTC/TAF	◆	◆
Dolutegravir	◆	◆
Dolutegravir/rilpivirine	◆	◆
Elvitegravir/cobi/FTC/TAF	◆	◆
Elvitegravir/cobi/FTC/TDF	◆	◆
Ibalizumab-uyk	◆	◆
Maraviroc	◆	◆
Raltegravir	◆	◆
<b>NRTIs</b>		
Doravirine	◆	◆
Doravirine/3TC/TDF	◆	◆
Efavirenz	◆	◆
Etravirine	◆	◆
Nevirapine	◆	◆
Rilpivirine	◆	◆
Rilpivirine/dolutegravir	◆	◆
Rilpivirine/FTC/TAF	◆	◆
<b>NRTIs</b>		
Abacavir	◆	◆
Didanosine	◆	◆
Emtricitabine (FTC)	◆	◆
Emtricitabine + TAF	◆	◆
Emtricitabine + TDF	◆	◆
Lamivudine	◆	◆
Stavudine	◆	◆
Tenofovir-DF	◆	◆
Zidovudine	◆	◆
<b>Protease Inhibitors</b>		
Atazanavir alone	◆	◆
Atazanavir/cobicistat	◆	◆
Atazanavir + ritonavir	◆	◆
Darunavir/cobicistat	◆	◆
Darunavir/cobi/FTC/TAF	◆	◆
Darunavir + ritonavir	◆	◆
Fosamprenavir	◆	◆
Indinavir	◆	◆
Lopinavir	◆	◆
Ritonavir	◆	◆
Saquinavir	◆	◆
Tipranavir	◆	◆

**Key to symbols**

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

**Notes**

- Further information is available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,  
 University of Liverpool, Pharmacology Research Labs,  
 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF  
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with PBC Agents

Charts created January 2021. Full information available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Hypertension/Heart Failure Agents</b>		
Acebutolol	◆	◆
Aliskiren	◆	◆
Ambrisentan	◆	◆
Amiloride	◆	◆
Azilsartan	◆	◆
Benazepril	◆	◆
Bendroflumethiazide	◆	◆
Bosentan	■	▲
Bumetanide	◆	◆
Candesartan	■	◆
Captopril	◆	◆
Chlorothiazide	◆	◆
Chlortalidone	◆	◆
Cilazapril	◆	◆
Clevidipine	◆	◆
Clonidine	◆	◆
Doxazosin	▲	◆
Enalapril	◆	◆
Eplerenone	◆	◆
Epoprostenol	◆	◆
Eprosartan	◆	◆
Fosinopril	◆	◆
Furosemide	◆	◆
Hydralazine	◆	◆
Hydrochlorothiazide	◆	◆
Iloprost	◆	◆
Indapamide	◆	◆
Irbesartan	■	◆
Isradipine	▲	▲
Ivabradine	◆	◆
Lacidipine	◆	▲
Lercanidipine	◆	▲
Lisinopril	◆	◆
Losartan	■	◆
Macitentan	◆	◆
Methyldopa	◆	◆
Metolazone	◆	◆
Moxonidine	◆	◆
Olmesartan	■	◆
Perindopril	◆	◆
Prazosin	◆	◆
Quinapril	▲	◆
Ramipril	◆	◆
Ranolazine	▲	▲
Rilmenidine	◆	◆
Riociguat	◆	◆
Selexipag	◆	▲
Sildenafil	◆	◆
Spirolactone	■	◆
Tadalafil	◆	◆
Telmisartan	■	◆
Torasemide	◆	◆
Trandolapril	◆	◆
Treprostinil	◆	▲
Valsartan	◆	◆
Xipamide	◆	◆
Zofenopril	◆	◆
<b>Illicit/Recreational</b>		
Alcohol	◆	◆
Amphetamine	◆	▲
Cannabis	◆	◆
Carfentanil	◆	◆
Cocaine	◆	◆
Ecstasy (MDMA)	◆	▲
GHB (Gamma-hydroxybutyrate)	◆	◆
Heroin	◆	◆
LSD (Lysergic acid diethylamide)	◆	▲
Mephedrone	◆	▲
Methamphetamine	◆	▲
Phencyclidine (PCP)	◆	▲

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Immunosuppressants</b>		
Adalimumab	◆	◆
Alemtuzumab	◆	◆
Anakinra	◆	◆
Azathioprine	◆	◆
Baricitinib	◆	◆
Basiliximab	◆	◆
Brodalumab	◆	◆
Ciclosporin	■	■
Eculizumab	◆	◆
Etanercept	◆	◆
Fingolimod	◆	◆
Lenalidomide	◆	◆
Mycophenolate	▲	◆
Pirfenidone	◆	◆
Sirolimus	◆	▲
Tacrolimus	■	▲
Upadacitinib	◆	◆
<b>Lipid Lowering Agents</b>		
Atorvastatin	■	◆
Bezafibrate	◆	◆
Ezetimibe	▲	◆
Fenofibrate	■	◆
Fish oils	◆	◆
Fluvastatin	▲	◆
Gemfibrozil	◆	◆
Lovastatin	■	◆
Pitavastatin	■	◆
Pravastatin	◆	◆
Rosuvastatin	◆	◆
Simvastatin	■	◆
<b>Oxytocics</b>		
Ergometrine (ergonovine)	◆	◆
Mifepristone	■	◆
Misoprostol	▲	◆
<b>Parkinsonism Agents</b>		
Benztropine	◆	◆
Cabidopa	◆	◆
Orphenadrine	◆	▲
Pramipexole	◆	▲
Procyclidine	◆	◆
Rasagiline	◆	▲
Ropinirole	◆	▲
<b>PBC Agents</b>		
Obeticholic acid	◆	◆
Ursodeoxycholic acid	◆	◆
<b>Steroids</b>		
Beclomethasone	◆	◆
Betamethasone	◆	◆
Budesonide	▲	◆
Ciclesonide	◆	◆
Clobetasol (topical)	◆	◆
Clobetasone (topical)	◆	◆
Dexamethasone	◆	◆
Fludrocortisone	◆	◆
Flunisolide	◆	◆
Fluticasone	◆	◆
Hydrocortisone (topical)	◆	◆
Methylprednisolone	◆	◆
Mometasone	◆	◆
Prednicarbate	◆	◆
Prednisone	◆	◆
Triamcinolone	◆	◆
<b>Urological Agents</b>		
Alfuzosin	◆	◆
Desmopressin	◆	◆
Dutasteride	▲	◆
Finasteride	▲	◆
Mirabegron	◆	◆
Silodosin	◆	◆
Solifenacin	◆	◆
Tamsulosin	◆	◆
Tolterodine	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Other Drugs</b>		
Acamprosate	◆	◆
Acetazolamide	◆	◆
Acitretin	▲	◆
Activated charcoal	◆	◆
Allopurinol	◆	◆
Atomoxetine	◆	◆
Atropine	◆	◆
Baclofen	◆	◆
Bamlanivimab	◆	◆
Benralizumab	◆	◆
Betahistine	◆	◆
Bimatoprost	◆	◆
Biperiden	◆	▲
Brinzolamide	◆	◆
Bromocriptine	◆	◆
Calcitonin	◆	◆
Calcium carbimide	◆	◆
Calcium resonium	◆	◆
Cannabidiol (CBD)	◆	◆
Carbamazole	◆	◆
Carisoprodol	◆	▲
Casirivimab/imdevimab	◆	◆
Cilostazol	◆	◆
Clomifene	◆	◆
Colchicine	◆	◆
Colestyramine	▲	■
Conivaptan	◆	◆
Cyclobenzaprine	◆	▲
Cytisine	◆	◆
Darbepoetin	◆	◆
Deferiprone	◆	◆
Denosumab	◆	◆
Dexamfetamine	◆	▲
Dextromethorphan	◆	◆
Disulfiram	■	▲
Donepezil	▲	◆
Dorzolamide	◆	◆
Dupilumab	◆	◆
Eliquis	◆	◆
Epoetin alfa	◆	◆
Etelcalcetide	◆	◆
Febuxostat	▲	◆
Filgrastim	◆	◆
Flibanserin	◆	▲
Gadopentetate (gadolinium)	◆	◆
Glycerol phenylbutyrate	◆	◆
Goserelin	◆	◆
Influenza vaccine	◆	◆
Isosorbide mononitrate	◆	◆
Isotretinoin	▲	▲
Lanreotide	◆	◆
Levothyroxine	◆	◆
Lofexidine	◆	◆
Lumacaftor/ivacaftor	◆	◆
Magnesium	◆	◆
Melatonin	◆	◆
Memantine	◆	▲
Methylphenidate	◆	◆
Minoxidil	◆	◆
Modafinil	◆	◆
Nafidrofuryl	◆	◆
Nalmefene	◆	◆
Naloxone	◆	◆
Naltrexone	◆	◆

**Key to symbols**

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

**Notes**

- Further information is available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,  
 University of Liverpool, Pharmacology Research Labs,  
 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF  
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with PBC Agents

Charts created January 2021. Full information available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Other Drugs Continued</b>		
Neostigmine	◆	◆
Nicorandil	◆	◆
Nusinersen	◆	◆
Ocrelizumab	◆	◆
Orlistat	▲	▲
Penicillamine	◆	◆
Pentoxifylline	◆	◆
Phenylephrine	◆	◆
Pilocarpine	◆	◆
Piracetam	◆	◆
Potassium	◆	◆
Protamine sulphate	◆	◆
Pseudoephedrine	◆	◆
Pyridostigmine	◆	◆
Raloxifene	◆	◆
Sevelamer	◆	◆
Strontium ranelate	◆	◆
Thalidomide	◆	◆
Tranexamic acid	◆	◆
Varenicline	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution.

For personal use only. Not for distribution. For personal use only. Not for distribution.

**Key to symbols**

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

**Notes**

- Further information is available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,  
 University of Liverpool, Pharmacology Research Labs,  
 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

*We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.*