

# Interactions with PBC Agents

Charts created April 2024. Full information available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Anaesthetics &amp; Muscle Relaxants</b>		
Bupivacaine	◆	◆
Cisatracurium	◆	◆
Desflurane	◆	◆
Dexmedetomidine	◆	◆
Ephedrine	◆	◆
Etidocaine	◆	◆
Halothane	◆	◆
Isoflurane	◆	◆
Ketamine	◆	◆
Nitrous oxide	◆	◆
Propofol	◆	◆
Sevoflurane	◆	◆
Tetracaine	◆	◆
Thiopental	◆	◆
Tizanidine	■	▲
<b>Analgesics</b>		
Acetoclofenac	◆	◆
Alfentanil	◆	◆
Aspirin	◆	◆
Buprenorphine	◆	◆
Celecoxib	◆	◆
Codeine	◆	▲
Dexketoprofen	◆	▲
Dextropropoxyphene	◆	▲
Diamorphine	◆	▲
Diclofenac	◆	▲
Diffunisal	◆	▲
Dihydrocodeine	◆	▲
Etoricoxib	▲	◆
Fentanyl (Prescribed)	◆	◆
Flurbiprofen	◆	◆
Hydrocodone	◆	▲
Hydromorphone	◆	◆
Ibuprofen	◆	◆
Indometacin	▲	◆
Ketoprofen	◆	◆
Mefenamic acid	◆	◆
Meloxicam	▲	◆
Metamizole (Dipyrone)	◆	◆
Methadone	■	▲
Morphine	◆	◆
Naproxen	◆	◆
Oxycodone	◆	▲
Paracetamol	◆	◆
Pethidine (Meperidine)	◆	▲
Piroxicam	◆	◆
Tapentadol	◆	▲
Tramadol	◆	▲
<b>Anthelmintics</b>		
Albendazole	◆	◆
Ivermectin	◆	◆
Niclosamide	◆	◆
Oxamniquine	◆	◆
Praziquantel	▲	◆
Pyrantel	◆	◆
<b>Antiarrhythmics</b>		
Amiodarone	▲	▲
Bepridil	◆	▲
Digoxin	◆	◆
Disopyramide	◆	◆
Dofetilide	◆	▲
Dronedarone	▲	▲
Flecainide	◆	◆
Lidocaine (Lignocaine)	◆	◆
Mexiletine	■	▲
Propafenone	■	▲
Quinidine	◆	▲
Vernakalant	◆	◆
<b>Antibacterials</b>		
Amikacin	◆	◆
Amoxicillin	◆	◆
Ampicillin	◆	◆
Azithromycin	◆	◆
Aztreonam	◆	◆
Bedaquiline	◆	◆
Benzylpenicillin	◆	◆
Bezlotoxumab	◆	◆
Capreomycin	◆	◆
Cefaclor	◆	◆
Cefadroxil	◆	◆
Cefalexin	◆	◆
Cefazolin	◆	◆
Cefixime	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Antibacterials (continued)</b>		
Cefotaxime	◆	◆
Cefradine	◆	◆
Ceftaroline	◆	◆
Ceftazidime	◆	◆
Ceftriaxone	◆	◆
Cefuroxime	◆	◆
Chloramphenicol	◆	◆
Ciprofloxacin	◆	■
Clarithromycin	◆	◆
Clavulanic acid	◆	◆
Clindamycin	◆	▲
Clofazimine	◆	◆
Cloxacillin	◆	◆
Cycloserine	◆	◆
Dapsone	◆	■
Delamanid	◆	◆
Ertapenem	◆	◆
Erythromycin	■	◆
Ethambutol	◆	◆
Flucloxacillin	◆	◆
Gentamicin	◆	◆
Imipenem	◆	◆
Isoniazid	▲	◆
Levofloxacin	◆	◆
Linezolid	◆	▲
Lymericycline	◆	◆
Meropenem	◆	◆
Methenamine	◆	◆
Metronidazole	◆	◆
Moxifloxacin	◆	◆
Nitrofurantoin	◆	◆
Norfloxacin	◆	◆
Ofloxacin	◆	◆
Penicillin V	◆	◆
Piperacillin	◆	◆
Pivmecillinam	◆	◆
Pretomanid	◆	▲
Pyrazinamide	◆	◆
Rifabutin	▲	▲
Rifampicin	▲	▲
Rifapentine	■	▲
Rifaximin	◆	◆
Spectinomycin	◆	◆
Streptomycin	◆	◆
Sulfadiazine	◆	◆
Tazobactam	◆	◆
Telithromycin	■	◆
Temocillin	◆	◆
Tetracyclines	◆	◆
Ticarillin	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆
Troleandomycin	◆	◆
Vancomycin	◆	◆
<b>Anticoagulant, Antiplatelet &amp; Fibrinolytic</b>		
Abciximab	◆	◆
Acenocoumarol	▲	▲
Anagrelide	▲	▲
Apixaban	▲	▲
Clopidogrel	▲	▲
Dabigatran	▲	▲
Dalteparin	◆	◆
Danaparoid	◆	◆
Dipyridamole	■	▲
Edoxaban	◆	▲
Eltrombopag	◆	◆
Enoxaparin	◆	◆
Fluindione	▲	▲
Fondaparinux	◆	◆
Heparin	◆	◆
Phenprocoumon	◆	▲
Prasugrel	◆	◆
Rivaroxaban	◆	▲
Streptokinase	◆	◆
Ticagrelor	◆	◆
Ticlopidine	◆	◆
Tinzaparin	◆	▲
Warfarin	■	▲

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Anticonvulsants</b>		
Carbamazepine	◆	▲
Clonazepam	◆	◆
Eslicarbazepine	◆	◆
Ethosuximide	◆	◆
Gabapentin	◆	◆
Lacosamide	◆	◆
Lamotrigine	◆	◆
Levetiracetam	◆	◆
Oxcarbazepine	◆	◆
Perampamel	◆	◆
Phenobarbital	◆	▲
Phenytoin	◆	▲
Pregabalin	◆	◆
Primidone	◆	◆
Retigabine	◆	◆
Rufinamide	◆	◆
Sultiame	◆	◆
Tiagabine	◆	◆
Topiramate	◆	◆
Valproic acid (Divalproex)	◆	◆
Vigabatrin	◆	◆
Zonisamide	◆	◆
<b>Antidepressants</b>		
Agomelatine	▲	◆
Amisriptyline	◆	◆
Bupropion	◆	◆
Citalopram	◆	◆
Clomipramine	◆	▲
Desipramine	◆	▲
Desvenlafaxine	◆	◆
Dosulepin	◆	▲
Doxepin	◆	▲
Duloxetine	◆	◆
Escitalopram	◆	◆
Fluoxetine	◆	◆
Fluvoxamine	◆	◆
Imipramine	◆	▲
Lithium	◆	◆
Maprotiline	◆	▲
Mianserin	◆	◆
Milnacipran	◆	◆
Mirtazapine	◆	▲
Moclobemide	◆	◆
Nefazodone	■	◆
Nortriptyline	◆	▲
Paroxetine	◆	◆
Reboxetine	◆	◆
Sertraline	◆	◆
Tianeptine	◆	◆
Trazodone	◆	◆
Trimipramine	◆	▲
Venlafaxine	◆	◆
Vortioxetine	◆	◆
<b>Antidiabetics</b>		
Acarbose	◆	◆
Abiglutide	◆	◆
Alogliptin	◆	◆
Canagliflozin	◆	◆
Dapagliflozin	◆	◆
Dulaglutide	◆	◆
Empagliflozin	◆	◆
Exenatide	◆	◆
Glibenclamide (Glyburide)	■	▲
Gliclazide	◆	◆
Glimepiride	■	▲
Glipizide	◆	▲
Insulin	◆	◆
Linagliptin	◆	◆
Liraglutide	◆	◆
Lixisenatide	◆	◆
Metformin	◆	◆
Nateglinide	◆	◆
Pioglitazone	▲	◆
Repaglinide	▲	◆
Rosiglitazone	■	◆
Saxagliptin	◆	◆
Semaglutide	◆	◆
Sitagliptin	◆	◆
Tirzepatide	◆	◆
Tolbutamide	◆	▲
Vildagliptin	◆	◆

**Key to symbols**

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

**Notes**

- Further information is available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,  
 Liverpool Drug Interactions Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.  
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with PBC Agents

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Antifungals</b>		
Amphotericin B	◆	◆
Anidulafungin	◆	◆
Caspofungin	◆	◆
Fluconazole	◆	◆
Flucytosine	◆	◆
Griseofulvin	◆	◆
Isavuconazole	◆	◆
Itraconazole	■	▲
Ketoconazole	■	▲
Miconazole	◆	◆
Nystatin	◆	◆
Posaconazole	■	▲
Terbinafine	◆	◆
Voriconazole	◆	▲
<b>Antihemorrhagics</b>		
Avatrombopag	◆	▲
Eltrombopag	◆	◆
Tranexamic acid	◆	◆
<b>Antihistamines</b>		
Astemizole	▲	▲
Bilastine	◆	◆
Cetirizine	◆	◆
Chlorphenamine	◆	▲
Desloratadine	◆	◆
Diphenhydramine	◆	◆
Doxylamine	◆	◆
Ebastine	◆	◆
Fexofenadine	◆	◆
Hydroxyzine	■	◆
Levocetirizine	◆	◆
Loratadine	■	◆
Promethazine	◆	◆
Terfenadine	◆	▲
<b>Antimigraine Agents</b>		
Almotriptan	◆	◆
Dihydroergotamine	◆	◆
Eletriptan	◆	◆
Ergotamine	◆	▲
Eptinezumab	◆	◆
Frovatriptan	◆	◆
Galcanezumab	◆	◆
Methylergonovine	◆	▲
Naratriptan	◆	◆
Pizotifen	◆	◆
Rizatriptan	◆	◆
Sumatriptan	◆	◆
Zolmitriptan	■	◆
<b>Antiprotozoals</b>		
Amodiaquine	◆	▲
Artemether	◆	◆
Artemisinin	◆	◆
Artesunate	◆	◆
Atovaquone	◆	▲
Chloroquine	◆	◆
Dihydroartemisinin	◆	◆
Doxycycline	◆	◆
Halofantrine	◆	▲
Hydroxychloroquine	◆	◆
Lumefantrine	◆	◆
Mefloquine	◆	◆
Nitazoxanide	◆	◆
Pentamidine	◆	◆
Primaquine	▲	◆
Proguanil	◆	◆
Pyrimethamine	◆	▲
Quinine	◆	▲
Sodium stibogluconate	◆	◆
Sulfadoxine	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Antipsychotics/Neuroleptics</b>		
Amisulpride	◆	◆
Aripiprazole	◆	◆
Asenapine	▲	◆
Cariprazine	◆	▲
Chlorpromazine	◆	◆
Chlorprothixene	◆	▲
Clozapine	◆	◆
Flupentixol	◆	▲
Fluphenazine	▲	◆
Haloperidol	◆	▲
Iloperidone	▲	▲
Levomopromazine	◆	◆
Lurasidone	◆	◆
Olanzapine	■	◆
Paliperidone	◆	▲
Perazine	◆	◆
Periciazine	◆	◆
Perphenazine	◆	◆
Pimozide	◆	▲
Piprotiazine	◆	◆
Prochlorperazine	◆	◆
Promazine	◆	▲
Quetiapine	◆	◆
Risperidone	◆	◆
Sulpiride	◆	◆
Thioridazine	◆	▲
Tiapride	◆	◆
Trifluoperazine	◆	◆
Ziprasidone	◆	◆
Zuclopentixol	◆	▲
<b>Antivirals</b>		
Aciclovir	◆	◆
Amantadine	◆	◆
Ansuvimab	◆	◆
Brincicfovir	◆	◆
Brivudine	◆	◆
Cidofovir	◆	◆
Favipiravir	◆	◆
Foscarnet	◆	◆
Molnupiravir	◆	◆
Nirmatrelvir/ritonavir	◆	◆
Oseltamivir	◆	◆
Remdesivir	◆	◆
Rimantadine	◆	◆
Sotrovimab	◆	◆
Tecovirimat	◆	◆
Tixagevimab/cilgavimab	◆	◆
Valaciclovir	◆	◆
Zanamivir	◆	◆
<b>Anxiolytics/Hypnotics/Sedatives</b>		
Alprazolam	◆	◆
Amobarbital	◆	▲
Bromazepam	◆	◆
Bromperidol	◆	◆
Buspirone	◆	◆
Clobazam	◆	◆
Clorazepate	◆	◆
Clotiapine	◆	◆
Diazepam	◆	◆
Estazolam	◆	◆
Flurazepam	◆	◆
Lorazepam	◆	◆
Lormetazepam	◆	◆
Midazolam (oral)	▲	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Anxiolytics/Hypnotics/Sedatives continued</b>		
Midazolam (parenteral)	▲	◆
Oxazepam	◆	◆
Quazepam	◆	◆
Temazepam	◆	◆
Triazolam	◆	◆
Zaleplon	◆	◆
Zolpidem	◆	◆
Zopiclone	◆	◆
<b>Beta Blockers</b>		
Atenolol	◆	◆
Bisoprolol	◆	◆
Carvedilol	◆	▲
Celiprolol	◆	▲
Labetalol	◆	▲
Metoprolol	◆	◆
Nebivolol	◆	▲
Oxprenolol	◆	◆
Pindolol	◆	◆
Propranolol	◆	▲
Sotalol	◆	◆
Timolol	◆	▲
<b>Bisphosphonates</b>		
Alendronic acid	◆	◆
Clodronate	◆	◆
Ibandronic acid	◆	◆
Pamidronate	◆	◆
Risedronate	◆	◆
<b>Bronchodilators</b>		
Formoterol	◆	◆
Indacaterol	◆	◆
Ipratropium bromide	◆	◆
Montelukast	◆	◆
Omalizumab	◆	◆
Reslizumab	◆	◆
Salbutamol	◆	◆
Salmeterol	◆	◆
Theophylline	■	◆
Tiotropium	◆	◆
Umeclidinium bromide	◆	◆
Vilanterol	◆	◆
<b>Calcium Channel Blockers</b>		
Amlodipine	◆	▲
Diltiazem	◆	▲
Felodipine	▲	▲
Nicardipine	▲	▲
Nifedipine	■	▲
Nisoldipine	▲	▲
Nitrendipine	▲	■
Verapamil	◆	▲
<b>Cancer Therapies</b>		
Abiraterone	◆	◆
Acalabrutinib	◆	▲
Amivantamab	◆	◆
Anastrozole	◆	◆
Apalutamide	◆	▲
Atezolizumab	◆	◆
Avelumab	◆	◆
Axitinib	◆	◆
Belantamab mafodotin	◆	◆
Bevacizumab	◆	◆
Bicalutamide	◆	◆
Blinatumomab	◆	◆
Bortezomib	◆	◆
Bosutinib	◆	◆
Brentuximab vedotin	◆	◆
Capecitabine	◆	◆
Carboplatin	◆	◆
Carfilzomib	◆	◆
Cetuximab	◆	◆
Chlorambucil	◆	▲
Cisplatin	◆	◆

**Key to symbols**

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

**Notes**

- Further information is available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,  
 Liverpool Drug Interactions Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.  
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with PBC Agents

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Cancer Therapies continued</b>		
Cyclophosphamide	◆	◆
Daratumumab	◆	◆
Dasatinib	■	◆
Doxorubicin	◆	◆
Elranatamab	◆	◆
Enzalutamide	◆	▲
Eporitamab	◆	◆
Epirubicin	◆	◆
Erlotinib	◆	▲
Estramustine	◆	▲
Etoposide	◆	◆
Everolimus	■	▲
Exemestane	▲	◆
Fludarabine	◆	◆
Gefitinib	■	◆
Gemcitabine	◆	◆
Gemtuzumab ozogamicin	◆	◆
Glofitamab	◆	◆
Hydroxyurea (Hydroxycarbamide)	◆	◆
Ibrutinib	◆	▲
Idarubicin	◆	▲
Idelalisib	◆	▲
Imatinib	▲	◆
Inotuzumab ozogamicin	◆	◆
Ipilimumab	◆	◆
Irinotecan	◆	◆
Isatuximab	◆	◆
Ixazomib	◆	◆
Lapatinib	■	◆
Letrozole	◆	◆
Loncastuximab tesirine	◆	◆
Medroxyprogesterone (oncology)	■	■
Mercaptopurine	◆	◆
Mesna	◆	◆
Methotrexate	◆	◆
Mitoxantrone	◆	◆
Mogamulizumab	◆	◆
Nilotinib	◆	◆
Niraparib	◆	◆
Nivolumab	◆	◆
Obinutuzumab	◆	◆
Ofatumumab	◆	◆
Olaparib	◆	◆
Olaratumab	◆	◆
Oxaliplatin	◆	◆
Paclitaxel	▲	◆
Panitumumab	◆	◆
Panobinostat	◆	▲
Pembrolizumab	◆	◆
Pertuzumab	◆	◆
Retifanlimab	◆	◆
Rituximab	◆	◆
Ruxolitinib	◆	◆
Sacituzumab govitecan	◆	◆
Sunitinib	▲	▲
Tamoxifen	◆	◆
Temsirolimus	■	◆
Trastuzumab	◆	◆
Trastuzumab deruxtecan	◆	◆
Trastuzumab emtansine	◆	◆
Vinblastine	◆	◆
Vincristine	◆	◆
Vinorelbine	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Contraceptives and Hormone Replacements</b>		
Conjugated estrogens (HRT)	■	■
Desogestrel (POP)	◆	■
Desogestrel/ethinylestradiol (COC) (>20 µg)	■	■
Desogestrel/ethinylestradiol (COC) (≤20 µg)	■	■
Dienogest	◆	■
Drospirenone (POP)	■	■
Drospirenone/estradiol (HRT)	■	■
Drospirenone/ethinylestradiol (COC) (>20 µg)	■	■
Drospirenone/ethinylestradiol (COC) (≤20 µg)	■	■
Dydrogesterone/estradiol (HRT)	■	■
Estradiol	◆	■

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Contraceptives and Hormone Replacements cont.</b>		
Ethinylestradiol (>20 µg)	■	■
Ethinylestradiol (≤20 µg)	■	■
Etonogestrel (implant)	◆	■
Etonogestrel (vaginal ring)	◆	■
Gestodene/ethinylestradiol (COC) (>20 µg)	■	■
Gestodene/ethinylestradiol (COC) (≤20 µg)	■	■
Levonorgestrel (Emergency Contraception)	◆	◆
Levonorgestrel (HRT)	◆	■
Levonorgestrel (implant)	◆	■
Levonorgestrel (IUD)	◆	◆
Levonorgestrel (POP)	◆	◆
Levonorgestrel/ethinylestradiol (COC) (>20 µg)	■	■
Levonorgestrel/ethinylestradiol (COC) (≤20 µg)	■	■
Medroxyprogesterone (depot)	■	■
Medroxyprogesterone (oral)	■	■
Medroxyprogesterone/conjugated estrogens (HRT)	■	■
Medroxyprogesterone/estradiol (HRT)	■	■
Micronized progesterone (HRT)	◆	◆
Norelgestromin/ethinylestradiol (patch)	■	■
Norethisterone (Norethindrone) (depot injection)	▲	■
Norethisterone (Norethindrone) (POP)	▲	■
Norethisterone (Norethindrone)/estradiol (HRT)	▲	■
Norethisterone (Norethindrone) ethinylestradiol (COC)	■	■
Norethisterone (Norethindrone)/mestranol (COC)	■	■
Norgestimate/ethinylestradiol (COC)	■	■
Norgestrel/conjugated estrogens (HRT)	■	■
Norgestrel/ethinylestradiol (COC)	■	■
Testosterone	◆	◆
<b>Erectile Dysfunction Agents</b>		
Sildenafil	◆	◆
Tadalafil	◆	◆
Vardenafil	◆	◆

For personal use only. Not for distribution.

**Key to symbols**

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

**Notes**

- Further information is available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, Liverpool Drug Interactions Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX. We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with PBC Agents

Charts created April 2024. Full information available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Gastrointestinal Agents</b>		
Aluminium hydroxide	◆	■
Alverine citrate	◆	◆
Antacids	◆	■
Aprepitant	◆	◆
Bisacodyl	◆	◆
Bismuth subsalicylate	◆	◆
Cimetidine	◆	◆
Cisapride	▲	▲
Cyclizine	◆	◆
Dantron	◆	◆
Docusate sodium	◆	◆
Domperidone	◆	◆
Droperidol	◆	◆
Esomeprazole	◆	◆
Famotidine	◆	◆
Granisetron	◆	◆
Hyoscine (Scopolamine)	◆	◆
Hyoscine butylbromide	◆	◆
Hyoscine hydrobromide (Scopolamine hydrobromide)	◆	◆
Ispaghula husk	◆	◆
Lactulose	◆	◆
Lafutidine	◆	◆
Lansoprazole	◆	◆
Linaclotide	◆	◆
Loperamide	◆	◆
Lubiprostone	◆	◆
Macrogol	▲	▲
Mebeverine	◆	◆
Mesalazine	◆	◆
Methylcellulose	◆	◆
Metoclopramide	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Gastrointestinal Agents continued</b>		
Naloxegol	◆	◆
Nizatidine	◆	◆
Omeprazole	◆	◆
Ondansetron	◆	◆
Pantoprazole	◆	◆
Prucalopride	◆	◆
Rabeprazole	▲	◆
Ranitidine	◆	◆
Roxatidine	◆	◆
Senna	◆	◆
Simeticone	◆	◆
Sulfasalazine	◆	◆
Trimebutine	◆	◆
Vonoprazan	◆	◆
<b>HCC Therapies</b>		
Atezolizumab + bevacizumab	◆	◆
Lenvatinib	◆	◆
Pembrolizumab	◆	◆
Regorafenib	◆	◆
Sorafenib	◆	◆
<b>Hepatitis B Drugs</b>		
Adefovir	▲	◆
Entecavir	◆	◆
Lamivudine	◆	◆
Peginterferon alfa-2a	◆	◆
Peginterferon alfa-2b	◆	◆
Ribavirin	◆	◆
<b>Hepatitis C Drugs</b>		
Daclatasvir	◆	◆
Elbasvir/Grazoprevir	◆	◆
Glecaprevir/Pibrentasvir	◆	◆
Ledipasvir/Sofosbuvir	◆	◆
OBV/PTV/r	◆	◆
OBV/PTV/r + Dasabuvir	◆	◆
Ravidasvir	◆	◆
Ribavirin	◆	◆
Sofosbuvir (SOF)	◆	◆
SOF/Velpatasvir	◆	◆
SOF/Velpatasvir/Voxilaprevir	◆	◆
<b>Hepatitis D Entry Inhibitors</b>		
Bulevirtide	◆	◆
<b>Herbals/Supplements/Vitamins</b>		
Aloe vera	◆	◆
Ascorbic acid (Vitamin C)	◆	◆
Black cohosh (A. racemosa)	◆	◆
Cat's claw (U. tomentosa)	◆	◆
Colecalciferol (Vitamin D3)	◆	◆
Cyanocobalamin (B12)	◆	◆
Diosmin	◆	◆
Echinacea	◆	◆
Enteral feeds	◆	◆
Eucalyptus globulus	◆	◆
Folic acid	◆	◆
Garlic	◆	◆
Ginger (Z. officinale)	◆	◆
Ginkgo biloba	◆	◆
Ginseng	◆	◆
Goldenseal (H. canadensis)	◆	◆
Grape seed extract	◆	◆
Grapefruit juice	◆	◆
Green tea (C. sinensis)	◆	◆
Homeopathic remedies	◆	◆
Inula racemosa	◆	◆
Iodine	◆	◆
Ferrous sulphate	◆	◆
Kava kava (P. methysticum)	◆	◆
L-lysine	◆	◆
Milk thistle	■	◆
Niacin (Vitamin B3)	◆	◆
Omega-3-6-9 fatty acids	◆	◆
Oral nutritional supplements	◆	◆
Oregano oil	◆	◆
Retinol (Vitamin A)	◆	◆
Riboflavin (Vitamin B2)	◆	◆
Saw palmetto (S. repens)	◆	◆
St John's wort	◆	◆
Thiamine (Vitamin B1)	◆	◆
Turmeric (curcumin)	◆	◆
Valerian	◆	◆
Vitamin E	◆	◆
Zinc	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>HIV Drugs</b>		
<b>Entry/Integrase Inhibitors</b>		
Albuvirtide	◆	◆
Bictegravir/FTC/TAF	◆	◆
Cabotegravir (oral)	◆	◆
Cabotegravir/rilpivirine (LA)	◆	■
Dolutegravir	◆	◆
Dolutegravir/rilpivirine	◆	■
Elvitegravir/cobi /FTC/TAF	◆	◆
Elvitegravir/cobi/FTC/TDF	◆	◆
Enfuvirtide	◆	◆
Fostemsavir	◆	◆
Ibalizumab-uiyk	◆	◆
Maraviroc	◆	◆
Raltegravir	◆	◆
<b>NNRTIs</b>		
Dapivirine	◆	◆
Doravirine	◆	◆
Doravirine/3TC/TDF	◆	◆
Efavirenz	◆	▲
Etravirine	◆	◆
Nevirapine	◆	▲
Rilpivirine	◆	■
Rilpivirine/dolutegravir	◆	■
Rilpivirine/FTC/TAF	◆	■
<b>NRTIs</b>		
Abacavir	◆	◆
Didanosine	◆	◆
Emtricitabine (FTC)	◆	◆
Emtricitabine + TAF	◆	◆
Emtricitabine + TDF	◆	◆
Lamivudine	◆	◆
Stavudine	◆	◆
Tenofovir-DF	◆	◆
Zidovudine	◆	◆
<b>Protease Inhibitors</b>		
Atazanavir alone	■	◆
Atazanavir/cobicistat	■	◆
Atazanavir + ritonavir	■	◆
Darunavir/cobicistat	◆	◆
Darunavir/cobi/FTC/TAF	◆	◆
Darunavir + ritonavir	■	◆
Fosamprenavir	■	◆
Indinavir	■	▲
Lopinavir	■	▲
Ritonavir	■	◆
Tipranavir	■	▲

**Key to symbols**

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

**Notes**

- Further information is available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, Liverpool Drug Interactions Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX. We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with PBC Agents

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Hypertension/Heart Failure Agents</b>		
Acebutolol	◆	◆
Aliskiren	◆	◆
Ambrisentan	◆	◆
Amiloride	◆	◆
Azilsartan	◆	◆
Benazepril	◆	◆
Bendroflumethiazide	◆	◆
Bosentan	■	▲
Bumetanide	◆	◆
Candesartan	■	◆
Captopril	◆	◆
Chlorothiazide	◆	◆
Chlortalidone	◆	◆
Cilazapril	◆	◆
Clevidipine	◆	◆
Clonidine	◆	◆
Doxazosin	▲	◆
Enalapril	◆	◆
Eplerenone	◆	◆
Epoprostenol	◆	◆
Eprosartan	◆	◆
Fosinopril	◆	◆
Furosemide	◆	◆
Hydralazine	◆	◆
Hydrochlorothiazide	◆	◆
Iloprost	◆	◆
Indapamide	◆	◆
Irbesartan	■	◆
Isradipine	▲	▲
Ivabradine	◆	◆
Lacidipine	◆	▲
Lercanidipine	◆	▲
Lisinopril	◆	◆
Losartan	■	◆
Macitentan	◆	◆
Methyldopa	◆	◆
Metolazone	◆	◆
Moxonidine	◆	◆
Olasartan	■	◆
Perindopril	◆	◆
Prazosin	◆	◆
Quinapril	▲	◆
Ramipril	◆	◆
Ranolazine	▲	▲
Rilmenidine	◆	◆
Riociguat	◆	◆
Sacubitril/valsartan	◆	◆
Selexipag	◆	▲
Sildenafil	◆	◆
Spironolactone	■	◆
Tadalafil	◆	◆
Telmisartan	■	◆
Torasemide	◆	◆
Trandolapril	◆	◆
Treprostinil	◆	▲
Valsartan	◆	◆
Xipamide	◆	◆
Zofenopril	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Illicit/Recreational</b>		
Alcohol	◆	◆
Amphetamine	◆	▲
Cannabis	◆	◆
Carfentanil	◆	◆
Cocaine	◆	◆
Ecstasy (MDMA)	◆	▲
Fentanyl (Recreational)	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆
Heroin	◆	◆
LSD (Lysergic acid diethylamide)	◆	▲
Mephedrone	◆	▲
Methamphetamine	◆	▲
Phencyclidine (PCP)	◆	▲
<b>Immunosuppressants</b>		
Adalimumab	◆	◆
Alemtuzumab	◆	◆
Anakinra	◆	◆
Azathioprine	◆	◆
Baricitinib	◆	◆
Basiliximab	◆	◆
Belimumab	◆	◆
Brodalumab	◆	◆
Canakinumab	◆	◆
Ciclosporin	■	■
Eculizumab	◆	◆
Etanercept	◆	◆
Fingolimod	◆	◆
Golimumab	◆	◆
Guselkumab	◆	◆
Infliximab	◆	◆
Ixekizumab	◆	◆
Lenalidomide	◆	◆
Mirikizumab	◆	◆
Mycophenolate	▲	◆
Natalizumab	◆	◆
Pirfenidone	◆	◆
Ravulizumab	◆	◆
Risankizumab	◆	◆
Sarilumab	◆	◆
Secukinumab	◆	◆
Siltuximab	◆	◆
Sirolimus	◆	▲
Tocilizumab	◆	◆
Tacrolimus	■	▲
Tildrakizumab	◆	◆
Tralokinumab	◆	◆
Upadacitinib	◆	◆
Ustekinumab	◆	◆
Vedolizumab	◆	◆

For personal use only. Not for distribution.

	Obeticholic Acid	Ursodeoxycholic Acid
<b>Lipid Lowering Agents</b>		
Alirocumab	◆	◆
Atorvastatin	■	◆
Bezafibrate	◆	◆
Evolocumab	◆	◆
Ezetimibe	▲	◆
Fenofibrate	■	◆
Fish oils	◆	◆
Fluvastatin	▲	◆
Gemfibrozil	◆	◆
Lovastatin	■	◆
Pitavastatin	■	◆
Pravastatin	◆	◆
Rosuvastatin	◆	◆
Simvastatin	■	◆
<b>Oxytocics</b>		
Ergometrine (ergonovine)	◆	◆
Mifepristone	■	◆
Misoprostol	▲	◆
<b>Parkinsonism Agents</b>		
Benzotropine	◆	◆
Carbidopa	◆	◆
Orphenadrine	◆	▲
Pramipexole	◆	▲
Procyclidine	◆	◆
Rasagiline	◆	▲
Ropinirole	◆	▲
<b>PBC Agents</b>		
Obeticholic acid		◆
Ursodeoxycholic acid	◆	
<b>Steroids</b>		
Beclometasone	◆	◆
Betamethasone	◆	◆
Budesonide	▲	◆
Ciclesonide	◆	◆
Clobetasol (topical)	◆	◆
Clobetasone (topical)	◆	◆
Dexamethasone ≤ 16 mg	◆	▲
Dexamethasone >16 mg	◆	▲
Fludrocortisone	◆	◆
Flunisolide	◆	◆
Fluticasone	◆	◆
Hydrocortisone (topical)	◆	◆
Methylprednisolone	◆	◆
Mometasone	◆	◆
Prednicarbate	◆	◆
Prednisone	◆	◆
Triamcinolone	◆	◆
<b>Urological Agents</b>		
Alfuzosin	◆	◆
Desmopressin	◆	◆
Dutasteride	▲	◆
Finasteride	▲	◆
Mirabegron	◆	◆
Sildenafil	◆	◆
Solifenacin	◆	◆
Tamsulosin	◆	◆
Tolterodine	◆	◆

**Key to symbols**

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

**Notes**

- Further information is available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,  
 Liverpool Drug Interactions Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.  
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with PBC Agents

Charts created April 2024. Full information available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

Other Drugs	Obeticholic Acid	Ursodeoxycholic Acid
Acamprosate	◆	◆
Acetazolamide	◆	◆
Actiretin	▲	◆
Activated charcoal	▲	▲
Allopurinol	◆	◆
Atomoxetine	◆	◆
Atropine	◆	◆
Baclofen	◆	◆
Bamlanivimab	◆	◆
Benralizumab	◆	◆
Bethahistine	◆	◆
Bimatoprost	◆	◆
Biperiden	◆	▲
Brinzolamide	◆	◆
Bromocriptine	◆	◆
Burosumab	◆	◆
Calcitonin	◆	◆
Calcium carbimide	◆	◆
Calcium resonium	◆	◆
Cannabidiol (CBD)	◆	◆
Carbimazole	◆	◆
Carisoprodol	◆	▲
Casirivimab/imdevimab	◆	◆
Cilostazol	◆	◆
Clomifene	◆	◆
Colchicine	◆	◆
Colestyramine	▲	■
Conivaptan	◆	◆
Convalescent plasma (COVID-19)	◆	◆
COVID-19 vaccines	◆	◆
Cyclobenzaprine	◆	▲
Cyproterone acetate	◆	◆
Cytisine	◆	◆
Darbepoetin	◆	◆
Deferiprone	◆	◆
Denosumab	◆	◆
Dexamfetamine	◆	▲
Dextromethorphan	■	◆
Disulfiram	■	▲
Donepezil	▲	◆
Dorzolamide	◆	◆
Dupilumab	◆	◆
Eliquis	◆	◆
Emicizumab	◆	◆
Epoetin alfa	◆	◆
Etelcalcetide	◆	◆
Faricimab	◆	◆
Febuxostat	▲	◆
Filgrastim	◆	◆
Flibanserin	◆	▲
Gadopentetate (gadolinium)	◆	◆
Glycerol phenylbutyrate	◆	◆
Goserelin acetate	◆	◆
Guanfacine	◆	◆
Idarucizumab	◆	◆
Influenza vaccine	◆	◆
Interferon beta	◆	◆
Isosorbide mononitrate	◆	◆
Isotretinoin	▲	▲
Lanadelumab	◆	◆
Lanreotide	◆	◆
Lisdexamfetamine	◆	◆
Lebrikizumab	◆	◆
Leuprorelin acetate	◆	◆
Levothyroxine	◆	◆
Lofexidine	◆	◆
Lumacaftor/ivacaftor	◆	◆
Magnesium	◆	◆
Melatonin	◆	◆
Memantine	◆	▲

For personal use only. Not for distribution.

Other Drugs Continued	Obeticholic Acid	Ursodeoxycholic Acid
Mepolizumab	◆	◆
Methimazole (Thiamazole)	◆	◆
Methylphenidate	◆	◆
Minoxidil	◆	◆
Modafinil	◆	◆
Naftidrofuryl	◆	◆
Nalmefene	◆	◆
Naloxone	◆	◆
Naltrexone	◆	◆
Neostigmine	◆	◆
Nicorandil	◆	◆
Nusinersen	◆	◆
Ocrelizumab	◆	◆
Orlistat	▲	▲
Penicillamine	◆	◆
Pentoxifylline	◆	◆
Phenylephrine	◆	◆
Pilocarpine	◆	◆
Piracetam	◆	◆
Potassium	◆	◆
Propylthiouracil	◆	◆
Protamine sulphate	◆	◆
Pseudoephedrine	◆	◆
Pyridostigmine	◆	◆
Raloxifene	◆	◆
Romosozumab	◆	◆
Rozanolixizumab	◆	◆
Sevelamer	◆	◆
Strontium ranelate	◆	◆
Thalidomide	◆	◆
Triptorelin	◆	◆
Tranexamic acid	◆	◆
Varenicline	◆	◆

For personal use only. Not for distribution.

**Key to symbols**

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

**Notes**

- Further information is available at [www.hep-druginteractions.org](http://www.hep-druginteractions.org)
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, Liverpool Drug Interactions Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.  
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.