

Interactions with Entry and Attachment Inhibitors

Charts revised October 2020. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	FTR	IBA	MVC
Anaesthetics & Muscle Relaxants				
Alcuronium	◆	◆	◆	◆
Bupivacaine	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆
Etidocaine	◆	◆	◆	◆
Halothane	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆
Minaxolone	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆
Propofol	◆	■	◆	◆
Rocuronium	◆	◆	◆	◆
Sevoflurane	◆	■	◆	◆
Sufentanil	◆	◆	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆
Tizanidine	◆	▲	◆	◆
Vecuronium	◆	◆	◆	◆
Analgesics				
Alfentanil	◆	◆	◆	◆
Aspirin	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	◆
Celecoxib	◆	◆	◆	◆
Codeine	◆	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆
Diclofenac	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆
Fentanyl	◆	◆	◆	◆
Hydrocodone	◆	◆	◆	◆
Hydromorphone	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆
Methadone	◆	■	◆	◆
Morphine	◆	◆	◆	◆
Naproxen	◆	◆	◆	◆
Nimesulide	◆	◆	◆	◆
Oxycodone	◆	◆	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆
Piroxicam	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆
Anthelmintics				
Albendazole	◆	◆	◆	◆
Diethylcarbamazine	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆
Pyrantel	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆
Triclabendazole	◆	◆	◆	◆
Antiarrhythmics				
Amiodarone	◆	■	◆	◆
Bepiridil	◆	■	◆	◆
Disopyramide	◆	■	◆	◆
Dofetilide	◆	■	◆	◆
Flecainide	◆	■	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆
Mexiletine	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆
Quinidine	◆	■	◆	◆

For personal use only. Not for distribution.

	ABT	FTR	IBA	MVC
Antibacterials				
Amikacin	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆
Azithromycin	◆	■	◆	◆
Bedaquiline	◆	▲	◆	◆
Capreomycin	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆
Ciprofloxacin	◆	■	◆	▲
Clarithromycin	◆	■	◆	■
Clavulanic acid	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆
Clofazimine	◆	▲	◆	■
Cloxacillin	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆
Delamanid	◆	▲	◆	◆
Doxycycline	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆
Erythromycin	◆	■	◆	■
Ethambutol	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆
Flucoxacin	◆	▲	◆	▲
Gentamicin	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆
Levofloxacin	◆	■	◆	◆
Linezolid	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆
Metronidazole	◆	◆	◆	▲
Moxifloxacin	◆	■	◆	◆
Nitrofurantoin	◆	◆	◆	◆
Ofloxacin	◆	▲	◆	◆
Para-aminosalicylic acid	◆	◆	◆	◆
Penicillins	◆	◆	◆	◆
Piperacillin	◆	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆
Rifabutin	◆	▲	◆	■
Rifampicin	◆	●	◆	■
Rifapentine	◆	●	◆	■
Rifaximin	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆
Tazobactam	◆	◆	◆	◆
Telithromycin	◆	▲	◆	■
Tetracyclines	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆
Vancomycin	◆	◆	◆	◆
Anti-coagulant, Anti-platelet and Fibrinolytic				
Acenocoumarol	◆	◆	◆	◆
Apixaban	◆	▲	◆	◆
Argatroban	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆
Betrixaban	◆	▲	◆	◆
Clopidogrel	◆	◆	◆	◆
Dabigatran	◆	◆	◆	◆
Dalteparin	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆
Eltrombopag	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆
Heparin	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆
Prasugrel	◆	◆	◆	◆
Rivaroxaban	◆	▲	◆	◆
Streptokinase	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆
Warfarin	◆	◆	◆	◆

Key to abbreviations

ABT	Albuvirtide (Aikening®)
FTR	Fostemsavir (Rukobia®)
IBA	Ibalizumab-uiyk (Trogarzo®)
MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry and Attachment Inhibitors

Charts revised October 2020. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	FTR	IBA	MVC
Anticonvulsants				
Carbamazepine	◆	●	◆	■
Clonazepam	◆	◆	◆	◆
Eslicarbazepine	◆	●	◆	■
Ethosuximide	◆	◆	◆	◆
Gabapentin	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆
Oxcarbazepine	◆	●	◆	■
Phenobarbital (Phenobarbitone)	◆	●	◆	■
Phenytoin	◆	●	◆	■
Pregabalin	◆	◆	◆	◆
Primidone	◆	●	◆	■
Tiagabine	◆	◆	◆	◆
Topiramate	◆	◆	◆	◆
Valproate (Divalproex)	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆
Antidepressants				
Agomelatine	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆
Citalopram	◆	■	◆	◆
Clomipramine	◆	◆	◆	◆
Desipramine	◆	▲	◆	◆
Doxepin	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆
Escitalopram	◆	■	◆	◆
Fluoxetine	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆
Imipramine	◆	▲	◆	◆
Lithium	◆	▲	◆	◆
Maprotiline	◆	▲	◆	◆
Mianserin	◆	◆	◆	◆
Milnacipran	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	◆
Nefazodone	◆	▲	◆	■
Nortriptyline	◆	▲	◆	◆
Paroxetine	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆
Trimipramine	◆	▲	◆	◆
Venlafaxine	◆	▲	◆	▲
Vortioxetine	◆	◆	◆	◆
Anti-diabetics				
Acarbose	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆
Empagliflozin	◆	▲	◆	◆
Exenatide	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	■	◆	◆
Gliclazide	◆	■	◆	◆
Glimepiride	◆	■	◆	◆
Glipizide	◆	■	◆	◆
Insulin	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆
Metformin	◆	◆	◆	◆
Nateglinide	◆	■	◆	◆
Pioglitazone	◆	◆	◆	◆
Repaglinide	◆	■	◆	◆
Rosiglitazone	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆

	ABT	FTR	IBA	MVC
Antifungals				
Amphotericin B	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆
Caspofungin	◆	■	◆	◆
Fluconazole	◆	▲	◆	◆
Flucytosine	◆	◆	◆	◆
Griseofulvin	◆	▲	◆	■
Itraconazole	◆	▲	◆	■
Ketoconazole	◆	▲	◆	■
Miconazole	◆	◆	◆	▲
Nystatin	◆	◆	◆	◆
Posaconazole	◆	▲	◆	■
Terbinafine	◆	◆	◆	◆
Voriconazole	◆	▲	◆	■
Antihistamines				
Astemizole	◆	■	◆	◆
Cetirizine	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆
Terfenadine	◆	■	◆	◆
Antimigraine Agents				
Almotriptan	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	▲
Eletriptan	◆	◆	◆	◆
Ergotamine	◆	◆	◆	▲
Rizatriptan	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆
Antiprotozoals				
Amodiaquine	◆	◆	◆	◆
Artemisinin	◆	▲	◆	▲
Atovaquone	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆
Chloroquine	◆	■	◆	◆
Diloxanide	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆
Halofantrine	◆	■	◆	◆
Hydroxychloroquine	◆	■	◆	◆
Lumefantrine	◆	▲	◆	◆
Mefloquine	◆	▲	◆	◆
Meglumine antimoniate	◆	■	◆	◆
Melarsoprol	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆
Pentamidine	◆	■	◆	◆
Piperaquine	◆	■	◆	▲
Primaquine	◆	▲	◆	◆
Proguanil	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆
Quinine	◆	■	◆	▲
Sodium stibogluconate	◆	■	◆	◆
Sulfadoxine	◆	◆	◆	◆
Antipsychotics/Neuroleptics				
Amisulpride	◆	◆	◆	◆
Aripiprazole	◆	▲	◆	◆
Asenapine	◆	▲	◆	◆
Chlorpromazine	◆	■	◆	◆
Clozapine	◆	▲	◆	◆
Fluphenazine	◆	▲	◆	◆
Haloperidol	◆	▲	◆	▲
Iloperidone	◆	▲	◆	◆
Levomepromazine	◆	■	◆	◆
Olanzapine	◆	◆	◆	◆
Paliperidone	◆	▲	◆	◆
Perazine	◆	◆	◆	◆
Periciazine	◆	◆	◆	◆
Perphenazine	◆	▲	◆	◆
Pimozide	◆	■	◆	◆
Pipotiazine	◆	▲	◆	◆
Quetiapine	◆	◆	◆	◆
Risperidone	◆	◆	◆	◆
Sulpiride	◆	■	◆	◆
Thioridazine	◆	■	◆	■
Tiapride	◆	▲	◆	◆
Ziprasidone	◆	■	◆	◆
Zotepine	◆	▲	◆	◆
Zuclopenthixol	◆	▲	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)
FTR	Fostemsavir (Rukobia®)
IBA	Ibalizumab-uiyk (Trogarzo®)
MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry and Attachment Inhibitors

Charts revised October 2020. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	FTR	IBA	MVC
Antivirals				
Aciclovir	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆
Cidofovir	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	■	◆	◆
Entecavir	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	▲	◆	◆
Ledipasvir/Sofosbuvir	◆	▲	◆	◆
Ombitasvir/Paritaprevir/r	◆	▲	◆	■
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	▲	◆	■
Oseltamivir	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆
Simeprevir	◆	▲	◆	◆
Sofosbuvir	◆	▲	◆	◆
Sofosbuvir/Velpatasvir	◆	▲	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	■	◆	◆
Telbivudine	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆
Anxiolytics/Hypnotics/ Sedatives				
Alprazolam	◆	◆	◆	◆
Bromazepam	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆
Clobazam	◆	▲	◆	▲
Clorazepate	◆	◆	◆	◆
Diazepam	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆
Zaleplon	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆
Zopiclone	◆	◆	◆	◆
Beta Blockers				
Atenolol	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆
Timolol	◆	◆	◆	▲
Bronchodilators				
Acclidinium bromide	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆
Formoterol	◆	▲	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆

For personal use only. Not for distribution.

	ABT	FTR	IBA	MVC
Calcium Channel Blockers				
Amlodipine	◆	◆	◆	◆
Diltiazem	◆	▲	◆	■
Felodipine	◆	◆	◆	◆
Nicardipine	◆	▲	◆	■
Nifedipine	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆
Verapamil	◆	▲	◆	■
Cancer Therapies				
Anastrozole	◆	◆	◆	◆
Asparaginase	◆	◆	◆	◆
Bevacizumab	◆	◆	◆	◆
Bexarotene	◆	▲	◆	■
Bleomycin	◆	◆	◆	◆
Bortezomib	◆	▲	◆	◆
Brentuximab vedotin	◆	◆	◆	◆
Capecitabine	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆
Cetuximab	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆
Cisplatin	◆	◆	◆	◆
Cyclophosphamide	◆	◆	◆	◆
Cytarabine	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆
Dasatinib	◆	▲	◆	▲
Daunorubicin	◆	■	◆	◆
Docetaxel	◆	■	◆	■
Doxorubicin	◆	■	◆	◆
Droloxifene	◆	◆	◆	◆
Enzalutamide	◆	●	◆	■
Epirubicin	◆	▲	◆	◆
Erlotinib	◆	▲	◆	◆
Estramustine	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆
Everolimus	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆
Fluorouracil	◆	◆	◆	◆
Formestane	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆
Ifosfamide	◆	▲	◆	■
Imatinib	◆	◆	◆	■
Irinotecan	◆	■	◆	◆
Lapatinib	◆	▲	◆	▲
Lenalidomide	◆	◆	◆	◆
Letrozole	◆	◆	◆	◆
Mercaptopurine	◆	◆	◆	◆
Mesna	◆	◆	◆	◆
Methotrexate	◆	■	◆	◆
Mitoxantrone	◆	■	◆	◆
Nilotinib	◆	▲	◆	▲
Oxaliplatin	◆	■	◆	◆
Paclitaxel	◆	■	◆	■
Pazopanib	◆	▲	◆	▲
Polatuzumab vedotin	◆	◆	◆	◆
Procarbazine	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆
Sorafenib	◆	▲	◆	◆
Sunitinib	◆	▲	◆	◆
Tamoxifen	◆	▲	◆	■
Temsirolimus	◆	◆	◆	▲
Topotecan	◆	■	◆	◆
Toremifene	◆	▲	◆	◆
Trastuzumab	◆	◆	◆	◆
Trastuzumab emtansine	◆	◆	◆	◆
Vinblastine	◆	▲	◆	■
Vincristine	◆	◆	◆	◆
Vinorelbine	◆	◆	◆	◆
Vorinostat	◆	▲	◆	◆

Key to abbreviations

ABT	Albuvirtide (Aikening®)
FTR	Fostemsavir (Rukobia®)
IBA	Ibalizumab-uiyk (Trogarzo®)
MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry and Attachment Inhibitors

Charts revised October 2020. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	FTR	IBA	MVC
Contraceptives/HRT				
Desogestrel (COC)	◆	■	◆	◆
Desogestrel (POP)	◆	◆	◆	◆
Drospirenone (COC)	◆	■	◆	◆
Drospirenone (HRT)	◆	■	◆	◆
Dydrogesterone (HRT)	◆	■	◆	◆
Estradiol	◆	■	◆	◆
Ethinylestradiol	◆	■	◆	◆
Etonogestrel (implant)	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	■	◆	◆
Gestodene (COC)	◆	■	◆	◆
Levonorgestrel (COC)	◆	■	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	◆
Levonorgestrel (HRT)	◆	◆	◆	◆
Levonorgestrel (implant)	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	◆
Medroxyprogesterone (oral)	◆	■	◆	◆
Norelgestromin (patch)	◆	■	◆	◆
Norethisterone [Norethindrone] (COC)	◆	■	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	■	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	◆
Norgestimate (COC)	◆	■	◆	◆
Norgestrel (COC)	◆	■	◆	◆
Norgestrel (HRT)	◆	◆	◆	◆
Ulipristal	◆	◆	◆	◆
Erectile Dysfunctional Agents				
Avanafil	◆	◆	◆	◆
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆
Vardenafil	◆	◆	◆	◆
Gastrointestinal Agents				
Alosetron	◆	◆	◆	◆
Antacids	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆
Cisapride	◆	■	◆	◆
Dexlansoprazole	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆
Senna	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)				
Aprepitant	◆	◆	◆	▲
Dolasetron	◆	▲	◆	◆
Domperidone	◆	■	◆	◆
Dronabinol	◆	◆	◆	◆
Granisetron	◆	▲	◆	◆
Metoclopramide	◆	◆	◆	◆
Ondansetron	◆	■	◆	◆
Prochlorperazine	◆	▲	◆	◆
Herbals/Supplements/Vitamins				
African potato	◆	▲	◆	■
Aloe vera	◆	◆	◆	◆
Ascorbic Acid (vitamin C) [alone]	◆	◆	◆	◆
Ascorbic Acid [in multivitamins]	◆	◆	◆	◆
Calcium supplements	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	◆	▲	◆	■
Colecalciferol (vitamin D3) [alone]	◆	◆	◆	◆
Colecalciferol [in multivitamins]	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	◆	▲
Cyanocobalamin [alone]	◆	◆	◆	◆
Cyanocobalamin [in multivitamins]	◆	◆	◆	◆
Echinacea	◆	▲	◆	▲
Eucalyptus globulus	◆	◆	◆	◆
Ferrous fumarate	◆	◆	◆	◆
Folic acid [alone]	◆	◆	◆	◆
Folic acid [in multivitamins]	◆	◆	◆	◆
Garlic	◆	■	◆	■
Ginger (Zingiber officinale)	◆	◆	◆	▲
Ginkgo biloba	◆	▲	◆	▲
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	▲
Hops (Humulus lupulus)	◆	■	◆	■

For personal use only. Not for distribution.

	ABT	FTR	IBA	MVC
Herbals/Supplements/Vitamins (continued)				
Inula racemosa	◆	▲	◆	▲
Iodine [alone]	◆	◆	◆	◆
Iodine [in multivitamins]	◆	◆	◆	◆
Iron supplements	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	▲	◆	▲
Magnesium supplements	◆	◆	◆	◆
Malabar nut tree	◆	▲	◆	■
Menthol	◆	▲	◆	▲
Milk thistle (silymarin)	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆
Nicotinamide [alone]	◆	◆	◆	◆
Nicotinamide [in multivitamins]	◆	◆	◆	◆
Phytomenadione (vitamin K) [alone]	◆	◆	◆	◆
Phytomenadione [in multivitamins]	◆	◆	◆	◆
Pyridoxine (vitamin B6) [alone]	◆	◆	◆	◆
Pyridoxine [in multivitamins]	◆	◆	◆	◆
Quercetin	◆	◆	◆	■
Red yeast rice	◆	◆	◆	◆
Retinol (vitamin A) [alone]	◆	◆	◆	◆
Retinol (vitamin A) [in multivitamins]	◆	◆	◆	◆
Riboflavin (vitamin B2) [alone]	◆	◆	◆	◆
Riboflavin [in multivitamins]	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	▲
St John's Wort	◆	●	◆	●
Thiamine (vitamin B1) [alone]	◆	◆	◆	◆
Thiamine [in multivitamins]	◆	◆	◆	◆
Tocopherol (vitamin E) [alone]	◆	◆	◆	◆
Tocopherol (vitamin E) [in multivitamins]	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	◆	◆
Valerian	◆	◆	◆	◆
Hypertension / Heart Failure Agents				
Aliskiren	◆	◆	◆	◆
Ambrisentan	◆	■	◆	◆
Amiloride	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆
Bosentan	◆	■	◆	■
Candesartan	◆	◆	◆	◆
Captopril	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆
Digoxin	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆
Enalapril	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆
Hydralazine	◆	◆	◆	▲
Hydrochlorothiazide	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆
Irbesartan	◆	◆	◆	◆
Isoorbide dinitrate	◆	◆	◆	▲
Ivabradine	◆	▲	◆	◆
Labetalol	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆
Lercanidipine	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆
Losartan	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆
Methyldopa	◆	◆	◆	▲
Metolazone	◆	◆	◆	◆
Moxonidine	◆	◆	◆	◆
Olmesartan	◆	■	◆	◆
Perindopril	◆	◆	◆	◆
Prazosin	◆	■	◆	◆
Quinapril	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆
Ranolazine	◆	▲	◆	■
Riociguat	◆	■	◆	◆
Sacubitril	◆	■	◆	▲
Selexipag	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	▲
Spiroolactone	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆
Telmisartan	◆	■	◆	◆
Terazosin	◆	◆	◆	◆
Torasemide	◆	■	◆	◆
Trandolapril	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆
Valsartan	◆	■	◆	◆
Xipamide	◆	◆	◆	◆

Key to abbreviations

ABT	Albuvirtide (Aikening®)
FTR	Fostemsavir (Rukobia®)
IBA	Ibalizumab-uiyk (Trogarzo®)
MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry and Attachment Inhibitors

Charts revised October 2020. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	FTR	IBA	MVC
Illicit/Recreational				
Alcohol	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆
Cocaine	◆	■	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆
Heroin	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆
Immune Modulators				
Hydroxyurea (Hydroxycarbamide)	◆	◆	◆	◆
Interferon alpha	◆	◆	◆	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆
Peginterferon alfa-2a	◆	◆	◆	◆
Peginterferon alfa-2b	◆	◆	◆	◆
Immunosuppressants				
Adalimumab	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	▲
Mycophenolate	◆	◆	◆	◆
Sirolimus	◆	◆	◆	◆
Tacrolimus	◆	◆	◆	◆
Lipid Lowering Agents				
Atorvastatin	◆	■	◆	◆
Bezafibrate	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆
Evolocumab	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆
Fluvastatin	◆	■	◆	◆
Gemfibrozil	◆	◆	◆	◆
Lovastatin	◆	■	◆	◆
Pitavastatin	◆	■	◆	◆
Pravastatin	◆	■	◆	◆
Rosuvastatin	◆	■	◆	◆
Simvastatin	◆	■	◆	◆
Overactive Bladder Agents				
Darifenacin	◆	◆	◆	◆
Fesoterodine	◆	◆	◆	◆
Mirabegron	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	◆
Solifenacin	◆	◆	◆	◆
Tolterodine	◆	◆	◆	◆
Trospium	◆	◆	◆	◆
Oxytocics				
Ergometrine (Ergonovine)	◆	◆	◆	◆
Mifepristone	◆	◆	◆	◆
Misoprostol	◆	◆	◆	◆
Oxytocin	◆	▲	◆	◆
Parkinsonism Agents				
Apomorphine	◆	▲	◆	◆
Benserazide	◆	◆	◆	◆
Cabergoline (Parkinson's)	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆
Steroids				
Beclometasone	◆	◆	◆	◆
Betamethasone	◆	▲◆	◆	■
Budesonide	◆	◆	◆	◆
Ciclesonide	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆
Dexamethasone	◆	▲	◆	■
Fludrocortisone	◆	◆	◆	◆
Flunisolide	◆	◆	◆	◆
Fluocinolone	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆
Hydrocortisone (oral)	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆
Mometasone	◆	◆	◆	◆
Nandrolone	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆
Stanozolol	◆	◆	◆	◆
Testosterone	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	◆

For personal use only. Not for distribution.

	ABT	FTR	IBA	MVC
Other				
Acamprosate	◆	◆	◆	◆
Acetazolamide	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆
Adrenaline (Epinephrine)	◆	◆	◆	◆
Alendronic Acid	◆	◆	◆	◆
Alfuzosin	◆	◆	◆	◆
Allopurinol	◆	◆	◆	◆
Atomoxetine	◆	▲	◆	◆
Atropine	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆
Brimonidine	◆	◆	◆	◆
Cabergoline (lactation suppression)	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆
Calcium folinate	◆	◆	◆	◆
Cannabidiol (CBD)	◆	◆	◆	◆
Carbamazole	◆	◆	◆	◆
Clomifene	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆
Colestyramine (Cholestyramine)	◆	▲	◆	▲
Cyproterone acetate	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆
Fampridine (Dalfampridine)	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆
Flibanserin	◆	◆	◆	▲
Glyceril trinitrate (Nitroglycerin)	◆	◆	◆	◆
Goserelin	◆	▲	◆	◆
Ibandronic acid	◆	◆	◆	◆
Isotretinoin	◆	◆	◆	◆
Leuprorelin	◆	▲	◆	◆
Levothyroxine	◆	◆	◆	◆
Mannitol	◆	◆	◆	◆
Methylphenidate	◆	◆	◆	◆
Modafinil	◆	▲	◆	■
Naftidrofuryl	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆
Orlistat	◆	▲	◆	▲
Penicillamine	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆
Potassium	◆	◆	◆	◆
Probenecid	◆	◆	◆	◆
Propylthiouracil	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆
Sevelamer	◆	▲	◆	▲
Strontium ranelate	◆	◆	◆	▲
Sulfasalazine	◆	■	◆	◆
Tamsulosin	◆	◆	◆	◆
Thalidomide	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆
Triptorelin	◆	◆	◆	◆
Varenicline	◆	◆	◆	◆
Zoledronic acid	◆	◆	◆	◆

Key to abbreviations

ABT	Albuvirtide (Aikening®)
FTR	Fostemsavir (Rukobia®)
IBA	Ibalizumab-uiyk (Trogarzo®)
MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.