

Interactions with Entry and Attachment Inhibitors

Charts revised June 2021. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	MVC
Anaesthetics & Muscle Relaxants					
Alcuronium	◆	◆	◆	◆	◆
Bupivacaine	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆
Etidocaine	◆	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	◆
Minaxolone	◆	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆
Propofol	◆	◆	■	◆	◆
Rocuronium	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	■	◆	◆
Sufentanil	◆	◆	◆	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆
Tizanidine	◆	◆	▲	◆	◆
Vecuronium	◆	◆	◆	◆	◆
Analgesics					
Alfentanil	◆	◆	◆	◆	◆
Aspirin	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	◆	◆
Celecoxib	◆	◆	◆	◆	◆
Codeine	◆	◆	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆	◆
Fentanyl	◆	◆	◆	◆	◆
Hydrocodone	◆	◆	◆	◆	◆
Hydromorphone	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆
Meloxicam	◆	◆	■	◆	◆
Methadone	◆	◆	◆	◆	◆
Morphine	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	◆	◆
Nimesulide	◆	◆	◆	◆	◆
Oxycodone	◆	◆	◆	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	◆
Piroxicam	◆	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	◆
Anthelmintics					
Albendazole	◆	◆	◆	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	◆
Pyrantel	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	◆	◆	◆
Antiarrhythmics					
Amiodarone	◆	◆	■	◆	◆
Bepidil	◆	◆	■	◆	◆
Digoxin	◆	◆	◆	◆	◆
Disopyramide	◆	◆	■	◆	◆
Dofetilide	◆	◆	■	◆	◆
Flecainide	◆	◆	■	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	◆
Mexiletine	◆	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆	◆
Quinidine	◆	◆	■	◆	◆

	ABT	ENF	FTR	IBA	MVC
Antibacterials					
Amikacin	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	◆
Azithromycin	◆	◆	■	◆	◆
Bedaquiline	◆	◆	▲	◆	◆
Capreomycin	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	■	◆	▲
Clarithromycin	◆	◆	■	◆	■
Clavulanic acid	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	◆
Clofazimine	◆	◆	▲	◆	■
Cloxacillin	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆
Delamanid	◆	◆	▲	◆	◆
Doxycycline	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆
Erythromycin	◆	◆	■	◆	■
Ethambutol	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆
Flucoxacin	◆	◆	▲	◆	▲
Gentamicin	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	◆
Levofloxacin	◆	◆	■	◆	◆
Linezolid	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	▲
Moxifloxacin	◆	◆	■	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	▲	◆	◆
Para-aminosalicylic acid	◆	◆	◆	◆	◆
Penicillins	◆	◆	◆	◆	◆
Piperacillin	◆	◆	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆
Rifabutin	◆	◆	▲	◆	■
Rifampicin	◆	◆	◆	◆	■
Rifapentine	◆	◆	●	◆	■
Rifaximin	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆	◆
Tazobactam	◆	◆	◆	◆	◆
Telithromycin	◆	◆	▲	◆	■
Tetracyclines	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆	◆
Vancomycin	◆	◆	◆	◆	◆
Anti-coagulant, Anti-platelet and Fibrinolytic					
Acenocoumarol	◆	◆	◆	◆	◆
Apixaban	◆	◆	▲	◆	◆
Argatroban	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆
Betrixaban	◆	◆	▲	◆	◆
Clopidogrel	◆	◆	◆	◆	◆
Dabigatran	◆	◆	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	◆
Prasugrel	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	▲	◆	◆
Streptokinase	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	◆
Warfarin	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	MVC	Maraviroc (Celsentri®, Selzentry®)
FTR	Fostemsavir (Rukobia®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry and Attachment Inhibitors

Charts revised June 2021. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	MVC
Anticonvulsants					
Carbamazepine	◆	◆	●	◆	■
Clonazepam	◆	◆	◆	◆	◆
Eslicarbazepine	◆	◆	●	◆	■
Ethosuximide	◆	◆	◆	◆	◆
Gabapentin	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	▲	◆	◆
Oxcarbazepine	◆	◆	●	◆	■
Phenobarbital (Phenobarbitone)	◆	◆	●	◆	■
Phenytoin	◆	◆	●	◆	■
Pregabalin	◆	◆	◆	◆	◆
Primidone	◆	◆	●	◆	■
Tiagabine	◆	◆	◆	◆	◆
Topiramate	◆	◆	◆	◆	◆
Valproate (Divalproex)	◆	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆
Antidepressants					
Agomelatine	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆	◆
Citalopram	◆	◆	■	◆	◆
Clomipramine	◆	◆	◆	◆	◆
Desipramine	◆	◆	▲	◆	◆
Desvenlafaxine	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆
Escitalopram	◆	◆	■	◆	◆
Fluoxetine	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆
Imipramine	◆	◆	▲	◆	◆
Lithium	◆	◆	▲	◆	◆
Maprotiline	◆	◆	▲	◆	◆
Mianserin	◆	◆	▲	◆	◆
Milnacipran	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	▲	◆	◆
Nefazodone	◆	◆	▲	◆	■
Nortriptyline	◆	◆	▲	◆	◆
Paroxetine	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆	◆
Trimipramine	◆	◆	▲	◆	◆
Venlafaxine	◆	◆	▲	◆	▲
Vortioxetine	◆	◆	◆	◆	◆
Anti-diabetics					
Acarbose	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	▲	◆	◆
Exenatide	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	■	◆	◆
Gliclazide	◆	◆	■	◆	◆
Glimepiride	◆	◆	■	◆	◆
Glipizide	◆	◆	■	◆	◆
Insulin	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆
Nateglinide	◆	◆	■	◆	◆
Pioglitazone	◆	◆	◆	◆	◆
Repaglinide	◆	◆	■	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	MVC
Antifungals					
Amphotericin B	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆
Caspofungin	◆	◆	■	◆	◆
Clotrimazole (pessary, troche)	◆	◆	◆	◆	▲
Clotrimazole (topical)	◆	◆	◆	◆	◆
Fluconazole	◆	◆	■	◆	◆
Flucytosine	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	▲	◆	■
Itraconazole	◆	◆	▲	◆	■
Ketoconazole	◆	◆	▲	◆	■
Miconazole	◆	◆	◆	◆	▲
Nystatin	◆	◆	◆	◆	◆
Posaconazole	◆	◆	▲	◆	■
Terbinafine	◆	◆	◆	◆	◆
Voriconazole	◆	◆	▲	◆	■
Antihistamines					
Astemizole	◆	◆	■	◆	◆
Cetirizine	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆
Terfenadine	◆	◆	■	◆	◆
Antimigraine Agents					
Almotriptan	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	▲
Eletriptan	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	▲
Rizatriptan	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆	◆
Antiprotozoals					
Amodiaquine	◆	◆	◆	◆	◆
Artemisinin	◆	◆	▲	◆	▲
Atovaquone	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆
Chloroquine	◆	◆	■	◆	◆
Diloxanide	◆	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆	◆
Halofantrine	◆	◆	■	◆	◆
Hydroxychloroquine	◆	◆	■	◆	◆
Lumefantrine	◆	◆	▲	◆	◆
Mefloquine	◆	◆	▲	◆	◆
Meglumine antimoniate	◆	◆	■	◆	◆
Melarsoprol	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆
Pentamidine	◆	◆	■	◆	◆
Piperazine	◆	◆	■	◆	▲
Primaquine	◆	◆	▲	◆	◆
Proguanil	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆
Quinine	◆	◆	■	◆	▲
Sodium stibogluconate	◆	◆	■	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆
Antipsychotics/Neuroleptics					
Amisulpride	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	▲	◆	◆
Asenapine	◆	◆	▲	◆	◆
Chlorpromazine	◆	◆	■	◆	◆
Clozapine	◆	◆	▲	◆	◆
Fluphenazine	◆	◆	▲	◆	◆
Haloperidol	◆	◆	■	◆	▲
Iloperidone	◆	◆	▲	◆	◆
Levomepromazine	◆	◆	■	◆	◆
Olanzapine	◆	◆	◆	◆	◆
Paliperidone	◆	◆	▲	◆	◆
Perazine	◆	◆	◆	◆	◆
Periciazine	◆	◆	◆	◆	◆
Perphenazine	◆	◆	▲	◆	◆
Pimozide	◆	◆	■	◆	◆
Pipotiazine	◆	◆	▲	◆	◆
Quetiapine	◆	◆	◆	◆	◆
Risperidone	◆	◆	◆	◆	◆
Sulpiride	◆	◆	■	◆	◆
Thioridazine	◆	◆	■	◆	■
Tiapride	◆	◆	▲	◆	◆
Ziprasidone	◆	◆	■	◆	◆
Zotepine	◆	◆	▲	◆	◆
Zuclopenthixol	◆	◆	▲	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uyyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	MVC	Maraviroc (Celsentri®, Selzentry®)
FTR	Fostemsavir (Rukobia®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry and Attachment Inhibitors

Charts revised June 2021. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	MVC
Antivirals					
Aciclovir	◆	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆
Bulevirtide	◆	◆	◆	◆	▲
Cidofovir	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	■	◆	◆
Entecavir	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	▲	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	▲	◆	◆
Ombitasvir/Paritaprevir/r	◆	◆	▲	◆	■
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	▲	◆	■
Oseltamivir	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆
Simeprevir	◆	◆	▲	◆	◆
Sofosbuvir	◆	◆	▲	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	▲	◆	◆
Sofosbuvir/Velpatasvir/Oxilaprevir	◆	◆	■	◆	◆
Telbivudine	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆
Anxiolytics/Hypnotics/ Sedatives					
Alprazolam	◆	◆	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆	◆
Clobazam	◆	◆	▲	◆	▲
Clorazepate	◆	◆	◆	◆	◆
Diazepam	◆	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	◆
Zaleplon	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	◆
Zopiclone	◆	◆	◆	◆	◆
Beta Blockers					
Atenolol	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	▲
Bronchodilators					
Acclidinium bromide	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆
Formoterol	◆	◆	▲	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	◆
Terbutaline	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	MVC
Calcium Channel Blockers					
Amlodipine	◆	◆	◆	◆	◆
Diltiazem	◆	◆	▲	◆	■
Felodipine	◆	◆	◆	◆	◆
Nicardipine	◆	◆	▲	◆	■
Nifedipine	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆	◆
Verapamil	◆	◆	▲	◆	■
Cancer Therapies					
Anastrozole	◆	◆	◆	◆	◆
Asparaginase	◆	◆	◆	◆	◆
Bevacizumab	◆	◆	◆	◆	◆
Bexarotene	◆	◆	▲	◆	■
Bleomycin	◆	◆	◆	◆	◆
Bortezomib	◆	◆	▲	◆	◆
Brentuximab vedotin	◆	◆	◆	◆	◆
Capecitabine	◆	◆	▲	◆	◆
Carboplatin	◆	◆	◆	◆	◆
Cetuximab	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆
Cisplatin	◆	◆	◆	◆	◆
Cyclophosphamide	◆	◆	◆	◆	◆
Cytarabine	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆
Dasatinib	◆	◆	▲	◆	▲
Daunorubicin	◆	◆	■	◆	◆
Docetaxel	◆	◆	■	◆	■
Doxorubicin	◆	◆	■	◆	◆
Droloxifene	◆	◆	◆	◆	◆
Enzalutamide	◆	◆	●	◆	■
Epirubicin	◆	◆	▲	◆	◆
Erlotinib	◆	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	▲	◆	◆
Formestane	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆	◆
Ifosfamide	◆	◆	▲	◆	■
Imatinib	◆	◆	■	◆	■
Irinotecan	◆	◆	■	◆	◆
Lapatinib	◆	◆	▲	◆	▲
Lenalidomide	◆	◆	◆	◆	◆
Letrozole	◆	◆	◆	◆	◆
Mercaptopurine	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆
Methotrexate	◆	◆	■	◆	◆
Mitoxantrone	◆	◆	■	◆	◆
Nilotinib	◆	◆	▲	◆	▲
Oxaliplatin	◆	◆	■	◆	◆
Paclitaxel	◆	◆	■	◆	■
Pazopanib	◆	◆	▲	◆	▲
Polatuzumab vedotin	◆	◆	◆	◆	◆
Procarbazine	◆	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆
Sorafenib	◆	◆	▲	◆	◆
Sunitinib	◆	◆	▲	◆	◆
Tamoxifen	◆	◆	▲	◆	■
Temsirolimus	◆	◆	◆	◆	◆
Topotecan	◆	◆	■	◆	◆
Toremifene	◆	◆	■	◆	◆
Trastuzumab	◆	◆	◆	◆	◆
Trastuzumab emtansine	◆	◆	◆	◆	◆
Vinblastine	◆	◆	▲	◆	■
Vincristine	◆	◆	◆	◆	◆
Vinorelbine	◆	◆	◆	◆	◆
Vorinostat	◆	◆	▲	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	MVC	Maraviroc (Celsentri®, Selzentry®)
FTR	Fostemsavir (Rukobia®)		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry and Attachment Inhibitors

Charts revised June 2021. Full information available at www.hiv-druginteractions.org

Page 4 of 5

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	MVC
Contraceptives/HRT					
Desogestrel (COC)	◆	◆	■	◆	◆
Desogestrel (POP)	◆	◆	◆	◆	◆
Drospirenone (COC)	◆	◆	■	◆	◆
Drospirenone (HRT)	◆	◆	■	◆	◆
Dydrogesterone (HRT)	◆	◆	■	◆	◆
Estradiol	◆	◆	■	◆	◆
Ethinylestradiol	◆	◆	■	◆	◆
Etonogestrel (implant)	◆	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	◆	■	◆	◆
Gestodene (COC)	◆	◆	■	◆	◆
Levonorgestrel (COC)	◆	◆	◆	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	◆	◆
Levonorgestrel (HRT)	◆	◆	◆	◆	◆
Levonorgestrel (implant)	◆	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	◆	◆
Medroxyprogesterone (oral)	◆	◆	■	◆	◆
Norelgestromin (patch)	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	■	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	■	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	◆	◆
Norgestimate (COC)	◆	◆	■	◆	◆
Norgestrel (COC)	◆	◆	■	◆	◆
Norgestrel (HRT)	◆	◆	◆	◆	◆
Ulipristal	◆	◆	◆	◆	◆
Erectile Dysfunctional Agents					
Avanafil	◆	◆	◆	◆	◆
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆	◆
Vardenafil	◆	◆	◆	◆	◆
Yohimbine	◆	◆	◆	◆	◆
Gastrointestinal Agents					
Alosetron	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆
Cisapride	◆	◆	■	◆	◆
Dexlansoprazole	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)					
Aprepitant	◆	◆	◆	◆	▲
Dolasetron	◆	◆	▲	◆	◆
Domperidone	◆	◆	■	◆	◆
Dronabinol	◆	◆	◆	◆	◆
Granisetron	◆	◆	▲	◆	◆
Metoclopramide	◆	◆	◆	◆	◆
Ondansetron	◆	◆	■	◆	◆
Prochlorperazine	◆	◆	▲	◆	◆
Herbals/Supplements/Vitamins					
African potato	◆	◆	▲	◆	■
Aloe vera	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C) [alone]	◆	◆	◆	◆	◆
Ascorbic Acid [in multivitamins]	◆	◆	◆	◆	◆
Calcium supplements	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	◆	◆	▲	◆	■
Colecalciferol (vitamin D3) [alone]	◆	◆	◆	◆	◆
Colecalciferol [in multivitamins]	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	◆	▲	◆
Cyanocobalamin [alone]	◆	◆	◆	◆	◆
Cyanocobalamin [in multivitamins]	◆	◆	◆	◆	◆
Echinacea	◆	◆	▲	◆	▲
Eucalyptus globulus	◆	◆	◆	◆	◆
Ferrous fumarate	◆	◆	◆	◆	◆
Folic acid [alone]	◆	◆	◆	◆	◆
Folic acid [in multivitamins]	◆	◆	◆	◆	◆
Garlic	◆	◆	■	◆	■
Ginger (Zingiber officinale)	◆	◆	◆	◆	▲
Ginkgo biloba	◆	◆	▲	◆	▲
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	▲
Guggulsterone	◆	◆	◆	◆	■
Hops (Humulus lupulus)	◆	◆	■	◆	■

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Entuvirtide (Fuzeon®)	MVC	Maraviroc (Celsentri®, Selzentry®)
FTR	Fostemsavir (Rukobia®)		

	ABT	ENF	FTR	IBA	MVC
Herbals/Supplements/Vitamins (continued)					
Inula racemosa	◆	◆	▲	◆	▲
Iodine [alone]	◆	◆	◆	◆	◆
Iodine [in multivitamins]	◆	◆	◆	◆	◆
Iron supplements	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	◆	▲	◆	▲
Magnesium supplements	◆	◆	◆	◆	◆
Malabar nut tree	◆	◆	▲	◆	■
Menthol	◆	◆	▲	◆	▲
Milk thistle (silymarin)	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆
Nicotinamide [alone]	◆	◆	◆	◆	◆
Nicotinamide [in multivitamins]	◆	◆	◆	◆	◆
Phytomenadione (vitamin K) [alone]	◆	◆	◆	◆	◆
Phytomenadione [in multivitamins]	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6) [alone]	◆	◆	◆	◆	◆
Pyridoxine [in multivitamins]	◆	◆	◆	◆	◆
Quercetin	◆	◆	◆	◆	■
Red yeast rice	◆	◆	◆	◆	◆
Retinol (vitamin A) [alone]	◆	◆	◆	◆	◆
Retinol (vitamin A) [in multivitamins]	◆	◆	◆	◆	◆
Riboflavin (vitamin B2) [alone]	◆	◆	◆	◆	◆
Riboflavin [in multivitamins]	◆	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	▲
St John's Wort	◆	◆	●	◆	●
Thiamine (vitamin B1) [alone]	◆	◆	◆	◆	◆
Thiamine [in multivitamins]	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [alone]	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [in multivitamins]	◆	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆
Hypertension / Heart Failure Agents					
Aliskiren	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	■	◆	◆
Amiloride	◆	◆	◆	◆	◆
Azilsartan	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆
Bosentan	◆	◆	■	◆	■
Candesartan	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆
Erosartan	◆	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	▲
Hydrochlorothiazide	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	◆
Irbesartan	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	◆	▲
Ivabradine	◆	◆	▲	◆	◆
Labetalol	◆	◆	◆	◆	◆
Lacidipine	◆	◆	▲	◆	◆
Lercanidipine	◆	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	◆
Methyldopa	◆	◆	◆	◆	▲
Metolazone	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	◆	◆
Olmesartan	◆	◆	■	◆	◆
Perindopril	◆	◆	◆	◆	◆
Prazosin	◆	◆	■	◆	◆
Quinapril	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆
Ranolazine	◆	◆	▲	◆	■
Riociguat	◆	◆	■	◆	◆
Sacubitril	◆	◆	■	◆	▲
Selexipag	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	▲
Spiroolactone	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	◆
Telmisartan	◆	◆	■	◆	◆
Terazosin	◆	◆	◆	◆	◆
Torsemide	◆	◆	■	◆	◆
Trandolapril	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆
Triamterene	◆	◆	◆	◆	◆
Valsartan	◆	◆	■	◆	◆
Xipamide	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry and Attachment Inhibitors

Charts revised June 2021. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	MVC
Illicit/Recreational					
Alcohol	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	◆
Cocaine	◆	◆	■	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆
Immune Modulators					
Hydroxyurea (Hydroxycarbamide)	◆	◆	◆	◆	◆
Interferon alpha	◆	◆	◆	◆	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆	◆
Peginterferon alfa-2a	◆	◆	◆	◆	◆
Peginterferon alfa-2b	◆	◆	◆	◆	◆
Immunosuppressants					
Adalimumab	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	◆	▲
Mycophenolate	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	◆	◆
Tacrolimus	◆	◆	▲	◆	◆
Tocilizumab	◆	◆	◆	◆	◆
Lipid Lowering Agents					
Alirocumab	◆	◆	◆	◆	◆
Atorvastatin	◆	◆	■	◆	◆
Bezafibrate	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆
Evolocumab	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	■	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆
Lovastatin	◆	◆	■	◆	◆
Pitavastatin	◆	◆	■	◆	◆
Pravastatin	◆	◆	■	◆	◆
Rosuvastatin	◆	◆	■	◆	◆
Simvastatin	◆	◆	■	◆	◆
Overactive Bladder Agents					
Darifenacin	◆	◆	◆	◆	◆
Fesoterodine	◆	◆	◆	◆	◆
Mirabegron	◆	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	◆	◆
Solifenacin	◆	◆	◆	◆	◆
Tolterodine	◆	◆	▲	◆	◆
Trospium	◆	◆	◆	◆	◆
Oxytocics					
Ergometrine (Ergonovine)	◆	◆	◆	◆	◆
Mifepristone	◆	◆	◆	◆	◆
Misoprostol	◆	◆	◆	◆	◆
Oxytocin	◆	◆	▲	◆	◆
Parkinsonism Agents					
Apomorphine	◆	◆	▲	◆	◆
Benserazide	◆	◆	◆	◆	◆
Cabergoline (Parkinson's)	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆
Steroids					
Beclomethasone	◆	◆	◆	◆	◆
Betamethasone	◆	◆	▲	◆	■
Budesonide	◆	◆	◆	◆	◆
Ciclesonide	◆	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆	◆
Dexamethasone	◆	◆	▲	◆	■
Fludrocortisone	◆	◆	◆	◆	◆
Flunisolide	◆	◆	◆	◆	◆
Fluocinolone	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆	◆
Hydrocortisone (oral)	◆	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	◆
Mometasone	◆	◆	◆	◆	◆
Nandrolone	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆	◆
Stanozolol	◆	◆	◆	◆	◆
Testosterone	◆	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	◆	◆

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	MVC	Maraviroc (Celsentri®, Selzentry®)
FTR	Fostemsavir (Rukobia®)		

	ABT	ENF	FTR	IBA	MVC
Other					
Acamprosate	◆	◆	◆	◆	◆
Acetazolamide	◆	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆	◆
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆
Alendronic Acid	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	▲	◆	◆
Allopurinol	◆	◆	◆	◆	◆
Atomoxetine	◆	◆	▲	◆	◆
Atropine	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆
Brimonidine	◆	◆	◆	◆	◆
Cabergoline (lactation suppression)	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆
Calcium folinate	◆	◆	◆	◆	◆
Cannabidiol (CBD)	◆	◆	◆	◆	◆
Carbimazole	◆	◆	◆	◆	◆
Clomifene	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆	◆
Colestyramine (Cholestyramine)	◆	◆	▲	◆	▲
Cyproterone acetate	◆	◆	◆	◆	◆
Dapoxetine	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	◆
Eltrombopag	◆	◆	◆	◆	◆
Fampridine (Dalfampridine)	◆	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆
Fibanserin	◆	◆	◆	◆	▲
Glyceril trinitrate (Nitroglycerin)	◆	◆	◆	◆	◆
Goserelin	◆	◆	▲	◆	◆
Ibandronic acid	◆	◆	◆	◆	◆
Isotretinoin	◆	◆	◆	◆	◆
Leuporelin	◆	◆	▲	◆	◆
Levothyroxine	◆	◆	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆
Modafinil	◆	◆	▲	◆	■
Naftidrofuryl	◆	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆
Nicotine	◆	◆	◆	◆	◆
Orlistat	◆	◆	▲	◆	▲
Penicillamine	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆
Probenecid	◆	◆	◆	◆	◆
Propylthiouracil	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆
Sevelamer	◆	◆	▲	◆	▲
Strontium ranelate	◆	◆	▲	◆	▲
Sulfasalazine	◆	◆	■	◆	◆
Tamsulosin	◆	◆	◆	◆	◆
Thalidomide	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆
Triptorelin	◆	◆	◆	◆	◆
Ursodeoxycholic acid	◆	◆	◆	◆	■
Varenicline	◆	◆	◆	◆	◆
Zoledronic acid	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.