

# Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 16 February 2023. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Anaesthetics &amp; Muscle Relaxants</b>						
Alcuronium	◆	◆	◆	◆	◆	◆
Bupivacaine	◆	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆	◆
Etidocaine	◆	◆	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	◆	◆
Minaxolone	◆	◆	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	◆	◆	◆	◆
Sufentanil	◆	◆	◆	◆	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆
<b>Analgesics</b>						
Alfentanil	◆	◆	◆	◆	◆	◆
Aspirin	◆	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	◆	◆	◆
Celecoxib	◆	◆	◆	◆	◆	◆
Codeine	◆	◆	◆	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆	◆	◆
Fentanyl	◆	◆	◆	◆	◆	◆
Hydrocodone	◆	◆	◆	◆	◆	◆
Hydromorphone	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆
Ketorolac	◆	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆
Meloxicam	◆	◆	◆	◆	◆	◆
Methadone	◆	◆	◆	◆	◆	◆
Morphine	◆	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	◆	◆	◆
Nimesulide	◆	◆	◆	◆	◆	◆
Oxycodone	◆	◆	◆	◆	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	◆	◆
Piroxicam	◆	◆	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	◆	◆
<b>Anthelmintics</b>						
Albendazole	◆	◆	◆	◆	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	◆	◆
Pyrantel	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	◆	◆	◆	◆
<b>Antiarrhythmics</b>						
Amiodarone	◆	◆	◆	◆	◆	◆
Bepidil	◆	◆	◆	◆	◆	◆
Digoxin	◆	◆	◆	◆	◆	◆
Disopyramide	◆	◆	◆	◆	◆	◆
Dofetilide	◆	◆	◆	◆	◆	◆
Flecainide	◆	◆	◆	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	◆	◆
Mexiletine	◆	◆	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆	◆	◆
Quinidine	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Antibacterials</b>						
Amikacin	◆	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	◆	◆
Azithromycin	◆	◆	◆	◆	◆	◆
Bedaquiline	◆	◆	◆	◆	◆	◆
Capreomycin	◆	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	◆	◆	◆	◆
Clarithromycin	◆	◆	◆	◆	◆	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	◆	◆
Clofazimine	◆	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	◆	◆	◆	◆
Doxycycline	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆
Erythromycin	◆	◆	◆	◆	◆	◆
Ethambutol	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆
Flucloxacillin	◆	◆	◆	◆	◆	◆
Gentamicin	◆	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	◆	◆
Levofloxacin	◆	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	◆	◆	◆
Para-aminosalicylic acid	◆	◆	◆	◆	◆	◆
Penicillins	◆	◆	◆	◆	◆	◆
Piperacillin	◆	◆	◆	◆	◆	◆
Pretomanid	◆	◆	◆	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆	◆
Rifabutin	◆	◆	◆	◆	◆	◆
Rifampicin	◆	◆	◆	◆	◆	◆
Rifapentine	◆	◆	◆	◆	◆	◆
Rifaximin	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆	◆	◆
Tazobactam	◆	◆	◆	◆	◆	◆
Telithromycin	◆	◆	◆	◆	◆	◆
Tetracyclines	◆	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆	◆	◆
Vancomycin	◆	◆	◆	◆	◆	◆
<b>Anti-coagulant, Anti-platelet and Fibrinolytic</b>						
Acenocoumarol	◆	◆	◆	◆	◆	◆
Apixaban	◆	◆	◆	◆	◆	◆
Argatroban	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆
Betrixaban	◆	◆	◆	◆	◆	◆
Clopidogrel	◆	◆	◆	◆	◆	◆
Dabigatran	◆	◆	◆	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	◆	◆
Warfarin	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

**Key to abbreviations**

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 16 February 2023. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Anticonvulsants</b>						
Carbamazepine	◆	◆	●	◆	●	■
Cenobamate	◆	◆	●	◆	■	■
Clonazepam	◆	◆	◆	◆	■	◆
Eslicarbazepine	◆	◆	●	◆	●	■
Ethosuximide	◆	◆	◆	◆	■	◆
Gabapentin	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	▲	◆	◆	◆
Oxcarbazepine	◆	◆	●	◆	●	■
Phenobarbital (Phenobarbitone)	◆	◆	●	◆	■	■
Phenytoin	◆	◆	●	◆	●	■
Pregabalin	◆	◆	◆	◆	◆	◆
Primidone	◆	◆	●	◆	●	■
Sodium valproate	◆	◆	◆	◆	◆	◆
Tiagabine	◆	◆	◆	◆	▲	◆
Topiramate	◆	◆	◆	◆	◆	◆
Valproate semisodium (Divalproex)	◆	◆	◆	◆	◆	◆
Valproic acid	◆	◆	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆
<b>Antidepressants</b>						
Agomelatine	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆	◆	◆
Citalopram	◆	◆	■	◆	◆	◆
Clomipramine	◆	◆	◆	◆	◆	◆
Desipramine	◆	◆	▲	◆	◆	◆
Desvenlafaxine	◆	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	■	◆	◆	◆
Fluoxetine	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆
Imipramine	◆	◆	▲	◆	◆	◆
Lithium	◆	◆	▲	◆	◆	◆
Maprotiline	◆	◆	▲	◆	◆	◆
Mianserin	◆	◆	▲	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	▲	◆	◆	◆
Nefazodone	◆	◆	▲	◆	▲	■
Nortriptyline	◆	◆	▲	◆	◆	◆
Paroxetine	◆	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆	◆
Tranlycypromine	◆	◆	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆	▲	◆
Trimipramine	◆	◆	▲	◆	◆	◆
Venlafaxine	◆	◆	▲	◆	◆	▲
Vortioxetine	◆	◆	◆	◆	◆	◆
<b>Anti-diabetics</b>						
Acarbose	◆	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	▲	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	■	◆	■	◆
Gliclazide	◆	◆	■	◆	◆	◆
Glimepiride	◆	◆	■	◆	◆	◆
Glipizide	◆	◆	■	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	■	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆	◆
Repaglinide	◆	◆	■	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	■	◆
Semaglutide	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Antifungals</b>						
Amphotericin B	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	■	◆	◆	◆
Clotrimazole (pessary, troche)	◆	◆	◆	◆	◆	▲
Clotrimazole (topical)	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	■	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	▲	◆	■	■
Isavuconazole	◆	◆	◆	◆	▲	▲
Itraconazole	◆	◆	▲	◆	▲	■
Ketoconazole	◆	◆	▲	◆	▲	■
Miconazole	◆	◆	◆	◆	◆	▲
Nystatin	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	▲	◆	▲	■
Terbinafine	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	▲	◆	▲	■
<b>Antihistamines</b>						
Astemizole	◆	◆	■	◆	●	◆
Cetirizine	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	▲	◆
Promethazine	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	■	◆	●	◆
<b>Antimigraine Agents</b>						
Almotriptan	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	●	▲
Eletriptan	◆	◆	◆	◆	■	◆
Ergotamine	◆	◆	◆	◆	●	▲
Rizatriptan	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆	◆	◆
<b>Antiprotozoals</b>						
Amodiaquine	◆	◆	◆	◆	◆	◆
Artemisinin	◆	◆	▲	◆	▲	▲
Atovaquone	◆	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	■	◆	▲	◆
Diloxanide	◆	◆	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆	◆	◆
Halofantrine	◆	◆	■	◆	●	◆
Hydroxychloroquine	◆	◆	■	◆	▲	◆
Lumefantrine	◆	◆	▲	◆	▲	◆
Mefloquine	◆	◆	▲	◆	▲	◆
Meglumine antimoniate	◆	◆	■	◆	◆	◆
Melarsoprol	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	■	◆	◆	◆
Piperazine	◆	◆	■	◆	▲	▲
Primaquine	◆	◆	▲	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆	◆
Quinine	◆	◆	■	◆	■	▲
Sodium stibogluconate	◆	◆	■	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

**Key to abbreviations**

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 16 February 2023. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Antipsychotics/Neuroleptics</b>						
Amisulpride	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	◆	◆	◆
Asenapine	◆	◆	▲	◆	◆	◆
Chlorpromazine	◆	◆	■	◆	◆	◆
Clozapine	◆	◆	▲	◆	■	◆
Fluphenazine	◆	◆	▲	◆	◆	◆
Haloperidol	◆	◆	■	◆	▲	▲
Iloperidone	◆	◆	▲	◆	▲	◆
Levomopromazine	◆	◆	■	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	▲	◆	◆	◆
Perazine	◆	◆	◆	◆	▲	◆
Periciazine	◆	◆	◆	◆	◆	◆
Perphenazine	◆	◆	▲	◆	◆	◆
Pimozide	◆	◆	■	◆	●	◆
Pipotiazine	◆	◆	▲	◆	◆	◆
Quetiapine	◆	◆	◆	◆	■	◆
Risperidone	◆	◆	◆	◆	▲	◆
Sulpiride	◆	◆	■	◆	◆	◆
Thioridazine	◆	◆	■	◆	●	■
Tiapride	◆	◆	▲	◆	◆	◆
Ziprasidone	◆	◆	■	◆	◆	◆
Zotepine	◆	◆	▲	◆	■	◆
Zuclopenthixol	◆	◆	▲	◆	▲	◆
<b>Antivirals</b>						
Aciclovir	◆	◆	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆
Brincidofovir	◆	◆	■	◆	◆	◆
Bulevirtide	◆	◆	◆	◆	◆	▲
Cidofovir	◆	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	●	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆
Favipiravir	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	▲	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	▲	◆	◆	◆
Letermovir	◆	◆	▲	◆	●	▲
Maribavir	◆	◆	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆	◆
Nirmatrelvir/Ritonavir	▲	◆	◆	◆	▲	■
Ombitasvir/Paritaprevir/r	◆	◆	▲	◆	◆	■
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	▲	◆	▲	■
Oseltamivir	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆
Simeprevir	◆	◆	▲	◆	●	◆
Sofosbuvir	◆	◆	▲	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	▲	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	■	◆	◆	◆
Sotrovimab	◆	◆	◆	◆	◆	◆
Tecovirimat	◆	◆	◆	◆	▲	▲
Telbivudine	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	◆	◆	◆	◆	▲	◆
Tixagevimab/Cilgavimab	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Anxiolytics/Hypnotics/ Sedatives</b>						
Alprazolam	◆	◆	◆	◆	■	◆
Bromazepam	◆	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	■	◆
Chlordiazepoxide	◆	◆	◆	◆	■	◆
Clobazam	◆	◆	▲	◆	■	▲
Clorazepate	◆	◆	◆	◆	■	◆
Diazepam	◆	◆	◆	◆	■	◆
Estazolam	◆	◆	◆	◆	■	◆
Flunitrazepam	◆	◆	◆	◆	■	◆
Flurazepam	◆	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	▲	◆
Lorazepam	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	■	◆
Midazolam (parenteral)	◆	◆	◆	◆	■	◆
Oxazepam	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	■	◆
Zaleplon	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	▲	◆
Zopiclone	◆	◆	◆	◆	▲	◆
<b>Beta Blockers</b>						
Atenolol	◆	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	▲	◆
Carvedilol	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆
Sotalol	◆	◆	■	◆	◆	◆
Timolol	◆	◆	◆	◆	◆	▲
<b>Bronchodilators</b>						
Acidinium bromide	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	▲	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	■	◆
Terbutaline	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆
<b>Calcium Channel Blockers</b>						
Amlodipine	◆	◆	◆	◆	■	◆
Diltiazem	◆	◆	▲	◆	▲	■
Felodipine	◆	◆	◆	◆	■	◆
Nicardipine	◆	◆	▲	◆	▲	■
Nifedipine	◆	◆	◆	◆	■	◆
Nisoldipine	◆	◆	◆	◆	■	◆
Nitrendipine	◆	◆	◆	◆	■	◆
Verapamil	◆	◆	▲	◆	▲	■

For personal use only. Not for distribution.

**Key to abbreviations**

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 16 February 2023. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Cancer Therapies</b>						
Abemaciclib	◆	◆	◆	◆	◆	◆
Abiraterone	◆	◆	◆	◆	◆	◆
Acalabrutinib	◆	◆	◆	◆	◆	◆
Anastrozole	◆	◆	◆	◆	◆	◆
Asparaginase	◆	◆	◆	◆	◆	◆
Avelumab	◆	◆	◆	◆	◆	◆
Bevacizumab	◆	◆	◆	◆	◆	◆
Bezarotene	◆	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆
Blinatumomab	◆	◆	◆	◆	◆	◆
Bortezomib	◆	◆	◆	◆	◆	◆
Bosutinib	◆	◆	◆	◆	◆	◆
Brentuximab vedotin	◆	◆	◆	◆	◆	◆
Cabazitaxel	◆	◆	◆	◆	◆	◆
Cabozantinib	◆	◆	◆	◆	◆	◆
Capecitabine	◆	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆	◆	◆
Cetuximab	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆
Cisplatin	◆	◆	◆	◆	◆	◆
Cyclophosphamide	◆	◆	◆	◆	◆	◆
Cytarabine	◆	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆
Dasatinib	◆	◆	◆	◆	◆	◆
Daunorubicin	◆	◆	◆	◆	◆	◆
Docetaxel	◆	◆	◆	◆	◆	◆
Doxorubicin	◆	◆	◆	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆	◆
Enzalutamide	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	◆	◆	◆
Erlotinib	◆	◆	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	◆	◆	◆	◆
Formestane	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆	◆	◆
Ifosfamide	◆	◆	◆	◆	◆	◆
Imatinib	◆	◆	◆	◆	◆	◆
Irinotecan	◆	◆	◆	◆	◆	◆
Lapatinib	◆	◆	◆	◆	◆	◆
Lenalidomide	◆	◆	◆	◆	◆	◆
Letrozole	◆	◆	◆	◆	◆	◆
Mercaptopurine	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆
Mitoxantrone	◆	◆	◆	◆	◆	◆
Nilotinib	◆	◆	◆	◆	◆	◆
Oxaliplatin	◆	◆	◆	◆	◆	◆
Paclitaxel	◆	◆	◆	◆	◆	◆
Pazopanib	◆	◆	◆	◆	◆	◆
Polatuzumab vedotin	◆	◆	◆	◆	◆	◆
Procarbazine	◆	◆	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆	◆
Sorafenib	◆	◆	◆	◆	◆	◆
Sunitinib	◆	◆	◆	◆	◆	◆
Tamoxifen	◆	◆	◆	◆	◆	◆
Temsirolimus	◆	◆	◆	◆	◆	◆
Topotecan	◆	◆	◆	◆	◆	◆
Toremifene	◆	◆	◆	◆	◆	◆
Trastuzumab	◆	◆	◆	◆	◆	◆
Trastuzumab emtansine	◆	◆	◆	◆	◆	◆
Venetoclax	◆	◆	◆	◆	◆	◆
Vinblastine	◆	◆	◆	◆	◆	◆
Vincristine	◆	◆	◆	◆	◆	◆
Vinorelbine	◆	◆	◆	◆	◆	◆
Vorinostat	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Contraceptives/HRT</b>						
Bazedoxifene	◆	◆	◆	◆	◆	◆
Chlormadinone (COC)	◆	◆	◆	◆	◆	◆
Conjugated estrogens	◆	◆	◆	◆	◆	◆
Desogestrel (COC)	◆	◆	◆	◆	◆	◆
Desogestrel (POP)	◆	◆	◆	◆	◆	◆
Drospirenone (COC)	◆	◆	◆	◆	◆	◆
Drospirenone (HRT)	◆	◆	◆	◆	◆	◆
Drospirenone (POP)	◆	◆	◆	◆	◆	◆
Dydrogesterone (HRT)	◆	◆	◆	◆	◆	◆
Estradiol	◆	◆	◆	◆	◆	◆
Ethinylestradiol	◆	◆	◆	◆	◆	◆
Etonogestrel (implant)	◆	◆	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	◆	◆	◆	◆	◆
Gestodene (COC)	◆	◆	◆	◆	◆	◆
Levonorgestrel (COC)	◆	◆	◆	◆	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	◆	◆	◆
Levonorgestrel (HR T)	◆	◆	◆	◆	◆	◆
Levonorgestrel (implant)	◆	◆	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (HRT)	◆	◆	◆	◆	◆	◆
Norelgestromin (patch)	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	◆	◆	◆
Norgestimate (COC)	◆	◆	◆	◆	◆	◆
Norgestimate (HRT)	◆	◆	◆	◆	◆	◆
Norgestrel (COC)	◆	◆	◆	◆	◆	◆
Norgestrel (HRT)	◆	◆	◆	◆	◆	◆
Progesterone (HRT)	◆	◆	◆	◆	◆	◆
Tibolone (HRT)	◆	◆	◆	◆	◆	◆
Ulipristal	◆	◆	◆	◆	◆	◆
<b>Erectile Dysfunctional Agents</b>						
Avanafil	◆	◆	◆	◆	◆	◆
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆
Vardenafil	◆	◆	◆	◆	◆	◆
Yohimbine	◆	◆	◆	◆	◆	◆
<b>Gastrointestinal Agents</b>						
Alosetron	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	◆	◆	◆
Dexlansoprazole	◆	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆
<b>Gastrointestinal Agents (anti-emetics)</b>						
Aprepitant	◆	◆	◆	◆	◆	◆
Dolasetron	◆	◆	◆	◆	◆	◆
Domperidone	◆	◆	◆	◆	◆	◆
Dronabinol	◆	◆	◆	◆	◆	◆
Granisetron	◆	◆	◆	◆	◆	◆
Metoclopramide	◆	◆	◆	◆	◆	◆
Ondansetron	◆	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

**Key to abbreviations**

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 16 February 2023. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Herbals/Supplements/Vitamins</b>						
African potato	◆	◆	▲	◆	▲	■
Aloe vera	◆	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C) [alone]	◆	◆	◆	◆	◆	◆
Ascorbic Acid [in multivitamins]	◆	◆	◆	◆	◆	◆
Ashwagandha (Withania somnifera)	◆	◆	◆	◆	◆	◆
Ayahuasca	◆	◆	◆	◆	◆	▲
Black cohosh	◆	◆	◆	◆	◆	◆
Calcium supplements	◆	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	◆	◆	▲	◆	▲	■
Colecalciferol (vitamin D3) [alone]	◆	◆	◆	◆	◆	◆
Colecalciferol [in multivitamins]	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	◆	◆	▲	▲
Cyanocobalamin [alone]	◆	◆	◆	◆	◆	◆
Cyanocobalamin [in multivitamins]	◆	◆	◆	◆	◆	◆
Echinacea	◆	◆	▲	◆	◆	▲
Eucalyptus globulus	◆	◆	◆	◆	◆	◆
Ferrous fumarate	◆	◆	◆	◆	◆	◆
Folic acid [alone]	◆	◆	◆	◆	◆	◆
Folic acid [in multivitamins]	◆	◆	◆	◆	◆	◆
Garlic	◆	◆	■	◆	◆	■
Ginger (Zingiber officinale)	◆	◆	◆	◆	◆	▲
Ginkgo biloba	◆	◆	▲	◆	■	▲
Ginseng (P. ginseng, P. quinquefolius)	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	◆	▲
Green tea extracts (Camellia sinensis)	◆	◆	◆	◆	◆	▲
Guggulsterone	◆	◆	◆	◆	●	■
Hops (Humulus lupulus)	◆	◆	■	◆	●	■
Inula racemosa	◆	◆	▲	◆	◆	▲
Iodine [alone]	◆	◆	◆	◆	◆	◆
Iodine [in multivitamins]	◆	◆	◆	◆	◆	◆
Iron supplements (injection/infusion)	◆	◆	◆	◆	◆	◆
Iron supplements (oral)	◆	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	◆	▲	◆	■	▲
Magnesium supplements	◆	◆	◆	◆	◆	◆
Malabar nut tree	◆	◆	▲	◆	■	■
Menthol	◆	◆	▲	◆	◆	▲
Milk thistle (silymarin)	◆	◆	◆	◆	◆	◆
Mucuna pruriens	◆	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆	◆
Nicotinamide [alone]	◆	◆	◆	◆	◆	◆
Nicotinamide [in multivitamins]	◆	◆	◆	◆	◆	◆
Phytomenadione (vitamin K) [alone]	◆	◆	◆	◆	◆	◆
Phytomenadione [in multivitamins]	◆	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6) [alone]	◆	◆	◆	◆	◆	◆
Pyridoxine [in multivitamins]	◆	◆	◆	◆	◆	◆
Quercetin	◆	◆	◆	◆	◆	■
Red yeast rice	◆	◆	◆	◆	■	◆
Retinol (vitamin A) [alone]	◆	◆	◆	◆	◆	◆
Retinol (vitamin A) [in multivitamins]	◆	◆	◆	◆	◆	◆
Riboflavin (vitamin B2) [alone]	◆	◆	◆	◆	◆	◆
Riboflavin [in multivitamins]	◆	◆	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	◆	▲
St John's Wort	◆	◆	●	◆	●	●
Thiamine (vitamin B1) [alone]	◆	◆	◆	◆	◆	◆
Thiamine [in multivitamins]	◆	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [alone]	◆	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [in multivitamins]	◆	◆	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Hypertension / Heart Failure Agents</b>						
Aliskiren	◆	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	■	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆	◆
Azilarsentan	◆	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆
Bosentan	◆	◆	■	◆	●	■
Candesartan	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	■	◆
Enalapril	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆	■	◆
Epoprostenol	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆	▲
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	▲	◆
Irbesartan	◆	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆	▲
Ivabradine	◆	◆	▲	◆	■	◆
Labetalol	◆	◆	◆	◆	◆	◆
Lacidipine	◆	◆	▲	◆	■	◆
Lercanidipine	◆	◆	◆	◆	■	◆
Lisinopril	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	■	◆
Methyldopa	◆	◆	◆	◆	◆	▲
Metolazone	◆	◆	◆	◆	◆	◆
Midodrine	◆	◆	■	◆	◆	◆
Moxonidine	◆	◆	◆	◆	◆	◆
Olmesartan	◆	◆	■	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	■	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	▲	◆	■	■
Riociguat	◆	◆	■	◆	▲	◆
Sacubitril	◆	◆	■	◆	▲	◆
Selexipag	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆	■	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	▲
Spironolactone	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	●	◆
Telmisartan	◆	◆	■	◆	◆	◆
Terazosin	◆	◆	◆	◆	◆	◆
Torsemide	◆	◆	■	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆	◆
Triamterene	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	■	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆
<b>Illicit/Recreational</b>						
Alcohol	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	▲	◆
Cocaine	◆	◆	■	◆	▲	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	■	◆
Heroin	◆	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	■	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆

**Key to abbreviations**

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Entuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

# Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 16 February 2023. Full information available at [www.hiv-druginteractions.org](http://www.hiv-druginteractions.org)

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Immune Modulators</b>						
Hydroxyurea (Hydroxycarbamide)	◆	◆	◆	◆	◆	◆
Interferon alpha	◆	◆	◆	◆	◆	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2a	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2b	◆	◆	◆	◆	◆	◆
<b>Immunosuppressants</b>						
Adalimumab	◆	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆
Apremilast	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	◆	◆	◆
Tacrolimus	◆	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆	◆
<b>Lipid Lowering Agents</b>						
Alirocumab	◆	◆	◆	◆	◆	◆
Atorvastatin	◆	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆
Evolocumab	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆
Lovastatin	◆	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	◆	◆	◆
<b>Overactive Bladder Agents</b>						
Darifenacin	◆	◆	◆	◆	◆	◆
Fesoterodine	◆	◆	◆	◆	◆	◆
Mirabegron	◆	◆	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	◆	◆	◆
Silodosin	◆	◆	◆	◆	◆	◆
Solifenacin	◆	◆	◆	◆	◆	◆
Tolterodine	◆	◆	◆	◆	◆	◆
Trospium	◆	◆	◆	◆	◆	◆
<b>Oxytocics</b>						
Ergometrine (Ergonovine)	◆	◆	◆	◆	◆	◆
Mifepristone	◆	◆	◆	◆	◆	◆
Misoprostol	◆	◆	◆	◆	◆	◆
Oxytocin	◆	◆	◆	◆	◆	◆
<b>Parkinsonism Agents</b>						
Apomorphine	◆	◆	◆	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆	◆
Cabergoline (Parkinson's)	◆	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆	◆
<b>Steroids</b>						
Beclometasone	◆	◆	◆	◆	◆	◆
Betamethasone	◆	◆	◆	◆	◆	◆
Budesonide	◆	◆	◆	◆	◆	◆
Ciclesonide	◆	◆	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆	◆	◆
Dexamethasone (doses >16 mg)	◆	◆	◆	◆	◆	◆
Dexamethasone (low dose; ≤16 mg)	◆	◆	◆	◆	◆	◆
Fludrocortisone	◆	◆	◆	◆	◆	◆
Flunisolide	◆	◆	◆	◆	◆	◆
Fluocinolone	◆	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆	◆	◆
Hydrocortisone (oral)	◆	◆	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	◆	◆
Mometasone	◆	◆	◆	◆	◆	◆
Nandrolone	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆	◆	◆
Stanozolol	◆	◆	◆	◆	◆	◆
Testosterone	◆	◆	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
<b>Other</b>						
Acamprosate	◆	◆	◆	◆	◆	◆
Acetazolamide	◆	◆	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆	◆	◆
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆
Alendronic Acid	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	▲	◆	◆	◆
Allopurinol	◆	◆	◆	◆	◆	◆
Atomoxetine	◆	◆	▲	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆	◆
Brimonidine	◆	◆	◆	◆	◆	◆
Cabergoline (lactation suppression)	◆	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆	◆
Calcitonin	◆	◆	◆	◆	◆	◆
Calcium folinate	◆	◆	◆	◆	◆	◆
Cannabidiol (CBD)	◆	◆	◆	◆	◆	◆
Carbimazole	◆	◆	◆	◆	◆	◆
Clomifene	◆	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆	◆	◆
Colestyramine (Cholestyramine)	◆	◆	▲	◆	◆	◆
Cyproterone acetate	◆	◆	◆	◆	◆	◆
Dapoxetine	◆	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆	◆
Donepezil	◆	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	◆	◆
Eltrombopag	◆	◆	◆	◆	◆	◆
Fampridine (Dalfampridine)	◆	◆	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆
Flibanserin	◆	◆	◆	◆	◆	◆
Glycerol trinitrate (Nitroglycerin)	◆	◆	◆	◆	◆	◆
Goserelin	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆
Isotretinoin	◆	◆	◆	◆	◆	◆
Leuprorelin	◆	◆	◆	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆	◆
Medroxyprogesterone	◆	◆	◆	◆	◆	◆
Memantine	◆	◆	◆	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆	◆
Modafinil	◆	◆	◆	◆	◆	◆
Naftidrofuryl	◆	◆	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆
Nicotine	◆	◆	◆	◆	◆	◆
Octreotide	◆	◆	◆	◆	◆	◆
Orlistat	◆	◆	◆	◆	◆	◆
Penicillamine	◆	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆
Probenecid	◆	◆	◆	◆	◆	◆
Propylthiouracil	◆	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆	◆
Sevelamer	◆	◆	◆	◆	◆	◆
Strontium ranelate	◆	◆	◆	◆	◆	◆
Sulfasalazine	◆	◆	◆	◆	◆	◆
Tamsulosin	◆	◆	◆	◆	◆	◆
Teripressin	◆	◆	◆	◆	◆	◆
Tesamorelin	◆	◆	◆	◆	◆	◆
Thalidomide	◆	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆
Triptorelin	◆	◆	◆	◆	◆	◆
Ursodeoxycholic acid	◆	◆	◆	◆	◆	◆
Varenicline	◆	◆	◆	◆	◆	◆
Zoledronic acid	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

**Key to abbreviations**

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

**Key to symbols**

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.