

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 2 November 2023. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Anaesthetics & Muscle Relaxants						
Alcuronium	◆	◆	◆	◆	◆	◆
Bupivacaine	◆	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆	◆
Etidocaine	◆	◆	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	◆	◆
Minaxolone	◆	◆	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	◆	◆	◆	◆
Sufentanil	◆	◆	◆	◆	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆
Analgesics						
Alfentanil	◆	◆	◆	◆	◆	◆
Aspirin	◆	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	◆	◆	◆
Celecoxib	◆	◆	◆	◆	◆	◆
Codeine	◆	◆	◆	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆	◆	◆
Fentanyl	◆	◆	◆	◆	◆	◆
Hydrocodone	◆	◆	◆	◆	◆	◆
Hydromorphone	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆
Indometacin (Indomethacin)	◆	◆	◆	◆	◆	◆
Ketoprofen	◆	◆	◆	◆	◆	◆
Ketorolac	◆	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆
Meloxicam	◆	◆	◆	◆	◆	◆
Methadone	◆	◆	◆	◆	◆	◆
Morphine	◆	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	◆	◆	◆
Nimesulide	◆	◆	◆	◆	◆	◆
Oxycodone	◆	◆	◆	◆	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	◆	◆
Piroxicam	◆	◆	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	◆	◆
Anthelmintics						
Albendazole	◆	◆	◆	◆	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	◆	◆
Pyrantel	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	◆	◆	◆	◆
Antiarrhythmics						
Amiodarone	◆	◆	◆	◆	◆	◆
Bepidil	◆	◆	◆	◆	◆	◆
Digoxin	◆	◆	◆	◆	◆	◆
Disopyramide	◆	◆	◆	◆	◆	◆
Dofetilide	◆	◆	◆	◆	◆	◆
Dronedarone	◆	◆	◆	◆	◆	◆
Flecainide	◆	◆	◆	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	◆	◆
Mexiletine	◆	◆	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆	◆	◆
Quinidine	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Antibacterials						
Amikacin	◆	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	◆	◆
Azithromycin	◆	◆	◆	◆	◆	◆
Bedaquiline	◆	◆	◆	◆	◆	◆
Capreomycin	◆	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	◆	◆	◆	◆
Clarithromycin	◆	◆	◆	◆	◆	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	◆	◆
Clofazimine	◆	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆
Daptomycin	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	◆	◆	◆	◆
Doxycycline	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆
Erythromycin	◆	◆	◆	◆	◆	◆
Ethambutol	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆
Flucloxacillin	◆	◆	◆	◆	◆	◆
Fosfomycin	◆	◆	◆	◆	◆	◆
Gentamicin	◆	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	◆	◆
Levofloxacin	◆	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	◆	◆	◆
Para-aminosalicylic acid	◆	◆	◆	◆	◆	◆
Penicillins	◆	◆	◆	◆	◆	◆
Piperacillin	◆	◆	◆	◆	◆	◆
Pretomanid	◆	◆	◆	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆	◆
Rifabutin	◆	◆	◆	◆	◆	◆
Rifampicin	◆	◆	◆	◆	◆	◆
Rifapentine	◆	◆	◆	◆	◆	◆
Rifaximin	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆	◆	◆
Tazobactam	◆	◆	◆	◆	◆	◆
Telithromycin	◆	◆	◆	◆	◆	◆
Tetracyclines	◆	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆	◆	◆
Vancomycin	◆	◆	◆	◆	◆	◆
Anti-coagulant, Anti-platelet and Fibrinolytic						
Acenocoumarol	◆	◆	◆	◆	◆	◆
Apixaban	◆	◆	◆	◆	◆	◆
Argatroban	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆
Betrixaban	◆	◆	◆	◆	◆	◆
Clopidogrel	◆	◆	◆	◆	◆	◆
Dabigatran	◆	◆	◆	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	◆	◆
Tinzaparin	◆	◆	◆	◆	◆	◆
Warfarin	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 2 November 2023. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Anticonvulsants						
Carbamazepine	◆	◆	●	◆	●	■
Cenobamate	◆	◆	●	◆	■	■
Clonazepam	◆	◆	◆	◆	■	◆
Eslicarbazepine	◆	◆	●	◆	●	■
Ethosuximide	◆	◆	◆	◆	■	◆
Gabapentin	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	▲	◆	◆	◆
Oxcarbazepine	◆	◆	●	◆	■	■
Perampanel	◆	◆	▲	◆	■	■
Phenobarbital (Phenobarbitone)	◆	◆	●	◆	●	■
Phenytoin	◆	◆	●	◆	●	■
Pregabalin	◆	◆	◆	◆	◆	◆
Primidone	◆	◆	●	◆	●	■
Sodium valproate	◆	◆	◆	◆	◆	◆
Tiagabine	◆	◆	◆	◆	▲	◆
Topiramate	◆	◆	◆	◆	◆	◆
Valproate semisodium (Divalproex)	◆	◆	◆	◆	◆	◆
Valproic acid	◆	◆	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆
Antidepressants						
Agomelatine	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆	◆	◆
Citalopram	◆	◆	■	◆	◆	◆
Clomipramine	◆	◆	◆	◆	◆	◆
Desipramine	◆	◆	▲	◆	◆	◆
Desvenlafaxine	◆	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	■	◆	◆	◆
Fluoxetine	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆
Imipramine	◆	◆	▲	◆	◆	◆
Lithium	◆	◆	◆	◆	◆	◆
Maprotiline	◆	◆	▲	◆	◆	◆
Mianserin	◆	◆	▲	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	▲	◆	◆	◆
Nefazodone	◆	◆	▲	◆	▲	■
Nortriptyline	◆	◆	▲	◆	◆	◆
Opipramol	◆	◆	◆	◆	◆	◆
Paroxetine	◆	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆	▲	◆
Trimipramine	◆	◆	▲	◆	◆	◆
Venlafaxine	◆	◆	▲	◆	◆	▲
Vortioxetine	◆	◆	◆	◆	◆	◆
Anti-diabetics						
Acarbose	◆	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	▲	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	■	◆	■	◆
Gliclazide	◆	◆	■	◆	◆	◆
Glimepiride	◆	◆	■	◆	◆	◆
Glipizide	◆	◆	■	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	■	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆	◆
Repaglinide	◆	◆	■	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	■	◆
Semaglutide	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆
Tirzepatide	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Antifungals						
Amphotericin B	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	■	◆	◆	◆
Clotrimazole (pessary, troche)	◆	◆	◆	◆	◆	▲
Clotrimazole (topical)	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	■	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	▲	◆	■	■
Isavuconazole	◆	◆	◆	◆	▲	▲
Itraconazole	◆	◆	▲	◆	▲	■
Ketoconazole	◆	◆	▲	◆	▲	■
Miconazole	◆	◆	◆	◆	◆	▲
Nystatin	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	▲	◆	▲	■
Terbinafine	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	▲	◆	▲	■
Antihistamines						
Astemizole	◆	◆	■	◆	●	◆
Cetirizine	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆
Desloratadine	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	▲	◆
Promethazine	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	■	◆	●	◆
Antimigraine Agents						
Almotriptan	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	●	▲
Eletriptan	◆	◆	◆	◆	■	◆
Eptinezumab	◆	◆	◆	◆	◆	◆
Erenumab	◆	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	●	▲
Fremanezumab	◆	◆	◆	◆	◆	◆
Frovatriptan	◆	◆	◆	◆	◆	◆
Galcanezumab	◆	◆	◆	◆	◆	◆
Naratriptan	◆	◆	◆	◆	◆	◆
Pizotifen	◆	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆	◆	◆
Antiprotozoals						
Amodiaquine	◆	◆	◆	◆	◆	◆
Artemisinin	◆	◆	▲	◆	▲	▲
Atovaquone	◆	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	◆	◆	◆
Diloxanide	◆	◆	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆	◆	◆
Halofantrine	◆	◆	■	◆	●	◆
Hydroxychloroquine	◆	◆	■	◆	▲	◆
Lumefantrine	◆	◆	▲	◆	▲	◆
Mefloquine	◆	◆	▲	◆	▲	◆
Meglumine antimoniate	◆	◆	■	◆	◆	◆
Melarsoprol	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆
Nitazoxanide	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	■	◆	◆	◆
Piperazine	◆	◆	■	◆	▲	▲
Primaquine	◆	◆	▲	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆	◆
Quinine	◆	◆	■	◆	■	▲
Sodium stibogluconate	◆	◆	■	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 2 November 2023. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Antipsychotics/Neuroleptics						
Amisulpride	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	▲	◆	▲	◆
Asenapine	◆	◆	◆	◆	◆	◆
Chlorpromazine	◆	◆	■	◆	◆	◆
Clozapine	◆	◆	▲	◆	■	◆
Flupentixol (Flupentixol)	◆	◆	▲	◆	◆	◆
Fluphenazine	◆	◆	▲	◆	◆	◆
Haloperidol	◆	◆	■	◆	▲	▲
Iloperidone	◆	◆	▲	◆	▲	◆
Levomepromazine	◆	◆	■	◆	◆	◆
Lurasidone	◆	◆	▲	◆	■	◆
Olanzapine	◆	◆	▲	◆	◆	◆
Paliperidone	◆	◆	▲	◆	◆	◆
Perazine	◆	◆	◆	◆	▲	◆
Periciazine	◆	◆	◆	◆	◆	◆
Perphenazine	◆	◆	▲	◆	◆	◆
Pimozide	◆	◆	■	◆	●	◆
Pipotiazine	◆	◆	▲	◆	◆	◆
Quetiapine	◆	◆	▲	◆	■	◆
Risperidone	◆	◆	◆	◆	▲	◆
Sulpiride	◆	◆	■	◆	◆	◆
Thioridazine	◆	◆	■	◆	●	■
Tiapride	◆	◆	▲	◆	◆	◆
Ziprasidone	◆	◆	■	◆	◆	◆
Zotepine	◆	◆	▲	◆	■	◆
Zuclopentixol	◆	◆	▲	◆	▲	◆
Antivirals						
Aciclovir	◆	◆	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆
Brincidofovir	◆	◆	■	◆	◆	◆
Bulevirtide	◆	◆	◆	◆	◆	▲
Cidofovir	◆	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	●	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆
Favipiravir	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	▲	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	▲	◆	◆	◆
Letermovir	◆	◆	◆	◆	●	▲
Maribavir	◆	◆	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆	◆
Nirmatrelvir/Ritonavir	▲	◆	◆	◆	▲	■
Ombitasvir/Paritaprevir/r	◆	◆	▲	◆	▲	■
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	▲	◆	▲	■
Oseltamivir	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆
Simeprevir	◆	◆	▲	◆	●	◆
Sofosbuvir	◆	◆	▲	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	▲	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	■	◆	◆	◆
Sotrovimab	◆	◆	◆	◆	◆	◆
Tecovirimat	◆	◆	◆	◆	▲	▲
Telbivudine	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	◆	◆	◆	◆	▲	◆
Tixagevimab/Cilgavimab	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆
Valganciclovir	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Anxiolytics/Hypnotics/ Sedatives						
Alprazolam	◆	◆	◆	◆	■	◆
Bromazepam	◆	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	■	◆
Chlordiazepoxide	◆	◆	◆	◆	■	◆
Clobazam	◆	◆	▲	◆	◆	▲
Clorazepate	◆	◆	◆	◆	■	◆
Diazepam	◆	◆	◆	◆	■	◆
Estazolam	◆	◆	◆	◆	■	◆
Flunitrazepam	◆	◆	◆	◆	■	◆
Flurazepam	◆	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	▲	◆
Lorazepam	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	■	◆
Midazolam (parenteral)	◆	◆	◆	◆	■	◆
Oxazepam	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	■	◆
Zaleplon	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	▲	◆
Zopiclone	◆	◆	◆	◆	▲	◆
Beta Blockers						
Atenolol	◆	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	▲	◆
Carvedilol	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆
Sotalol	◆	◆	■	◆	◆	◆
Timolol	◆	◆	◆	◆	◆	▲
Bisphosphonates						
Alendronic acid (Alendronate)	◆	◆	◆	◆	◆	◆
Ibandronic acid (Ibandronate)	◆	◆	◆	◆	◆	◆
Risedronic acid (Risedronate)	◆	◆	◆	◆	◆	◆
Zoledronic acid (Zoledronate)	◆	◆	◆	◆	◆	◆
Bronchodilators						
Acidinium bromide	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	▲	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	■	◆
Terbutaline	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆
Calcium Channel Blockers						
Amlodipine	◆	◆	◆	◆	■	◆
Diltiazem	◆	◆	▲	◆	▲	■
Felodipine	◆	◆	◆	◆	■	◆
Nicardipine	◆	◆	▲	◆	▲	■
Nifedipine	◆	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	■	◆
Nitrendipine	◆	◆	◆	◆	■	◆
Verapamil	◆	◆	▲	◆	▲	■

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 2 November 2023. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Cancer Therapies						
Abemaciclib	◆	◆	◆	◆	◆	◆
Abiraterone	◆	◆	◆	◆	◆	◆
Acalabrutinib	◆	◆	◆	◆	◆	◆
Afatinib	◆	◆	◆	◆	◆	◆
Alectinib	◆	◆	◆	◆	◆	◆
Alemtuzumab	◆	◆	◆	◆	◆	◆
Alpelisib	◆	◆	◆	◆	◆	◆
Amivantamab	◆	◆	◆	◆	◆	◆
Anastrozole	◆	◆	◆	◆	◆	◆
Apalutamide	◆	◆	◆	◆	◆	◆
Asciminib	◆	◆	◆	◆	◆	◆
Asparaginase	◆	◆	◆	◆	◆	◆
Atezolizumab	◆	◆	◆	◆	◆	◆
Avapritinib	◆	◆	◆	◆	◆	◆
Avelumab	◆	◆	◆	◆	◆	◆
Axitinib	◆	◆	◆	◆	◆	◆
Bendamustine	◆	◆	◆	◆	◆	◆
Bevacizumab	◆	◆	◆	◆	◆	◆
Bexarotene	◆	◆	◆	◆	◆	◆
Bicalutamide	◆	◆	◆	◆	◆	◆
Binimetinib	◆	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆
Blinatumomab	◆	◆	◆	◆	◆	◆
Bortezomib	◆	◆	◆	◆	◆	◆
Bosutinib	◆	◆	◆	◆	◆	◆
Brentuximab vedotin	◆	◆	◆	◆	◆	◆
Brigatinib	◆	◆	◆	◆	◆	◆
Cabazitaxel	◆	◆	◆	◆	◆	◆
Cabozantinib	◆	◆	◆	◆	◆	◆
Capecitabine	◆	◆	◆	◆	◆	◆
Capmatinib	◆	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆	◆	◆
Carfilzomib	◆	◆	◆	◆	◆	◆
Cemiplimab	◆	◆	◆	◆	◆	◆
Ceritinib	◆	◆	◆	◆	◆	◆
Cetuximab	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆
Cisplatin	◆	◆	◆	◆	◆	◆
Cobimetinib	◆	◆	◆	◆	◆	◆
Crizotinib	◆	◆	◆	◆	◆	◆
Cyclophosphamide	◆	◆	◆	◆	◆	◆
Cytarabine	◆	◆	◆	◆	◆	◆
Dabrafenib	◆	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	◆	◆
Dacomitinib	◆	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆
Daratumumab	◆	◆	◆	◆	◆	◆
Darolutamide	◆	◆	◆	◆	◆	◆
Dasatinib	◆	◆	◆	◆	◆	◆
Daunorubicin	◆	◆	◆	◆	◆	◆
Docetaxel	◆	◆	◆	◆	◆	◆
Doxorubicin	◆	◆	◆	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆	◆
Durvalumab	◆	◆	◆	◆	◆	◆
Duvelisib	◆	◆	◆	◆	◆	◆
Elotuzumab	◆	◆	◆	◆	◆	◆
Enasidenib	◆	◆	◆	◆	◆	◆
Encorafenib	◆	◆	◆	◆	◆	◆
Enfortumab vedotin	◆	◆	◆	◆	◆	◆
Entrectinib	◆	◆	◆	◆	◆	◆
Enzalutamide	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	◆	◆	◆
Erdafitinib	◆	◆	◆	◆	◆	◆
Eribulin	◆	◆	◆	◆	◆	◆
Erlotinib	◆	◆	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆
Fedratinib	◆	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	◆	◆	◆	◆
Flutamide	◆	◆	◆	◆	◆	◆
Formestane	◆	◆	◆	◆	◆	◆
Fulvestrant	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆	◆	◆
Gilteritinib	◆	◆	◆	◆	◆	◆
Glasdegib	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Cancer Therapies (continued)						
Hydroxycarbamide (Hydroxyurea)	◆	◆	◆	◆	◆	◆
Ibrutinib	◆	◆	◆	◆	◆	◆
Idelalisib	◆	◆	◆	◆	◆	◆
Ifosfamide	◆	◆	◆	◆	◆	◆
Imatinib	◆	◆	◆	◆	◆	◆
Infgratinib	◆	◆	◆	◆	◆	◆
Inotuzumab ozogamicin	◆	◆	◆	◆	◆	◆
Ipilimumab	◆	◆	◆	◆	◆	◆
Irinotecan	◆	◆	◆	◆	◆	◆
Ivosidenib	◆	◆	◆	◆	◆	◆
Ixazomib	◆	◆	◆	◆	◆	◆
Lapatinib	◆	◆	◆	◆	◆	◆
Larotrectinib	◆	◆	◆	◆	◆	◆
Lenalidomide	◆	◆	◆	◆	◆	◆
Lenvatinib	◆	◆	◆	◆	◆	◆
Letrozole	◆	◆	◆	◆	◆	◆
Lomustine	◆	◆	◆	◆	◆	◆
Lorlatinib	◆	◆	◆	◆	◆	◆
Mercaptopurine	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆
Midostaurin	◆	◆	◆	◆	◆	◆
Mitotane	◆	◆	◆	◆	◆	◆
Mitoxantrone	◆	◆	◆	◆	◆	◆
Mobocertinib	◆	◆	◆	◆	◆	◆
Necitumumab	◆	◆	◆	◆	◆	◆
Neratinib	◆	◆	◆	◆	◆	◆
Nilotinib	◆	◆	◆	◆	◆	◆
Nilutamide	◆	◆	◆	◆	◆	◆
Nintedanib	◆	◆	◆	◆	◆	◆
Niraparib	◆	◆	◆	◆	◆	◆
Nivolumab	◆	◆	◆	◆	◆	◆
Obinutuzumab	◆	◆	◆	◆	◆	◆
Ofatumumab	◆	◆	◆	◆	◆	◆
Olaparib	◆	◆	◆	◆	◆	◆
Olaratumab	◆	◆	◆	◆	◆	◆
Osimertinib	◆	◆	◆	◆	◆	◆
Oxaliplatin	◆	◆	◆	◆	◆	◆
Paclitaxel	◆	◆	◆	◆	◆	◆
Palbociclib	◆	◆	◆	◆	◆	◆
Panitumumab	◆	◆	◆	◆	◆	◆
Panobinostat	◆	◆	◆	◆	◆	◆
Pazopanib	◆	◆	◆	◆	◆	◆
Pembrolizumab	◆	◆	◆	◆	◆	◆
Pemetrexed	◆	◆	◆	◆	◆	◆
Pemigatinib	◆	◆	◆	◆	◆	◆
Pertuzumab	◆	◆	◆	◆	◆	◆
Pexidartinib	◆	◆	◆	◆	◆	◆
Polatuzumab vedotin	◆	◆	◆	◆	◆	◆
Pomalidomide	◆	◆	◆	◆	◆	◆
Ponatinib	◆	◆	◆	◆	◆	◆
Pralsetinib	◆	◆	◆	◆	◆	◆
Procarbazine	◆	◆	◆	◆	◆	◆
Regorafenib	◆	◆	◆	◆	◆	◆
Ribociclib	◆	◆	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆	◆
Rucaparib	◆	◆	◆	◆	◆	◆
Ruxolitinib	◆	◆	◆	◆	◆	◆
Selpercatinib	◆	◆	◆	◆	◆	◆
Sorafenib	◆	◆	◆	◆	◆	◆
Sotorasib	◆	◆	◆	◆	◆	◆
Sunitinib	◆	◆	◆	◆	◆	◆
Talazoparib	◆	◆	◆	◆	◆	◆
Tamoxifen	◆	◆	◆	◆	◆	◆
Tegafur/ Gimeracil/ Oteracil	◆	◆	◆	◆	◆	◆
Temsirolimus	◆	◆	◆	◆	◆	◆
Tivozanib	◆	◆	◆	◆	◆	◆
Topotecan	◆	◆	◆	◆	◆	◆
Toremifene	◆	◆	◆	◆	◆	◆
Trametinib	◆	◆	◆	◆	◆	◆
Trastuzumab	◆	◆	◆	◆	◆	◆
Trastuzumab emtansine	◆	◆	◆	◆	◆	◆
Trifluridine/Tipiracil	◆	◆	◆	◆	◆	◆
Vemurafenib	◆	◆	◆	◆	◆	◆
Venetoclax	◆	◆	◆	◆	◆	◆
Vinblastine	◆	◆	◆	◆	◆	◆
Vincristine	◆	◆	◆	◆	◆	◆
Vinorelbine	◆	◆	◆	◆	◆	◆
Vorinostat	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 2 November 2023. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Contraceptives/HRT						
Bazedoxifene	◆	◆	■	◆	◆	◆
Chlormadinone (COC)	◆	◆	■	◆	▲	◆
Conjugated estrogens	◆	◆	■	◆	▲	◆
Desogestrel (COC)	◆	◆	■	◆	▲	◆
Desogestrel (POP)	◆	◆	■	◆	▲	◆
Drospirenone (COC)	◆	◆	■	◆	▲	◆
Drospirenone (HRT)	◆	◆	■	◆	▲	◆
Drospirenone (POP)	◆	◆	■	◆	▲	◆
Dydrogesterone (HRT)	◆	◆	■	◆	▲	◆
Estradiol	◆	◆	■	◆	▲	◆
Ethinylestradiol	◆	◆	■	◆	▲	◆
Etonogestrel (implant)	◆	◆	■	◆	▲	◆
Etonogestrel (vaginal ring)	◆	◆	■	◆	▲	◆
Gestodene (COC)	◆	◆	■	◆	▲	◆
Levonorgestrel (COC)	◆	◆	■	◆	▲	◆
Levonorgestrel (emergency contraception)	◆	◆	■	◆	▲	◆
Levonorgestrel (HRT)	◆	◆	■	◆	▲	◆
Levonorgestrel (implant)	◆	◆	■	◆	▲	◆
Levonorgestrel (IUD)	◆	◆	■	◆	▲	◆
Levonorgestrel (POP)	◆	◆	■	◆	▲	◆
Medroxyprogesterone (depot injection)	◆	◆	■	◆	▲	◆
Medroxyprogesterone (HRT)	◆	◆	■	◆	▲	◆
Norelgestromin (patch)	◆	◆	■	◆	▲	◆
Norethisterone [Norethindrone] (COC)	◆	◆	■	◆	▲	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	■	◆	▲	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	■	◆	▲	◆
Norethisterone [Norethindrone] (POP)	◆	◆	■	◆	▲	◆
Norgestimate (COC)	◆	◆	■	◆	▲	◆
Norgestimate (HRT)	◆	◆	■	◆	▲	◆
Norgestrel (COC)	◆	◆	■	◆	▲	◆
Norgestrel (HRT)	◆	◆	■	◆	▲	◆
Progesterone (HRT)	◆	◆	■	◆	▲	◆
Tibolone (HRT)	◆	◆	■	◆	▲	◆
Ulipristal	◆	◆	■	◆	▲	◆
Dementia Therapies						
Donepezil	◆	◆	■	◆	■	◆
Galantamine	◆	◆	▲	◆	▲	◆
Memantine	◆	◆	◆	◆	◆	◆
Rivastigmine	◆	◆	◆	◆	◆	◆
Erectile Dysfunctional Agents						
Avanafil	◆	◆	◆	◆	■	◆
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆	■	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆	■	◆
Vardenafil	◆	◆	◆	◆	■	◆
Yohimbine	◆	◆	◆	◆	▲	◆
Gastrointestinal Agents						
Alosetron	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆
Bismuth subsalicylate	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	■	◆	●	◆
Dexlansoprazole	◆	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆
Hyoscine butylbromide	◆	◆	◆	◆	◆	◆
Ispaghula husk	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	■	◆
Macroqol (PEG 3350, PEG 4000)	◆	◆	▲	◆	▲	◆
Mebeverine	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆
Psyllium husk	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆
Sucralfate	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Gastrointestinal Agents (anti-emetics)						
Aprepitant	◆	◆	◆	◆	▲	▲
Cyclizine	◆	◆	◆	◆	◆	◆
Dolasetron	◆	◆	▲	◆	◆	◆
Domperidone	◆	◆	■	◆	●	◆
Dronabinol	◆	◆	◆	◆	◆	◆
Granisetron	◆	◆	▲	◆	▲	◆
Hyoscine (Scopolamine)	◆	◆	◆	◆	▲	◆
Hyoscine hydrobromide	◆	◆	◆	◆	▲	◆
Metoclopramide	◆	◆	◆	◆	◆	◆
Ondansetron	◆	◆	■	◆	◆	◆
Prochlorperazine	◆	◆	▲	◆	◆	◆
Herbals/Supplements/Vitamins						
African potato	◆	◆	▲	◆	▲	■
Aloe vera	◆	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C) [alone]	◆	◆	◆	◆	◆	◆
Ascorbic Acid [in multivitamins]	◆	◆	◆	◆	◆	◆
Ashwagandha (Withania somnifera)	◆	◆	◆	◆	◆	◆
Ayahuasca	◆	◆	◆	◆	◆	▲
Black cohosh	◆	◆	◆	◆	◆	◆
Calcium supplements	◆	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	◆	◆	▲	◆	▲	■
Colecalciferol (vitamin D3) [alone]	◆	◆	◆	◆	◆	◆
Colecalciferol [in multivitamins]	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	◆	◆	▲	▲
Cyanocobalamin [alone]	◆	◆	◆	◆	◆	◆
Cyanocobalamin [in multivitamins]	◆	◆	◆	◆	◆	◆
Echinacea	◆	◆	▲	◆	◆	▲
Eucalyptus globulus	◆	◆	◆	◆	◆	◆
Ferrous fumarate	◆	◆	◆	◆	◆	◆
Folic acid [alone]	◆	◆	◆	◆	◆	◆
Folic acid [in multivitamins]	◆	◆	◆	◆	◆	◆
Garlic	◆	◆	■	◆	◆	■
Ginger (Zingiber officinale)	◆	◆	◆	◆	◆	▲
Ginkgo biloba	◆	◆	▲	◆	■	▲
Ginseng (P. ginseng, P. quinquefolius)	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	◆	▲
Green tea extracts (Camellia sinensis)	◆	◆	◆	◆	◆	▲
Guggulsterone	◆	◆	◆	◆	●	■
Homeopathic remedies	◆	◆	◆	◆	◆	◆
Hops (Humulus lupulus)	◆	◆	■	◆	●	■
Inula racemosa	◆	◆	▲	◆	◆	▲
Iodine [alone]	◆	◆	◆	◆	◆	◆
Iodine [in multivitamins]	◆	◆	◆	◆	◆	◆
Iron supplements (injection/infusion)	◆	◆	◆	◆	◆	◆
Iron supplements (oral)	◆	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	◆	▲	◆	■	▲
Magnesium supplements	◆	◆	◆	◆	◆	◆
Malabar nut tree	◆	◆	▲	◆	■	■
Menthol	◆	◆	▲	◆	◆	▲
Milk thistle (silymarin)	◆	◆	◆	◆	◆	◆
Mucuna pruriens	◆	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆	◆
Nicotinamide [alone]	◆	◆	◆	◆	◆	◆
Nicotinamide [in multivitamins]	◆	◆	◆	◆	◆	◆
Omega-3 fatty acids [in multivitamins]	◆	◆	◆	◆	◆	◆
Phytomenadione (vitamin K) [alone]	◆	◆	◆	◆	◆	◆
Phytomenadione [in multivitamins]	◆	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6) [alone]	◆	◆	◆	◆	◆	◆
Pyridoxine [in multivitamins]	◆	◆	◆	◆	◆	◆
Quercetin	◆	◆	◆	◆	◆	■
Red yeast rice	◆	◆	◆	◆	■	◆
Retinol (vitamin A) [alone]	◆	◆	◆	◆	◆	◆
Retinol (vitamin A) [in multivitamins]	◆	◆	◆	◆	◆	◆
Riboflavin (vitamin B2) [alone]	◆	◆	◆	◆	◆	◆
Riboflavin [in multivitamins]	◆	◆	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	◆	▲
St John's Wort	◆	◆	●	◆	●	▲
Thiamine (vitamin B1) [alone]	◆	◆	◆	◆	◆	◆
Thiamine [in multivitamins]	◆	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [alone]	◆	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [in multivitamins]	◆	◆	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆	◆
Zinc	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Entuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 2 November 2023. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Hypertension / Heart Failure Agents						
Aliskiren	◆	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	■	◆	◆	◆
Azilsartan	◆	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆
Bosentan	◆	◆	■	◆	●	■
Bumetanide	◆	◆	◆	◆	◆	◆
Candesartan	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	■	◆
Enalapril	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆	■	◆
Epoprostenol	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆	▲
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	▲	◆
Irbesartan	◆	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆	▲
Ivabradine	◆	◆	▲	◆	■	◆
Labetalol	◆	◆	◆	◆	◆	◆
Lacidipine	◆	◆	▲	◆	■	◆
Lercanidipine	◆	◆	◆	◆	■	◆
Lisinopril	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	■	◆
Methyldopa	◆	◆	◆	◆	◆	▲
Metolazone	◆	◆	◆	◆	◆	◆
Midodrine	◆	◆	◆	◆	◆	◆
Minoxidil	◆	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	◆	◆	◆
Olmesartan	◆	◆	■	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	■	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	▲	◆	■	■
Riociguat	◆	◆	■	◆	▲	◆
Sacubitril	◆	◆	■	◆	◆	▲
Selexipag	◆	◆	◆	◆	■	◆
Sildenafil (PAH)	◆	◆	◆	◆	■	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	▲
Spiroglactone	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	●	◆
Telmisartan	◆	◆	■	◆	◆	◆
Terazosin	◆	◆	■	◆	◆	◆
Torasemide	◆	◆	■	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆	◆
Triamterene	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	■	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆
Illicit/Recreational						
Alcohol	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	▲	◆
Cocaine	◆	◆	■	◆	▲	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	■	◆
Heroin	◆	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	■	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Immune Modulators						
Interferon alpha	◆	◆	◆	◆	◆	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2a	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2b	◆	◆	◆	◆	◆	◆
Immunosuppressants						
Abatacept	◆	◆	◆	◆	◆	◆
Abrocitinib	◆	◆	◆	◆	◆	◆
Adalimumab	◆	◆	◆	◆	◆	◆
Anakinra	◆	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆
Apremilast	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆
Baricitinib	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆
Belimumab	◆	◆	◆	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆	◆
Certolizumab pegol	◆	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	◆	■	▲
Etanercept	◆	◆	◆	◆	◆	▲
Golimimumab	◆	◆	◆	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆	◆
Ixekizumab	◆	◆	◆	◆	◆	◆
Leflunomide	◆	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	◆	◆	◆
Risankizumab	◆	◆	◆	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆	◆
Secukinumab	◆	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	◆	■	◆
Tacrolimus	◆	◆	▲	◆	■	◆
Tocilizumab	◆	◆	◆	◆	◆	◆
Tofacitinib	◆	◆	◆	◆	◆	◆
Ustekinumab	◆	◆	◆	◆	◆	◆
Vedolizumab	◆	◆	◆	◆	◆	◆
Lipid Lowering Agents						
Alirocumab	◆	◆	◆	◆	◆	◆
Atorvastatin	◆	◆	■	◆	▲	◆
Bempedoic acid	◆	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆
Evolocumab	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	■	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆
Icosapent ethyl	◆	◆	◆	◆	◆	◆
Lomitapide	◆	◆	◆	◆	●	◆
Lovastatin	◆	◆	■	◆	■	◆
Omega-3 fatty acids	◆	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	■	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	■	◆	▲	◆
Simvastatin	◆	◆	■	◆	■	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised 2 November 2023. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Other						
Acamprosate	◆	◆	◆	◆	◆	◆
Acetazolamide	◆	◆	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆	◆	◆
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	▲	◆	■	◆
Allopurinol	◆	◆	◆	◆	◆	◆
Atomoxetine	◆	◆	▲	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆	◆
Brimonidine	◆	◆	◆	◆	◆	◆
Cabergoline (lactation suppression)	◆	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆	◆
Calcitonin	◆	◆	◆	◆	◆	◆
Calcium folinate	◆	◆	◆	◆	◆	◆
Cannabidiol (CBD)	◆	◆	◆	◆	■	◆
Carbamazole	◆	◆	◆	◆	◆	▲
Cinacalcet	◆	◆	▲	◆	■	◆
Clomifene	◆	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆	■	◆
Colestyramine (Cholestyramine)	◆	◆	▲	◆	◆	▲
Cyproterone acetate	◆	◆	◆	◆	■	◆
Dapoxetine	◆	◆	◆	◆	◆	◆
Deferasirox	◆	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆	◆
Desmopressin	◆	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆	◆
Dupilumab	◆	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	▲	◆
Eltrombopag	◆	◆	◆	◆	◆	◆
Fampridine (Dalfampridine)	◆	◆	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆
Fibanserin	◆	◆	◆	◆	●	▲
Fostamatinib	◆	◆	◆	◆	■	◆
Glucose monohydrate (IV)	◆	◆	◆	◆	◆	◆
Glycerol trinitrate (Nitroglycerin)	◆	◆	◆	◆	◆	◆
Goserelin	◆	◆	▲	◆	◆	◆
Isosorbide mononitrate	◆	◆	◆	◆	◆	▲
Isotretinoin	◆	◆	◆	◆	▲	◆
Leuprorelin	◆	◆	▲	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆	◆
Lisdexamfetamine	◆	◆	▲	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆	◆
Medroxyprogesterone	◆	◆	◆	◆	▲	◆
Methylethergometrine (Methylethergonovine)	◆	◆	◆	◆	●	◆
Methylphenidate	◆	◆	◆	◆	◆	◆
Minoxidil (topical)	◆	◆	◆	◆	◆	■
Modafinil	◆	◆	▲	◆	●	■
Naftidrofuryl	◆	◆	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆
Nicotine	◆	◆	◆	◆	◆	◆
Octreotide	◆	◆	◆	◆	▲	▲
Orlistat	◆	◆	▲	◆	▲	▲
Penicillamine	◆	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆
Probenecid	◆	◆	◆	◆	▲	◆
Propylthiouracil	◆	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆	◆
Raloxifene	◆	◆	◆	◆	◆	◆
Ruxolitinib (topical)	◆	◆	◆	◆	◆	◆
Sevelamer	◆	◆	▲	◆	▲	▲
Strontium ranelate	◆	◆	▲	◆	▲	▲
Sulfasalazine	◆	◆	■	◆	◆	◆
Tamsulosin	◆	◆	◆	◆	■	◆
Terlipressin	◆	◆	■	◆	◆	◆
Tesamorelin	◆	◆	◆	◆	◆	▲
Thalidomide	◆	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆
Triptorelin	◆	◆	◆	◆	◆	◆
Ursodeoxycholic acid	◆	◆	◆	◆	●	■
Varenicline	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Overactive Bladder Agents						
Darifenacin	◆	◆	◆	◆	■	◆
Fesoterodine	◆	◆	◆	◆	▲	◆
Mirabegron	◆	◆	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	◆	■	◆
Silodosin	◆	◆	◆	◆	▲	◆
Solifenacin	◆	◆	◆	◆	■	◆
Tolterodine	◆	◆	▲	◆	■	◆
Trospium	◆	◆	◆	◆	◆	◆
Oxytocics						
Ergometrine (Ergonovine)	◆	◆	◆	◆	●	◆
Mifepristone	◆	◆	◆	◆	▲	◆
Misoprostol	◆	◆	◆	◆	◆	◆
Oxytocin	◆	◆	▲	◆	◆	◆
Parkinsonism Agents						
Apomorphine	◆	◆	▲	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆	◆
Benzatropine (Benztropine)	◆	◆	◆	◆	◆	◆
Cabergoline (Parkinson's)	◆	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆
Orphenadrine	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆	◆
Procyclidine	◆	◆	◆	◆	▲	◆
Rasagiline	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆	◆
Steroids						
Beclomethasone	◆	◆	◆	◆	◆	◆
Betamethasone	◆	◆	▲	◆	●	■
Budesonide	◆	◆	◆	◆	■	◆
Ciclesonide	◆	◆	◆	◆	■	◆
Clobetasol	◆	◆	◆	◆	■	◆
Dexamethasone (doses >16 mg)	◆	◆	▲	◆	●	■
Dexamethasone (low dose; ≤16 mg)	◆	◆	◆	◆	■	▲
Fludrocortisone	◆	◆	◆	◆	■	◆
Flunisolide	◆	◆	◆	◆	■	◆
Fluocinolone	◆	◆	◆	◆	■	◆
Fluticasone	◆	◆	◆	◆	■	◆
Hydrocortisone (oral)	◆	◆	◆	◆	▲	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	▲	◆
Mometasone	◆	◆	◆	◆	■	◆
Nandrolone	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	▲	◆
Prednisone	◆	◆	◆	◆	▲	◆
Stanozolol	◆	◆	◆	◆	▲	◆
Testosterone	◆	◆	◆	◆	▲	◆
Triamcinolone	◆	◆	◆	◆	■	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.