

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised December 2024. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Anaesthetics & Muscle Relaxants						
Alcuronium	◆	◆	◆	◆	◆	◆
Bupivacaine	◆	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆	◆
Etidocaine	◆	◆	◆	◆	■	◆
Halothane	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	▲	◆	◆	◆
Ketamine	◆	◆	◆	◆	■	◆
Methocarbamol	◆	◆	◆	◆	◆	◆
Minaxolone	◆	◆	◆	◆	■	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	■	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆	◆
Ropivacaine	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	■	◆	◆	◆
Sufentanil	◆	◆	◆	◆	■	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	▲	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆
Analgesics						
Alfentanil	◆	◆	◆	◆	■	◆
Aspirin	◆	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	◆	▲	◆
Celecoxib	◆	◆	◆	◆	◆	◆
Codeine	◆	◆	◆	◆	▲	◆
Dexketoprofen	◆	◆	◆	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	◆	●	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆	▲	◆
Etoricoxib	◆	◆	◆	◆	◆	◆
Fentanyl	◆	◆	◆	◆	■	◆
Hydrocodone	◆	◆	◆	◆	■	◆
Hydromorphone	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆
Indometacin (Indomethacin)	◆	◆	◆	◆	◆	◆
Ketoprofen	◆	◆	◆	◆	◆	◆
Ketorolac	◆	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆
Meloxicam	◆	◆	◆	◆	◆	◆
Metamizole	◆	◆	▲	◆	●	■
Methadone	◆	◆	■	◆	▲	◆
Morphine	◆	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	◆	◆	◆
Nefopam	◆	◆	◆	◆	▲	◆
Nimesulide	◆	◆	◆	◆	◆	◆
Oxycodone	◆	◆	◆	◆	■	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	▲	◆
Piroxicam	◆	◆	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	▲	◆
Anthelmintics						
Albendazole	◆	◆	◆	◆	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	▲	◆
Pyrantel	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	▲	◆	◆	◆
Antiarrhythmics						
Amiodarone	◆	◆	■	◆	●	◆
Bepidril	◆	◆	■	◆	■	◆
Digoxin	◆	◆	◆	◆	◆	◆
Disopyramide	◆	◆	■	◆	●	◆
Dofetilide	◆	◆	■	◆	◆	◆
Dronedarone	◆	◆	▲	◆	■	▲
Flecainide	◆	◆	■	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	■	◆
Mexiletine	◆	◆	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆	▲	◆
Quinidine	◆	◆	■	◆	●	◆

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

	ABT	ENF	FTR	IBA	LEN	MVC
Antibacterials						
Amikacin	◆	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	◆	◆
Azithromycin	◆	◆	■	◆	◆	◆
Bedaquiline	◆	◆	▲	◆	■	◆
Capreomycin	◆	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆
Cefuroxime	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	■	◆	◆	▲
Clarithromycin	◆	◆	■	◆	▲	■
Clavulanic acid	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	▲	◆
Clofazimine	◆	◆	▲	◆	◆	■
Cloxacillin	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆
Daptomycin	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	▲	◆	▲	◆
Doxycycline	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆
Erythromycin	◆	◆	■	◆	▲	■
Ethambutol	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆
Flucoxacin	◆	◆	▲	◆	●	■
Fosfomycin	◆	◆	◆	◆	◆	◆
Furazolidone	◆	◆	◆	◆	◆	◆
Gentamicin	◆	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	◆	◆
Levofloxacin	◆	◆	■	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆
Lymecycline	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	◆	▲
Minocycline	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	■	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	▲	◆	◆	◆
Para-aminosalicylic acid	◆	◆	◆	◆	◆	◆
Penicillins	◆	◆	◆	◆	◆	◆
Piperacillin	◆	◆	◆	◆	◆	◆
Pretomanid	◆	◆	▲	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆	◆
Rifabutin	◆	◆	▲	◆	●	■
Rifampicin	◆	◆	●	◆	●	■
Rifapentine	◆	◆	●	◆	●	■
Rifaximin	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆	◆	◆
Tazobactam	◆	◆	◆	◆	◆	◆
Teicoplanin	◆	◆	◆	◆	◆	◆
Telithromycin	◆	◆	▲	◆	▲	■
Tetracyclines	◆	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆	◆
Tobramycin	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆	◆	◆
Vancomycin	◆	◆	◆	◆	◆	◆
Anti-coagulant, Anti-platelet and Fibrinolytic						
Acenocoumarol	◆	◆	◆	◆	◆	◆
Apixaban	◆	◆	▲	◆	■	◆
Argatroban	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆
Betrixaban	◆	◆	▲	◆	■	◆
Clopidogrel	◆	◆	◆	◆	●	◆
Dabigatran	◆	◆	◆	◆	■	◆
Dalteparin	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	■	◆
Enoxaparin	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	■	◆
Prasugrel	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	▲	◆	■	◆
Streptokinase	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	■	◆
Tinzaparin	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

For personal use only. Not for distribution.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised December 2024. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

Warfarin	◆	◆	◆	◆	◆	◆
----------	---	---	---	---	---	---

	ABT	ENF	FTR	IBA	LEN	MVC
Anticonvulsants						
Carbamazepine	◆	◆	◆	◆	◆	◆
Cenobamate	◆	◆	◆	◆	◆	◆
Clonazepam	◆	◆	◆	◆	◆	◆
Eslicarbazepine	◆	◆	◆	◆	◆	◆
Ethosuximide	◆	◆	◆	◆	◆	◆
Gabapentin	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆
Oxcarbazepine	◆	◆	◆	◆	◆	◆
Perampanel	◆	◆	◆	◆	◆	◆
Phenobarbital (Phenobarbitone)	◆	◆	◆	◆	◆	◆
Phenytoin	◆	◆	◆	◆	◆	◆
Pregabalin	◆	◆	◆	◆	◆	◆
Primidone	◆	◆	◆	◆	◆	◆
Sodium valproate	◆	◆	◆	◆	◆	◆
Tiagabine	◆	◆	◆	◆	◆	◆
Topiramate	◆	◆	◆	◆	◆	◆
Valproate semisodium (Divalproex)	◆	◆	◆	◆	◆	◆
Valproic acid	◆	◆	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆
Antidepressants						
Agomelatine	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆	◆	◆
Citalopram	◆	◆	◆	◆	◆	◆
Clomipramine	◆	◆	◆	◆	◆	◆
Desipramine	◆	◆	◆	◆	◆	◆
Desvenlafaxine	◆	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆
Imipramine	◆	◆	◆	◆	◆	◆
Lithium	◆	◆	◆	◆	◆	◆
Maprotiline	◆	◆	◆	◆	◆	◆
Mianserin	◆	◆	◆	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	◆	◆	◆
Moclobemide	◆	◆	◆	◆	◆	◆
Nefazodone	◆	◆	◆	◆	◆	◆
Nortriptyline	◆	◆	◆	◆	◆	◆
Opipramol	◆	◆	◆	◆	◆	◆
Paroxetine	◆	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆	◆
Tranlycypromine	◆	◆	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆	◆	◆
Trimipramine	◆	◆	◆	◆	◆	◆
Venlafaxine	◆	◆	◆	◆	◆	◆
Vortioxetine	◆	◆	◆	◆	◆	◆
Anti-diabetics						
Acarbose	◆	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	◆	◆	◆
Gliclazide	◆	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆	◆
Repaglinide	◆	◆	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	◆	◆
Semaglutide	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆
Tirzepatide	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Antifungals						
Amphotericin B	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆
Clotrimazole (pessary, troche)	◆	◆	◆	◆	◆	◆
Clotrimazole (topical)	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	◆	◆	◆	◆
Isavuconazole	◆	◆	◆	◆	◆	◆
Itraconazole	◆	◆	◆	◆	◆	◆
Ketoconazole	◆	◆	◆	◆	◆	◆
Miconazole	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	◆	◆	◆
Rezafungin	◆	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	◆	◆	◆
Antithrombotics						
Avatrombopag	◆	◆	◆	◆	◆	◆
Eltrombopag	◆	◆	◆	◆	◆	◆
Emicizumab	◆	◆	◆	◆	◆	◆
Fostamatinib	◆	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆
Antihistamines						
Astemizole	◆	◆	◆	◆	◆	◆
Bilastine	◆	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆
Desloratadine	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	◆	◆	◆	◆
Antimigraine Agents						
Almotriptan	◆	◆	◆	◆	◆	◆
Atogepant	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	◆	◆
Eletriptan	◆	◆	◆	◆	◆	◆
Eptinezumab	◆	◆	◆	◆	◆	◆
Erenumab	◆	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	◆	◆
Fremanezumab	◆	◆	◆	◆	◆	◆
Frovatriptan	◆	◆	◆	◆	◆	◆
Galcanezumab	◆	◆	◆	◆	◆	◆
Naratriptan	◆	◆	◆	◆	◆	◆
Pizotifen	◆	◆	◆	◆	◆	◆
Rimegepant	◆	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆
Ubrogepant	◆	◆	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆	◆	◆
Antiprotozoals						
Amodiaquine	◆	◆	◆	◆	◆	◆
Artemisinin	◆	◆	◆	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	◆	◆	◆
Diloxanide	◆	◆	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆	◆	◆
Halofantrine	◆	◆	◆	◆	◆	◆
Hydroxychloroquine	◆	◆	◆	◆	◆	◆
Lumefantrine	◆	◆	◆	◆	◆	◆
Mefloquine	◆	◆	◆	◆	◆	◆
Meglumine antimoniate	◆	◆	◆	◆	◆	◆
Melarsoprol	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆
Nitazoxanide	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	◆	◆	◆
Piperazine	◆	◆	◆	◆	◆	◆
Primaquine	◆	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆	◆
Quinine	◆	◆	◆	◆	◆	◆
Sodium stibogluconate	◆	◆	◆	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised December 2024. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Antipsychotics/Neuroleptics						
Amisulpride	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	▲	◆	▲	◆
Asenapine	◆	◆	◆	◆	◆	◆
Brexipiprazole	◆	◆	◆	◆	■	◆
Cariprazine	◆	◆	◆	◆	●	◆
Chlorpromazine	◆	◆	■	◆	◆	◆
Clozapine	◆	◆	▲	◆	■	◆
Flupentixol (Flupentixol)	◆	◆	▲	◆	◆	◆
Fluphenazine	◆	◆	▲	◆	◆	◆
Haloperidol	◆	◆	■	◆	▲	▲
Iloperidone	◆	◆	▲	◆	▲	◆
Levomepromazine	◆	◆	■	◆	◆	◆
Lurasidone	◆	◆	▲	◆	■	◆
Olanzapine	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	▲	◆	◆	◆
Perazine	◆	◆	◆	◆	▲	◆
Periciazine	◆	◆	◆	◆	◆	◆
Perphenazine	◆	◆	◆	◆	◆	◆
Pimozide	◆	◆	■	◆	●	◆
Pipotiazine	◆	◆	▲	◆	◆	◆
Quetiapine	◆	◆	◆	◆	■	◆
Risperidone	◆	◆	◆	◆	◆	◆
Sulpiride	◆	◆	■	◆	◆	◆
Thioridazine	◆	◆	■	◆	●	■
Tiapride	◆	◆	▲	◆	◆	◆
Ziprasidone	◆	◆	■	◆	◆	◆
Zotepine	◆	◆	▲	◆	■	◆
Zuclopenthixol	◆	◆	▲	◆	▲	◆
Antivirals						
Aciclovir	◆	◆	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆
Brincidofovir	◆	◆	■	◆	◆	◆
Bulevirtide	◆	◆	◆	◆	◆	▲
Cidofovir	◆	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	●	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆
Favipiravir	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	▲	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	▲	◆	◆	◆
Letermovir	◆	◆	◆	◆	■	▲
Maribavir	◆	◆	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆	◆
Nirmatrelvir/Ritonavir	▲	◆	◆	◆	▲	■
Ombitasvir/Paritaprevir/r	◆	◆	▲	◆	▲	■
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	▲	◆	▲	■
Oseltamivir	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	▲	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	▲	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	▲	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	■	◆	◆	◆
Sotrovimab	◆	◆	◆	◆	◆	◆
Tecovirimat	◆	◆	◆	◆	▲	▲
Telbivudine	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	◆	◆	◆	◆	▲	◆
Tixagevimab/Cilgavimab	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆
Valganciclovir	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Anxiolytics/Hypnotics/ Sedatives						
Alprazolam	◆	◆	◆	◆	■	◆
Bromazepam	◆	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	■	◆
Chlordiazepoxide	◆	◆	◆	◆	■	◆
Clobazam	◆	◆	▲	◆	■	▲
Clorazepate	◆	◆	◆	◆	■	◆
Daridorexant	◆	◆	◆	◆	■	◆
Diazepam	◆	◆	◆	◆	■	◆
Estazolam	◆	◆	◆	◆	■	◆
Flunitrazepam	◆	◆	◆	◆	■	◆
Flurazepam	◆	◆	◆	◆	■	◆
Hydroxyzine	◆	◆	◆	◆	▲	◆
Lorazepam	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆	◆
Midazolam (buccal)	◆	◆	◆	◆	■	◆
Midazolam (oral)	◆	◆	◆	◆	■	◆
Midazolam (parenteral)	◆	◆	◆	◆	■	◆
Oxazepam	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	■	◆
Zaleplon	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	▲	◆
Zopiclone	◆	◆	◆	◆	▲	◆
Beta Blockers						
Atenolol	◆	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	▲	◆
Carvedilol	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆
Sotalol	◆	◆	■	◆	◆	◆
Timolol	◆	◆	◆	◆	◆	▲
Bisphosphonates						
Alendronic acid (Alendronate)	◆	◆	◆	◆	◆	◆
Ibandronic acid (Ibandronate)	◆	◆	◆	◆	◆	◆
Risedronic acid (Risedronate)	◆	◆	◆	◆	◆	◆
Zoledronic acid (Zoledronate)	◆	◆	◆	◆	◆	◆
Bronchodilators						
Acidinium bromide	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	▲	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	■	◆
Terbutaline	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆
Calcium Channel Blockers						
Amlodipine	◆	◆	◆	◆	■	◆
Diltiazem	◆	◆	▲	◆	▲	■
Felodipine	◆	◆	◆	◆	■	◆
Nicardipine	◆	◆	▲	◆	▲	■
Nifedipine	◆	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	■	◆
Nitrendipine	◆	◆	◆	◆	■	◆
Verapamil	◆	◆	▲	◆	▲	■

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Entuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised December 2024. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Hypertension / Heart Failure Agents						
Aliskiren	◆	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆	◆
Azilsartan	◆	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆
Bosentan	◆	◆	◆	◆	◆	◆
Bumetanide	◆	◆	◆	◆	◆	◆
Candesartan	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆
Finerenone	◆	◆	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	◆	◆
Irbesartan	◆	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆	◆
Ivabradine	◆	◆	◆	◆	◆	◆
Labetalol	◆	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆	◆	◆
Lercanidipine	◆	◆	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆
Midodrine	◆	◆	◆	◆	◆	◆
Minoxidil	◆	◆	◆	◆	◆	◆
Moexipril	◆	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	◆	◆	◆
Olmesartan	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	◆	◆	◆	◆
Riociguat	◆	◆	◆	◆	◆	◆
Sacubitril	◆	◆	◆	◆	◆	◆
Selexipag	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆
Spirolactone	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	◆	◆	◆
Torasemide	◆	◆	◆	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆	◆
Triamterene	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆
Illicit/Recreational						
Alcohol	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	◆	◆
Cocaine	◆	◆	◆	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆
Enobosarm (Ostarine)	◆	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆	◆
Nitazenes	◆	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆
Psilocybin	◆	◆	◆	◆	◆	◆
Trenbolone	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Immune Modulators						
Interferon alpha	◆	◆	◆	◆	◆	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2a	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2b	◆	◆	◆	◆	◆	◆
Immunosuppressants						
Abatacept	◆	◆	◆	◆	◆	◆
Abrocitinib	◆	◆	◆	◆	◆	◆
Adalimumab	◆	◆	◆	◆	◆	◆
Anakinra	◆	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆
Apremilast	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆
Baricitinib	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆
Belimumab	◆	◆	◆	◆	◆	◆
Bimekizumab	◆	◆	◆	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆	◆
Certolizumab pegol	◆	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	◆	◆	◆
Dimethyl fumarate	◆	◆	◆	◆	◆	◆
Etanercept	◆	◆	◆	◆	◆	◆
Golimumab	◆	◆	◆	◆	◆	◆
Guselkumab	◆	◆	◆	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆	◆
Ixekizumab	◆	◆	◆	◆	◆	◆
Leflunomide	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	◆	◆	◆
Risankizumab	◆	◆	◆	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆	◆
Secukinumab	◆	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	◆	◆	◆
Tacrolimus	◆	◆	◆	◆	◆	◆
Tildrakizumab	◆	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆	◆
Tofacitinib	◆	◆	◆	◆	◆	◆
Ustekinumab	◆	◆	◆	◆	◆	◆
Vedolizumab	◆	◆	◆	◆	◆	◆
Lipid Lowering Agents						
Alirocumab	◆	◆	◆	◆	◆	◆
Atorvastatin	◆	◆	◆	◆	◆	◆
Bempedoic acid	◆	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆
Colesevelam	◆	◆	◆	◆	◆	◆
Evolocumab	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆
Icosapent ethyl	◆	◆	◆	◆	◆	◆
Inclisiran	◆	◆	◆	◆	◆	◆
Lomitapide	◆	◆	◆	◆	◆	◆
Lovastatin	◆	◆	◆	◆	◆	◆
Omega-3 fatty acids	◆	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised December 2024. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Other						
Acamprosate	◆	◆	◆	◆	◆	◆
Acetazolamide	◆	◆	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆	◆	◆
Activated charcoal	◆	◆	▲	◆	▲	▲
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	▲	◆	■	◆
Allopurinol	◆	◆	◆	◆	◆	◆
Atomoxetine	◆	◆	▲	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆	◆
Brimonidine	◆	◆	◆	◆	◆	◆
Bromocriptine	◆	◆	◆	◆	■	◆
Cabergoline (lactation suppression)	◆	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆	◆
Calcitonin	◆	◆	◆	◆	◆	◆
Calcium folinate	◆	◆	◆	◆	◆	◆
Cannabidiol (CBD)	◆	◆	◆	◆	■	◆
Carbamazole	◆	◆	◆	◆	◆	▲
Cinacalcet	◆	◆	▲	◆	■	◆
Clomifene	◆	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆	■	◆
Colestyramine (Cholestyramine)	◆	◆	▲	◆	▲	▲
Cyproterone acetate	◆	◆	◆	◆	■	◆
Cytisine	◆	◆	◆	◆	◆	◆
Dapoxetine	◆	◆	◆	◆	■	◆
Deferasirox	◆	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆	◆
Desmopressin	◆	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆	◆
Drotaverine	◆	◆	◆	◆	◆	◆
Dupilumab	◆	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	▲	◆
Elagolix	◆	◆	▲	◆	●	■
Fampridine (Dalfampridine)	◆	◆	◆	◆	◆	◆
Febuxostat	◆	◆	◆	◆	◆	◆
Fezolinetant	◆	◆	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆
Flibanserin	◆	◆	◆	◆	●	▲
Glucose monohydrate (IV)	◆	◆	◆	◆	◆	◆
Glyceril trinitrate (Nitroglycerin)	◆	◆	◆	◆	◆	◆
Goserelin	◆	◆	▲	◆	◆	◆
Isosorbide mononitrate	◆	◆	◆	◆	◆	▲
Isotretinoin	◆	◆	◆	◆	▲	◆
Leuporelin	◆	◆	▲	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆	◆
Lisdexamfetamine	◆	◆	▲	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆	◆
Medroxyprogesterone	◆	◆	◆	◆	▲	◆
Methylergometrine (Methylergonovine)	◆	◆	◆	◆	●	◆
Methylphenidate	◆	◆	◆	◆	◆	◆
Minoxidil (topical)	◆	◆	◆	◆	◆	◆
Modafinil	◆	◆	▲	◆	●	■
Naftidrofuryl	◆	◆	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆
Nicotine	◆	◆	◆	◆	◆	◆
Octreotide	◆	◆	◆	◆	▲	▲
Orlistat	◆	◆	▲	◆	◆	◆
Ospemifene	◆	◆	◆	◆	■	◆
Pancreatic enzymes	◆	◆	◆	◆	◆	◆
Penicillamine	◆	◆	◆	◆	◆	◆
Pentosan polysulfate sodium	◆	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆
Phentermine	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆
Pitolisant	◆	◆	▲	◆	▲	◆
Potassium	◆	◆	◆	◆	◆	◆
Probenecid	◆	◆	◆	◆	▲	◆
Propylthiouracil	◆	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Other (continued)						
Raloxifene	◆	◆	◆	◆	◆	◆
Riluzole	◆	◆	◆	◆	◆	◆
Ruxolitinib (topical)	◆	◆	◆	◆	◆	◆
Sevelamer	◆	◆	▲	◆	▲	▲
Sodium zirconium cyclosilicate	◆	◆	◆	◆	◆	◆
Strontium ranelate	◆	◆	▲	◆	▲	▲
Sulfasalazine	◆	◆	■	◆	◆	◆
Tamsulosin	◆	◆	◆	◆	■	◆
Tenapanor	◆	◆	◆	◆	◆	◆
Terlipressin	◆	◆	■	◆	◆	◆
Tesamorelin	◆	◆	◆	◆	◆	▲
Thalidomide	◆	◆	◆	◆	◆	◆
Tolvaptan	◆	◆	◆	◆	■	◆
Triptorelin	◆	◆	◆	◆	◆	◆
Ursodeoxycholic acid	◆	◆	◆	◆	●	■
Varenicline	◆	◆	◆	◆	◆	◆
Overactive Bladder Agents						
Darifenacin	◆	◆	◆	◆	■	◆
Fesoterodine	◆	◆	◆	◆	▲	◆
Mirabegron	◆	◆	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	◆	■	◆
Silodosin	◆	◆	◆	◆	▲	◆
Solifenacin	◆	◆	◆	◆	■	◆
Tolterodine	◆	◆	◆	◆	■	◆
Trospium	◆	◆	◆	◆	◆	◆
Oxytocics						
Ergometrine (Ergonovine)	◆	◆	◆	◆	●	◆
Mifepristone	◆	◆	◆	◆	▲	◆
Misoprostol	◆	◆	◆	◆	◆	◆
Oxytocin	◆	◆	▲	◆	◆	◆
Parkinsonism Agents						
Apomorphine	◆	◆	▲	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆	◆
Benzatropine (Benztropine)	◆	◆	◆	◆	◆	◆
Cabergoline (Parkinson's)	◆	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆	◆
Entacapone	◆	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆
Orphenadrine	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆	◆
Procyclidine	◆	◆	◆	◆	▲	◆
Rasagiline	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆	◆
Safinamide	◆	◆	◆	◆	◆	◆
Selegiline	◆	◆	◆	◆	◆	◆
Steroids						
Beclometasone	◆	◆	◆	◆	●	◆
Betamethasone	◆	◆	▲	◆	●	■
Budesonide	◆	◆	◆	◆	■	◆
Ciclesonide	◆	◆	◆	◆	■	◆
Clobetasol	◆	◆	◆	◆	■	◆
Deflazacort	◆	◆	◆	◆	■	◆
Dexamethasone (doses >16 mg)	◆	◆	▲	◆	●	■
Dexamethasone (low dose; ≤16 mg)	◆	◆	◆	◆	■	▲
Fludrocortisone	◆	◆	◆	◆	■	◆
Flunisolide	◆	◆	◆	◆	■	◆
Fluocinolone	◆	◆	◆	◆	■	◆
Fluticasone	◆	◆	◆	◆	■	◆
Hydrocortisone (oral)	◆	◆	◆	◆	▲	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	▲	◆
Mometasone	◆	◆	◆	◆	■	◆
Nandrolone	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆	◆
Oxymetholone	◆	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	▲	◆
Prednisone	◆	◆	◆	◆	▲	◆
Stanozolol	◆	◆	◆	◆	▲	◆
Testosterone	◆	◆	◆	◆	▲	◆
Triamcinolone	◆	◆	◆	◆	■	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.