

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised March 2026. Full information available at www.hiv-druginteractions.org

Page 1 of 8

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
ADHD Agents						
Atomoxetine	◆	◆	▲	◆	◆	◆
Dexamfetamine (dextroamphetamine)	◆	◆	◆	◆	◆	◆
Dexmethylphenidate	◆	◆	◆	◆	◆	◆
Guanfacine	◆	◆	▲	◆	■	◆
Lisdexamfetamine	◆	◆	▲	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆	◆
Serdexmethylphenidate	◆	◆	◆	◆	◆	◆
Anaesthetics & Muscle Relaxants						
Alcuronium	◆	◆	◆	◆	◆	◆
Bupivacaine	◆	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆
Cyclobenzaprine	◆	◆	◆	◆	▲	◆
Desflurane	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆	◆
Esketamine (anaesthetic)	◆	◆	◆	◆	■	◆
Etidocaine	◆	◆	◆	◆	■	◆
Halothane	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	▲	◆	◆	◆
Ketamine	◆	◆	◆	◆	■	◆
Methocarbamol	◆	◆	◆	◆	◆	◆
Minaxolone	◆	◆	◆	◆	■	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	■	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆	◆
Ropivacaine	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	■	◆	◆	◆
Sufentanil	◆	◆	◆	◆	■	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	▲	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆
Analgesics						
Alfentanil	◆	◆	◆	◆	■	◆
Aspirin	◆	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	◆	▲	◆
Celecoxib	◆	◆	◆	◆	◆	◆
Codeine	◆	◆	◆	◆	▲	◆
Dexketoprofen	◆	◆	◆	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	◆	●	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆	▲	◆
Etoricoxib	◆	◆	◆	◆	◆	◆
Fentanyl	◆	◆	◆	◆	■	◆
Hydrocodone	◆	◆	◆	◆	■	◆
Hydromorphone	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆
Indometacin (Indomethacin)	◆	◆	◆	◆	◆	◆
Ketoprofen	◆	◆	◆	◆	◆	◆
Ketorolac	◆	◆	◆	◆	◆	◆
Lornoxicam (Chlortenoxicam)	◆	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆
Meloxicam	◆	◆	◆	◆	◆	◆
Metamizole	◆	◆	▲	◆	●	■
Methadone	◆	◆	■	◆	▲	◆
Morphine	◆	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	◆	◆	◆
Nefopam	◆	◆	◆	◆	▲	◆
Nimesulide	◆	◆	◆	◆	◆	◆
Oxycodone	◆	◆	◆	◆	■	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	▲	◆
Piroxicam	◆	◆	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	▲	◆
Anthelmintics						
Albendazole	◆	◆	◆	◆	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	▲	◆
Pyrantel	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	▲	◆	◆	◆



For personal use only. Not for distribution.

	ABT	ENF	FTR	IBA	LEN	MVC
Antiarrhythmics						
Amiodarone	◆	◆	■	◆	●	◆
Bepidil	◆	◆	■	◆	■	◆
Digoxin	◆	◆	◆	◆	■	◆
Disopyramide	◆	◆	■	◆	●	◆
Dofetilide	◆	◆	■	◆	◆	◆
Dronedarone	◆	◆	▲	◆	■	▲
Flecainide	◆	◆	■	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	■	◆
Mexiletine	◆	◆	◆	◆	◆	◆
Procainamide	◆	◆	▲	◆	◆	◆
Propafenone	◆	◆	◆	◆	▲	◆
Quinidine	◆	◆	■	◆	●	◆
Antibacterials						
Amikacin	◆	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	◆	◆
Azithromycin	◆	◆	■	◆	◆	◆
Bedaquiline	◆	◆	▲	◆	■	◆
Capreomycin	◆	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆
Cefuroxime	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	■	◆	◆	▲
Clarithromycin	◆	◆	■	◆	▲	■
Clavulanic acid	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	▲	◆
Clofazimine	◆	◆	▲	◆	◆	■
Cloxacillin	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆
Daptomycin	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	▲	◆	▲	◆
Doxycycline	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆
Erythromycin	◆	◆	■	◆	▲	■
Ethambutol	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆
Flucloxacillin	◆	◆	◆	◆	▲	▲
Fosfomycin	◆	◆	◆	◆	◆	◆
Furazolidone	◆	◆	◆	◆	◆	◆
Gatifloxacin (topical)	◆	◆	◆	◆	◆	◆
Gemifloxacin	◆	◆	▲	◆	◆	◆
Gentamicin	◆	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	◆	◆
Levofloxacin	◆	◆	■	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆
Lymecycline	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	◆	▲
Minocycline	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	■	◆	◆	◆
Nafcillin	◆	◆	▲	◆	●	■
Neomycin	◆	◆	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	▲	◆	◆	◆
Para-aminosalicylic acid	◆	◆	◆	◆	◆	◆
Penicillins	◆	◆	◆	◆	◆	◆
Piperacillin	◆	◆	◆	◆	◆	◆
Pretomanid	◆	◆	▲	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆	◆
Rifabutin	◆	◆	◆	◆	●	■
Rifampicin	◆	◆	●	◆	●	■
Rifapentine	◆	◆	●	◆	●	■
Rifaximin	◆	◆	◆	◆	◆	◆
Roxithromycin	◆	◆	■	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆	◆	◆
Tazobactam	◆	◆	◆	◆	◆	◆
Teicoplanin	◆	◆	◆	◆	◆	◆
Telavancin	◆	◆	▲	◆	◆	◆
Telithromycin	◆	◆	▲	◆	▲	■
Tetracyclines	◆	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆	◆
Tobramycin	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆	◆	◆
Vancomycin	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised March 2026. Full information available at www.hiv-druginteractions.org

Page 2 of 8

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Anti-coagulant, Anti-platelet and Fibrinolytic						
Acenocoumarol	◆	◆	◆	◆	◆	◆
Apixaban	◆	◆	▲	◆	◆	◆
Argatroban	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆
Betrixaban	◆	◆	▲	◆	◆	◆
Clopidogrel	◆	◆	◆	◆	◆	◆
Dabigatran	◆	◆	◆	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆
Nadroparin	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	▲	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	◆	◆
Tinzaparin	◆	◆	◆	◆	◆	◆
Warfarin	◆	◆	◆	◆	◆	◆
Anticonvulsants						
Brivaracetam	◆	◆	◆	◆	◆	◆
Carbamazepine	◆	◆	◆	◆	◆	◆
Cenobamate	◆	◆	◆	◆	◆	◆
Clonazepam	◆	◆	◆	◆	◆	◆
Eslicarbazepine	◆	◆	◆	◆	◆	◆
Ethosuximide	◆	◆	◆	◆	◆	◆
Felbamate	◆	◆	◆	◆	◆	◆
Fosphenytoin	◆	◆	◆	◆	◆	◆
Gabapentin	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆
Oxcarbazepine	◆	◆	◆	◆	◆	◆
Perampanel	◆	◆	◆	◆	◆	◆
Phenobarbital (Phenobarbitone)	◆	◆	◆	◆	◆	◆
Phenytoin	◆	◆	◆	◆	◆	◆
Pregabalin	◆	◆	◆	◆	◆	◆
Primidone	◆	◆	◆	◆	◆	◆
Sodium valproate	◆	◆	◆	◆	◆	◆
Tiagabine	◆	◆	◆	◆	◆	◆
Topiramate	◆	◆	◆	◆	◆	◆
Valproate semisodium (Divalproex)	◆	◆	◆	◆	◆	◆
Valproic acid	◆	◆	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆
Antidepressants						
Agomelatine	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆	◆
Amoxapine	◆	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆	◆	◆
Citalopram	◆	◆	◆	◆	◆	◆
Cloimipramine	◆	◆	◆	◆	◆	◆
Desipramine	◆	◆	◆	◆	◆	◆
Desvenlafaxine	◆	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	◆	◆	◆	◆
Esketamine (antidepressant)	◆	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆
Imipramine	◆	◆	◆	◆	◆	◆
Lithium	◆	◆	◆	◆	◆	◆
Maprotiline	◆	◆	◆	◆	◆	◆
Mianserin	◆	◆	◆	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	◆	◆	◆
Moclobemide	◆	◆	◆	◆	◆	◆
Nefazodone	◆	◆	◆	◆	◆	◆
Nortriptyline	◆	◆	◆	◆	◆	◆
Opipramol	◆	◆	◆	◆	◆	◆
Paroxetine	◆	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆	◆	◆
Trimipramine	◆	◆	◆	◆	◆	◆
Venlafaxine	◆	◆	◆	◆	◆	◆
Vortioxetine	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Anti-diabetics						
Acarbose	◆	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	▲	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	◆	◆	◆
Gliclazide	◆	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆	◆
Repaglinide	◆	◆	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	◆	◆
Semaglutide	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆
Tirzepatide	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆
Antifungals						
Amphotericin B	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆
Clotrimazole (pessary, troche)	◆	◆	◆	◆	◆	◆
Clotrimazole (topical)	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	◆	◆	◆	◆
Isavuconazole	◆	◆	◆	◆	◆	◆
Itraconazole	◆	◆	◆	◆	◆	◆
Ketoconazole	◆	◆	◆	◆	◆	◆
Miconazole	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	◆	◆	◆
Rezafungin	◆	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	◆	◆	◆
Antithrombotics						
Avatrombopag	◆	◆	◆	◆	◆	◆
Eltrombopag	◆	◆	◆	◆	◆	◆
Emicizumab	◆	◆	◆	◆	◆	◆
Fostamatinib	◆	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆
Antihistamines						
Astemizole	◆	◆	◆	◆	◆	◆
Bilastine	◆	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆
Clemastine	◆	◆	◆	◆	◆	◆
Desloratadine	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆
Doxylamine	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	◆	◆	◆	◆
Antimigraine Agents						
Almotriptan	◆	◆	◆	◆	◆	◆
Atogepant	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	◆	◆
Eletriptan	◆	◆	◆	◆	◆	◆
Eptinezumab	◆	◆	◆	◆	◆	◆
Erenumab	◆	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	◆	◆
Fremanezumab	◆	◆	◆	◆	◆	◆
Frovatriptan	◆	◆	◆	◆	◆	◆
Galcanezumab	◆	◆	◆	◆	◆	◆
Methysergide	◆	◆	◆	◆	◆	◆
Naratriptan	◆	◆	◆	◆	◆	◆
Pizotifen	◆	◆	◆	◆	◆	◆
Rimegepant	◆	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆
Ubrogepant	◆	◆	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised March 2026. Full information available at www.hiv-druginteractions.org

Page 3 of 8

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Antiprotozoals						
Amodiaquine	◆	◆	◆	◆	◆	◆
Artemisinin	◆	◆	▲	◆	▲	▲
Atovaquone	◆	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	■	◆	▲	◆
Diloxanide	◆	◆	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆	◆	◆
Halofantrine	◆	◆	■	◆	●	◆
Hydroxychloroquine	◆	◆	■	◆	◆	◆
Lumefantrine	◆	◆	▲	◆	▲	◆
Mefloquine	◆	◆	◆	◆	◆	◆
Meglumine antimoniate	◆	◆	■	◆	◆	◆
Melarsoprol	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆
Nitazoxanide	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	■	◆	◆	◆
Piperaquine	◆	◆	▲	◆	▲	▲
Primaquine	◆	◆	▲	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆	◆
Quinine	◆	◆	■	◆	■	▲
Sodium stibogluconate	◆	◆	■	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆	◆
Antipsychotics/Neuroleptics						
Amisulpride	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	▲	◆	▲	◆
Asenapine	◆	◆	▲	◆	◆	◆
Brexipiprazole	◆	◆	◆	◆	■	◆
Cariprazine	◆	◆	◆	◆	●	◆
Chlorpromazine	◆	◆	■	◆	◆	◆
Clozapine	◆	◆	▲	◆	■	◆
Flupentixol (Flupentixol)	◆	◆	▲	◆	◆	◆
Fluphenazine	◆	◆	▲	◆	◆	◆
Haloperidol	◆	◆	■	◆	▲	▲
Iloperidone	◆	◆	◆	◆	▲	◆
Levomepromazine	◆	◆	■	◆	◆	◆
Lumateperone	◆	◆	▲	◆	■	◆
Lurasidone	◆	◆	◆	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	▲	◆	◆	◆
Perazine	◆	◆	◆	◆	▲	◆
Periciazine	◆	◆	◆	◆	◆	◆
Perospirone	◆	◆	◆	◆	■	◆
Perphenazine	◆	◆	▲	◆	◆	◆
Pimozide	◆	◆	■	◆	●	◆
Pipotiazine	◆	◆	▲	◆	◆	◆
Quetiapine	◆	◆	◆	◆	■	◆
Risperidone	◆	◆	◆	◆	◆	◆
Sertindole	◆	◆	■	◆	●	◆
Sulpiride	◆	◆	■	◆	◆	◆
Thioridazine	◆	◆	■	◆	●	■
Tiapride	◆	◆	▲	◆	◆	◆
Ziprasidone	◆	◆	■	◆	◆	◆
Zotepine	◆	◆	▲	◆	■	◆
Zuclopenthixol	◆	◆	▲	◆	▲	◆
Antiretrovirals - Entry, Attachment and Capsid Inhibitors						
Albuvirtide	◆	◆	◆	◆	◆	◆
Enfuvirtide	◆	◆	◆	◆	◆	◆
Fostemsavir	◆	◆	◆	◆	◆	◆
Ibalizumab-uiyk	◆	◆	◆	◆	◆	◆
Lenacapavir	◆	◆	◆	◆	◆	◆
Maraviroc	◆	◆	◆	◆	◆	◆
Antiretrovirals - Integrase Inhibitors						
Bictegravir/ Emtricitabine/ TAF	▲	▲	▲	▲	▲	▲
Cabotegravir [oral]	◆	◆	◆	◆	◆	◆
Cabotegravir/Rilpivirine [long acting]	▲	▲	▲	▲	▲	▲
Dolutegravir	▲	▲	▲	▲	▲	▲
Dolutegravir/ Abacavir/ Lamivudine	▲	▲	▲	▲	▲	▲
Dolutegravir/ Lamivudine	▲	▲	▲	▲	▲	▲
Dolutegravir/ Lamivudine/ Tenofovir-DF	▲	▲	▲	▲	▲	▲
Dolutegravir/Rilpivirine	▲	▲	▲	▲	▲	▲
Elvitegravir/ Cobi/ Emtricitabine/ TAF	▲	▲	▲	▲	▲	■
Elvitegravir/ Cobi/ Emtricitabine/ TDF	▲	▲	▲	▲	▲	■
Raltegravir	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Antiretrovirals - Non-nucleoside Reverse Transcriptase Inhibitors						
Doravirine	◆	◆	◆	◆	▲	◆
Doravirine/Lamivudine/ Tenofovir-DF	▲	▲	▲	▲	▲	▲
Efavirenz	◆	◆	▲	◆	●	■
Etravirine	◆	◆	▲	◆	●	■
Nevirapine	◆	◆	▲	◆	●	◆
Rilpivirine	◆	◆	▲	◆	◆	◆
Rilpivirine/ Emtricitabine/TAF	▲	▲	▲	▲	▲	▲
Rilpivirine/ Emtricitabine/Tenofovir-DF	▲	▲	▲	▲	▲	▲
Antiretrovirals - Nucleoside/tide Reverse Transcriptase Inhibitors						
Abacavir	◆	◆	◆	◆	◆	◆
Emtricitabine	◆	◆	◆	◆	◆	◆
Emtricitabine/Tenofovir alafenamide	◆	◆	◆	◆	▲	◆
Emtricitabine/Tenofovir-D	◆	◆	◆	◆	▲	◆
Lamivudine	◆	◆	◆	◆	◆	◆
Tenofovir-DF	◆	◆	◆	◆	▲	◆
Zidovudine	◆	◆	◆	◆	◆	◆
Antiretrovirals - Protease Inhibitors						
Atazanavir alone	▲	◆	▲	◆	●	■
Atazanavir + ritonavir	▲	◆	▲	◆	●	■
Atazanavir/cobicistat	▲	◆	▲	◆	●	■
Darunavir + ritonavir	▲	◆	▲	◆	▲	■
Darunavir/cobicistat	▲	◆	▲	◆	▲	■
Darunavir/cobicistat/ Emtricitabine/TAF	▲	▲	▲	▲	▲	■
Lopinavir/ritonavir	▲	◆	▲	◆	▲	■
Ritonavir	▲	◆	▲	◆	▲	■
Antiretrovirals for PrEP						
Cabotegravir PrEP [long acting]	●	●	●	●	●	●
Dapivirine	●	●	●	●	●	●
Emtricitabine/Tenofovir alafenamide	●	●	●	●	●	●
Emtricitabine/Tenofovir-DF	●	●	●	●	●	●
Lenacapavir for PrEP	●	●	●	●	■	●
Antivirals						
Aciclovir	◆	◆	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆
Brincidofovir	◆	◆	■	◆	◆	◆
Bulevirtide	◆	◆	◆	◆	◆	▲
Cidofovir	◆	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	●	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆
Favipiravir	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	▲	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	▲	◆	◆	◆
Letermovir	◆	◆	▲	◆	■	▲
Maribavir	◆	◆	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆	◆
Nirmatrelvir/Ritonavir	▲	◆	◆	◆	▲	■
Ombitasvir/Paritaprevir/r	◆	◆	▲	◆	▲	■
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	▲	◆	▲	■
Oseltamivir	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	▲	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	▲	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	▲	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	■	◆	◆	◆
Sotrovimab	◆	◆	◆	◆	◆	◆
Tecovirimat	◆	◆	◆	◆	▲	▲
Telbivudine	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	◆	◆	◆	◆	▲	◆
Tixagevimab/Cilgavimab	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆
Valganciclovir	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised March 2026. Full information available at www.hiv-druginteractions.org

Page 4 of 8

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Anxiolytics/Hypnotics/ Sedatives						
Alprazolam	◆	◆	◆	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆	◆	◆
Clobazam	◆	◆	▲	◆	◆	▲
Clorazepate	◆	◆	◆	◆	◆	◆
Daridorexant	◆	◆	◆	◆	◆	◆
Diazepam	◆	◆	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆	◆	◆
Eszopiclone	◆	◆	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	▲	◆
Lorazepam	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆	◆
Midazolam (buccal)	◆	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆	◆
Secobarbital (quinalbarbitone)	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	◆	◆
Zaleplon	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	▲	◆
Zopiclone	◆	◆	◆	◆	◆	◆
Beta Blockers						
Atenolol	◆	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	▲	◆
Carvedilol	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆
Sotalol	◆	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	◆	▲
Bisphosphonates						
Alendronic acid (Alendronate)	◆	◆	◆	◆	◆	◆
Ibandronic acid (Ibandronate)	◆	◆	◆	◆	◆	◆
Risedronic acid (Risedronate)	◆	◆	◆	◆	◆	◆
Zoledronic acid (Zoledronate)	◆	◆	◆	◆	◆	◆
Bronchodilators						
Acidinium bromide	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	▲	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	◆	◆
Terbutaline	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆
Zafirlukast	◆	◆	◆	◆	▲	◆
Calcium Channel Blockers						
Amlodipine	◆	◆	◆	◆	◆	◆
Barnidipine	◆	◆	◆	◆	◆	◆
Diltiazem	◆	◆	▲	◆	◆	◆
Felodipine	◆	◆	◆	◆	◆	◆
Nicardipine	◆	◆	▲	◆	◆	◆
Nifedipine	◆	◆	◆	◆	◆	◆
Nimodipine	◆	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆	◆	◆
Verapamil	◆	◆	▲	◆	▲	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Cancer Therapies						
Abemaciclib	◆	◆	◆	◆	◆	◆
Abiraterone	◆	◆	◆	◆	◆	◆
Acalabrutinib	◆	◆	◆	◆	◆	◆
Afatinib	◆	◆	◆	◆	◆	◆
Alectinib	◆	◆	◆	◆	◆	◆
Alemtuzumab	◆	◆	◆	◆	◆	◆
Alpelisib	◆	◆	◆	◆	◆	◆
Amivantamab	◆	◆	◆	◆	◆	◆
Anastrozole	◆	◆	◆	◆	◆	◆
Apalutamide	◆	◆	◆	◆	◆	◆
Arsenic trioxide	◆	◆	◆	◆	◆	◆
Asciminib	◆	◆	▲	◆	▲	◆
Asparaginase	◆	◆	◆	◆	◆	◆
Atezolizumab	◆	◆	◆	◆	◆	◆
Avapritinib	◆	◆	◆	◆	◆	◆
Avelumab	◆	◆	◆	◆	◆	◆
Azacitidine	◆	◆	◆	◆	◆	◆
Axitinib	◆	◆	◆	◆	◆	◆
Bendamustine	◆	◆	▲	◆	◆	◆
Bevacizumab	◆	◆	◆	◆	◆	◆
Bexarotene	◆	◆	◆	◆	◆	◆
Bicalutamide	◆	◆	▲	◆	◆	◆
Binimetinib	◆	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆
Blinatumomab	◆	◆	◆	◆	◆	◆
Bortezomib	◆	◆	▲	◆	◆	◆
Bosutinib	◆	◆	◆	◆	◆	◆
Brentuximab vedotin	◆	◆	◆	◆	◆	◆
Brigatinib	◆	◆	◆	◆	◆	◆
Busulfan	◆	◆	◆	◆	◆	◆
Cabazitaxel	◆	◆	◆	◆	◆	◆
Cabozantinib	◆	◆	▲	◆	◆	◆
Capecitabine	◆	◆	▲	◆	◆	◆
Capmatinib	◆	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆	◆	◆
Carfilzomib	◆	◆	◆	◆	◆	◆
Cedazuridine	◆	◆	◆	◆	◆	◆
Cemiplimab	◆	◆	◆	◆	◆	◆
Ceritinib	◆	◆	▲	◆	◆	◆
Cetuximab	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆
Cisplatin	◆	◆	◆	◆	◆	◆
Cobimetinib	◆	◆	▲	◆	◆	◆
Copanlisib	◆	◆	◆	◆	◆	◆
Crizotinib	◆	◆	▲	◆	◆	◆
Cyclophosphamide	◆	◆	◆	◆	◆	◆
Cytarabine	◆	◆	◆	◆	◆	◆
Dabrafenib	◆	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	◆	◆
Dacomitinib	◆	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆
Daratumumab	◆	◆	◆	◆	◆	◆
Darolutamide	◆	◆	▲	◆	◆	◆
Dasatinib	◆	◆	◆	◆	◆	◆
Daunorubicin	◆	◆	◆	◆	◆	◆
Decitabine	◆	◆	◆	◆	◆	◆
Docetaxel	◆	◆	◆	◆	◆	◆
Doxorubicin	◆	◆	◆	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆	◆
Durvalumab	◆	◆	◆	◆	◆	◆
Duvelisib	◆	◆	▲	◆	◆	◆
Elotuzumab	◆	◆	◆	◆	◆	◆
Enasidenib	◆	◆	◆	◆	◆	◆
Encorafenib	◆	◆	◆	◆	◆	◆
Enfortumab vedotin	◆	◆	◆	◆	◆	◆
Entrectinib	◆	◆	▲	◆	◆	◆
Enzalutamide	◆	◆	◆	◆	◆	◆
Eporitumab	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	◆	◆	◆
Erdafitinib	◆	◆	▲	◆	◆	◆
Eribulin	◆	◆	▲	◆	◆	◆
Erlotinib	◆	◆	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised March 2026. Full information available at www.hiv-druginteractions.org

Page 5 of 8

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Cancer Therapies (continued)						
Fedratinib	◆	◆	▲	◆	▲	■
Fludarabine	◆	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	▲	◆	◆	◆
Flutamide	◆	◆	▲	◆	■	◆
Formestane	◆	◆	◆	◆	◆	◆
Fulvestrant	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	■	◆
Gemcitabine	◆	◆	◆	◆	◆	◆
Gilteritinib	◆	◆	▲	◆	■	◆
Glasdegib	◆	◆	▲	◆	■	◆
Hydroxycarbamide (Hydroxyurea)	◆	◆	◆	◆	◆	◆
Ibrutinib	◆	◆	◆	◆	■	◆
Idarubicin	◆	◆	◆	◆	◆	◆
Idelalisib	◆	◆	▲	◆	▲	■
Ifosfamide	◆	◆	◆	◆	■	■
Imatinib	◆	◆	■	◆	▲	▲
Infigratinib	◆	◆	◆	◆	●	◆
Inotuzumab ozogamicin	◆	◆	▲	◆	◆	◆
Ipilimumab	◆	◆	◆	◆	◆	◆
Irinotecan	◆	◆	■	◆	■	◆
Isatuximab	◆	◆	◆	◆	■	◆
Ivosidenib	◆	◆	●	◆	●	■
Ixazomib	◆	◆	◆	◆	■	◆
Lapatinib	◆	◆	▲	◆	■	▲
Larotrectinib	◆	◆	◆	◆	■	◆
Lenalidomide	◆	◆	◆	◆	◆	◆
Lenvatinib	◆	◆	▲	◆	◆	◆
Letrozole	◆	◆	◆	◆	■	◆
Lomustine	◆	◆	◆	◆	■	◆
Lorlatinib	◆	◆	▲	◆	●	■
Mercaptopurine	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	■	◆	◆	◆
Midostaurin	◆	◆	▲	◆	■	◆
Mitomycin	◆	◆	◆	◆	◆	◆
Mitotane	◆	◆	●	◆	●	●
Mitoxantrone	◆	◆	■	◆	■	◆
Mobocertinib	◆	◆	■	◆	■	◆
Necitumumab	◆	◆	▲	◆	◆	◆
Neratinib	◆	◆	◆	◆	●	◆
Nilotinib	◆	◆	▲	◆	■	▲
Nilutamide	◆	◆	◆	◆	◆	◆
Nintedanib	◆	◆	◆	◆	◆	◆
Niraparib	◆	◆	◆	◆	◆	◆
Nivolumab	◆	◆	◆	◆	◆	◆
Obinutuzumab	◆	◆	◆	◆	◆	◆
Ofatumumab	◆	◆	◆	◆	◆	◆
Olaparib	◆	◆	◆	◆	■	◆
Olaratumab	◆	◆	◆	◆	◆	◆
Osimertinib	◆	◆	▲	◆	◆	◆
Oxaliplatin	◆	◆	■	◆	◆	◆
Paclitaxel	◆	◆	■	◆	■	■
Palbociclib	◆	◆	◆	◆	■	◆
Panitumumab	◆	◆	◆	◆	◆	◆
Panobinostat	◆	◆	▲	◆	■	◆
Pazopanib	◆	◆	◆	◆	■	▲
Pembrolizumab	◆	◆	◆	◆	◆	◆
Pemetrexed	◆	◆	◆	◆	◆	◆
Pemigatinib	◆	◆	▲	◆	●	◆
Pertuzumab	◆	◆	◆	◆	◆	◆
Pexidartinib	◆	◆	▲	◆	●	■
Polatuzumab vedotin	◆	◆	◆	◆	■	◆
Pomalidomide	◆	◆	◆	◆	◆	◆
Ponatinib	◆	◆	◆	◆	■	◆
Pralsetinib	◆	◆	▲	◆	■	▲
Procarbazine	◆	◆	◆	◆	◆	◆
Regorafenib	◆	◆	◆	◆	●	◆
Relugolix	◆	◆	▲	◆	◆	◆
Repotrectinib	◆	◆	▲	◆	●	■
Ribociclib	◆	◆	▲	◆	■	■
Rituximab	◆	◆	◆	◆	◆	◆
Romidpesin	◆	◆	▲	◆	■	◆
Rucaparib	◆	◆	▲	◆	■	◆
Ruxolitinib	◆	◆	◆	◆	■	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Cancer Therapies (continued)						
Selpercatinib	◆	◆	▲	◆	■	◆
Sorafenib	◆	◆	▲	◆	▲	◆
Sotorasib	◆	◆	▲	◆	●	■
Sunitinib	◆	◆	▲	◆	■	◆
Talazoparib	◆	◆	◆	◆	▲	◆
Tamoxifen	◆	◆	▲	◆	■	■
Tegafur/ Gimeracil/ Oteracil	◆	◆	◆	◆	◆	◆
Temsirolimus	◆	◆	◆	◆	■	▲
Teniposide	◆	◆	◆	◆	◆	◆
Tepotinib	◆	◆	▲	◆	◆	◆
Thiotepa	◆	◆	◆	◆	■	◆
Tisotumab vedotin	◆	◆	◆	◆	■	◆
Tivozanib	◆	◆	◆	◆	◆	◆
Topotecan	◆	◆	■	◆	◆	◆
Toremifene	◆	◆	■	◆	■	◆
Trabectedin	◆	◆	◆	◆	■	◆
Trametinib	◆	◆	◆	◆	◆	◆
Trastuzumab	◆	◆	◆	◆	◆	◆
Trastuzumab emtansine	◆	◆	◆	◆	■	◆
Trifluridine/Tipiracil	◆	◆	◆	◆	◆	◆
Tucatinib	◆	◆	▲	◆	▲	■
Vemurafenib	◆	◆	▲	◆	●	■
Venetoclax	◆	◆	◆	◆	■	◆
Vinblastine	◆	◆	▲	◆	■	■
Vincristine	◆	◆	◆	◆	■	◆
Vinorelbine	◆	◆	◆	◆	■	◆
Vorinostat	◆	◆	▲	◆	◆	◆
Contraceptives/HRT						
Bazedoxifene	◆	◆	■	◆	◆	◆
Chlormadinone (COC)	◆	◆	■	◆	▲	◆
Conjugated estrogens	◆	◆	■	◆	▲	◆
Desogestrel (COC)	◆	◆	■	◆	◆	◆
Desogestrel (POP)	◆	◆	◆	◆	▲	◆
Drospirenone (COC)	◆	◆	■	◆	▲	◆
Drospirenone (HRT)	◆	◆	■	◆	▲	◆
Drospirenone (POP)	◆	◆	◆	◆	▲	◆
Dydrogesterone (HRT)	◆	◆	■	◆	▲	◆
Estradiol	◆	◆	■	◆	▲	◆
Ethinylestradiol	◆	◆	■	◆	▲	◆
Etonogestrel (implant)	◆	◆	■	◆	▲	◆
Etonogestrel (vaginal ring)	◆	◆	■	◆	▲	◆
Gestodene (COC)	◆	◆	■	◆	▲	◆
Levonorgestrel (COC)	◆	◆	■	◆	▲	◆
Levonorgestrel (emergency contraception)	◆	◆	■	◆	▲	◆
Levonorgestrel (HRT)	◆	◆	■	◆	▲	◆
Levonorgestrel (implant)	◆	◆	■	◆	▲	◆
Levonorgestrel (IUD)	◆	◆	■	◆	▲	◆
Levonorgestrel (POP)	◆	◆	■	◆	▲	◆
Medroxyprogesterone (depot injection)	◆	◆	■	◆	▲	◆
Medroxyprogesterone (HRT)	◆	◆	■	◆	▲	◆
Norelgestromin (patch)	◆	◆	■	◆	▲	◆
Norethisterone [Norethindrone] (COC)	◆	◆	■	◆	▲	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	■	◆	▲	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	■	◆	▲	◆
Norethisterone [Norethindrone] (POP)	◆	◆	■	◆	▲	◆
Norgestimate (COC)	◆	◆	■	◆	▲	◆
Norgestimate (HRT)	◆	◆	■	◆	▲	◆
Norgestrel (COC)	◆	◆	■	◆	▲	◆
Norgestrel (HRT)	◆	◆	■	◆	▲	◆
Progesterone (HRT)	◆	◆	■	◆	▲	◆
Tibolone (HRT)	◆	◆	■	◆	▲	◆
Ulipristal	◆	◆	◆	◆	▲	◆
Cough and Cold Preparations						
Benzonate	◆	◆	◆	◆	◆	◆
Carbocisteine	◆	◆	◆	◆	◆	◆
Dextromethorphan	◆	◆	◆	◆	◆	◆
Pseudoephedrine	◆	◆	◆	◆	◆	◆
Cystic Fibrosis Agents						
Deutivacaftor/Tezacaftor/ Vanzacaftor	◆	◆	◆	◆	■	◆
Ivacaftor	◆	◆	◆	◆	■	◆
Ivacaftor/Lumacaftor	◆	◆	●	◆	●	■
Ivacaftor/Tezacaftor	◆	◆	◆	◆	■	◆
Ivacaftor/Tezacaftor/ Elexacaftor	◆	◆	◆	◆	■	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised March 2026. Full information available at www.hiv-druginteractions.org

Page 6 of 8

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Dementia Therapies						
Donepezil	◆	◆	◆	◆	◆	◆
Ergoloid mesylates	◆	◆	◆	◆	◆	◆
Galantamine	◆	◆	◆	◆	◆	◆
Memantine	◆	◆	◆	◆	◆	◆
Rivastigmine	◆	◆	◆	◆	◆	◆
Erectile Dysfunctional Agents						
Alprostadil	◆	◆	◆	◆	◆	◆
Avanafil	◆	◆	◆	◆	◆	◆
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆
Vardenafil	◆	◆	◆	◆	◆	◆
Yohimbine	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents						
Alosetron	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆
Bismuth subsalicylate	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	◆	◆	◆
Dexlansoprazole	◆	◆	◆	◆	◆	◆
Docusate	◆	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆
Hyoscine butylbromide	◆	◆	◆	◆	◆	◆
Ispaghula husk	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	◆	◆
Macrogol (PEG 3350, PEG 4000)	◆	◆	◆	◆	◆	◆
Mebeverine	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆
Nizatidine	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆
Psyllium husk	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆
Roxatidine	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆
Sucralfate	◆	◆	◆	◆	◆	◆
Vonoprazan	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)						
Aprepitant	◆	◆	◆	◆	◆	◆
Cyclizine	◆	◆	◆	◆	◆	◆
Dolasetron	◆	◆	◆	◆	◆	◆
Domperidone	◆	◆	◆	◆	◆	◆
Dronabinol	◆	◆	◆	◆	◆	◆
Fosaprepitant	◆	◆	◆	◆	◆	◆
Granisetron	◆	◆	◆	◆	◆	◆
Hyoscine (Scopolamine)	◆	◆	◆	◆	◆	◆
Hyoscine hydrobromide	◆	◆	◆	◆	◆	◆
Metoclopramide	◆	◆	◆	◆	◆	◆
Netupitant	◆	◆	◆	◆	◆	◆
Ondansetron	◆	◆	◆	◆	◆	◆
Palonosetron	◆	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	◆	◆
Rolapitant	◆	◆	◆	◆	◆	◆
Tropisetron	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Herbals/Supplements/Vitamins						
African potato	◆	◆	◆	◆	◆	◆
Aloe vera	◆	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C) [alone]	◆	◆	◆	◆	◆	◆
Ascorbic Acid [in multivitamins]	◆	◆	◆	◆	◆	◆
Ashwagandha (Withania somnifera)	◆	◆	◆	◆	◆	◆
Ayahuasca	◆	◆	◆	◆	◆	◆
Berberine	◆	◆	◆	◆	◆	◆
Beta-alanine	◆	◆	◆	◆	◆	◆
Biotin (vitamin B7, vitamin H) [alone]	◆	◆	◆	◆	◆	◆
Biotin (vitamin B7, vitamin H) [in multivitamins]	◆	◆	◆	◆	◆	◆
Black cohosh	◆	◆	◆	◆	◆	◆
Branched chain amino acids	◆	◆	◆	◆	◆	◆
Caffeine (anhydrous powder)	◆	◆	◆	◆	◆	◆
Calcium supplements	◆	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	◆	◆	◆	◆	◆	◆
Coenzyme Q10 (Ubidecarenone)	◆	◆	◆	◆	◆	◆
Colecalciferol (vitamin D3) [alone]	◆	◆	◆	◆	◆	◆
Colecalciferol [in multivitamins]	◆	◆	◆	◆	◆	◆
Collagen hydrolysate	◆	◆	◆	◆	◆	◆
Creatine monohydrate	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	◆	◆	◆	◆
Cyanocobalamin [alone]	◆	◆	◆	◆	◆	◆
Cyanocobalamin [in multivitamins]	◆	◆	◆	◆	◆	◆
Ecdysterone (20-hydroxyecdysone)	◆	◆	◆	◆	◆	◆
Echinacea	◆	◆	◆	◆	◆	◆
Enteral Feeds	◆	◆	◆	◆	◆	◆
Eucalyptus globulus	◆	◆	◆	◆	◆	◆
Ferrous fumarate	◆	◆	◆	◆	◆	◆
Ferrous sulfate	◆	◆	◆	◆	◆	◆
Folic acid [alone]	◆	◆	◆	◆	◆	◆
Folic acid [in multivitamins]	◆	◆	◆	◆	◆	◆
Garlic	◆	◆	◆	◆	◆	◆
Ginger (Zingiber officinale)	◆	◆	◆	◆	◆	◆
Ginkgo biloba	◆	◆	◆	◆	◆	◆
Ginseng (P. ginseng, P. quinquefolius)	◆	◆	◆	◆	◆	◆
Glucosamine	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	◆	◆
Green tea extracts (Camellia sinensis)	◆	◆	◆	◆	◆	◆
Guggulsterone	◆	◆	◆	◆	◆	◆
Homeopathic remedies	◆	◆	◆	◆	◆	◆
Hops (Humulus lupulus)	◆	◆	◆	◆	◆	◆
Inula racemosa	◆	◆	◆	◆	◆	◆
Iodine [alone]	◆	◆	◆	◆	◆	◆
Iodine [in multivitamins]	◆	◆	◆	◆	◆	◆
Iron supplements (injection/infusion)	◆	◆	◆	◆	◆	◆
Iron supplements (oral)	◆	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	◆	◆	◆	◆	◆
Magnesium supplements	◆	◆	◆	◆	◆	◆
Malabar nut tree	◆	◆	◆	◆	◆	◆
Menthol	◆	◆	◆	◆	◆	◆
Milk thistle (silymarin)	◆	◆	◆	◆	◆	◆
Mucuna pruriens	◆	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆	◆
Nicotinamide [alone]	◆	◆	◆	◆	◆	◆
Nicotinamide [in multivitamins]	◆	◆	◆	◆	◆	◆
Omega-3 fatty acids [in multivitamins]	◆	◆	◆	◆	◆	◆
Oral nutritional supplements	◆	◆	◆	◆	◆	◆
Phytomenadione (vitamin K) [alone]	◆	◆	◆	◆	◆	◆
Phytomenadione [in multivitamins]	◆	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6) [alone]	◆	◆	◆	◆	◆	◆
Pyridoxine [in multivitamins]	◆	◆	◆	◆	◆	◆
Quercetin	◆	◆	◆	◆	◆	◆
Red yeast rice	◆	◆	◆	◆	◆	◆
Retinol (vitamin A) [alone]	◆	◆	◆	◆	◆	◆
Retinol (vitamin A) [in multivitamins]	◆	◆	◆	◆	◆	◆
Riboflavin (vitamin B2) [alone]	◆	◆	◆	◆	◆	◆
Riboflavin [in multivitamins]	◆	◆	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	◆	◆
St John's Wort	◆	◆	◆	◆	◆	◆
Thiamine (vitamin B1) [alone]	◆	◆	◆	◆	◆	◆
Thiamine [in multivitamins]	◆	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [alone]	◆	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [in multivitamins]	◆	◆	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆	◆
Whey protein	◆	◆	◆	◆	◆	◆
Zinc	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

◆	These drugs should not be coadministered
◆	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
◆	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised March 2026. Full information available at www.hiv-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Hypertension / Heart Failure Agents						
Aliskiren	◆	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆	◆
Azilsartan	◆	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆
Bosentan	◆	◆	◆	◆	◆	◆
Bumetanide	◆	◆	◆	◆	◆	◆
Candesartan	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆
Finerenone	◆	◆	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	◆	◆
Irbesartan	◆	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆	◆
Ivabradine	◆	◆	◆	◆	◆	◆
Labetalol	◆	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆	◆	◆
Lercanidipine	◆	◆	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆
Minoxidil	◆	◆	◆	◆	◆	◆
Moexipril	◆	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	◆	◆	◆
Olmesartan	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	◆	◆	◆	◆
Riociguat	◆	◆	◆	◆	◆	◆
Sacubitril	◆	◆	◆	◆	◆	◆
Selexipag	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	◆	◆	◆
Torasemide	◆	◆	◆	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆	◆
Triamterene	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆
Illicit/Recreational						
Alcohol	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	◆	◆
Cocaine	◆	◆	◆	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆
Enobosarm (Ostarine)	◆	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆	◆
Methylone	◆	◆	◆	◆	◆	◆
Monkey dust	◆	◆	◆	◆	◆	◆
Nitazenes	◆	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆
Psilocybin	◆	◆	◆	◆	◆	◆
Trenbolone	◆	◆	◆	◆	◆	◆

	ABT	ENF	FTR	IBA	LEN	MVC
Immune Modulators						
Interferon alpha	◆	◆	◆	◆	◆	◆
Interferon gamma-1b	◆	◆	◆	◆	◆	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2a	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2b	◆	◆	◆	◆	◆	◆
Immunosuppressants						
Abatacept	◆	◆	◆	◆	◆	◆
Abrocitinib	◆	◆	◆	◆	◆	◆
Adalimumab	◆	◆	◆	◆	◆	◆
Anakinra	◆	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆
Apremilast	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆
Baricitinib	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆
Belimumab	◆	◆	◆	◆	◆	◆
Bimekizumab	◆	◆	◆	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆	◆
Certolizumab pegol	◆	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	◆	◆	◆
Dimethyl fumarate	◆	◆	◆	◆	◆	◆
Etanercept	◆	◆	◆	◆	◆	◆
Golimumab	◆	◆	◆	◆	◆	◆
Guselkumab	◆	◆	◆	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆	◆
Ixekizumab	◆	◆	◆	◆	◆	◆
Leflunomide	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	◆	◆	◆
Risankizumab	◆	◆	◆	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆	◆
Secukinumab	◆	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	◆	◆	◆
Tacrolimus	◆	◆	◆	◆	◆	◆
Tildrakizumab	◆	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆	◆
Tofacitinib	◆	◆	◆	◆	◆	◆
Ustekinumab	◆	◆	◆	◆	◆	◆
Vedolizumab	◆	◆	◆	◆	◆	◆
Lipid Lowering Agents						
Alirocumab	◆	◆	◆	◆	◆	◆
Atorvastatin	◆	◆	◆	◆	◆	◆
Bempedoic acid	◆	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆
Colesevelam	◆	◆	◆	◆	◆	◆
Evolocumab	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆
Icosapent ethyl	◆	◆	◆	◆	◆	◆
Inclisiran	◆	◆	◆	◆	◆	◆
Lomitapide	◆	◆	◆	◆	◆	◆
Lovastatin	◆	◆	◆	◆	◆	◆
Omega-3 fatty acids	◆	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry, Attachment and Capsid Inhibitors

Charts revised March 2026. Full information available at www.hiv-druginteractions.org

Page 8 of 8

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABT	ENF	FTR	IBA	LEN	MVC
Other						
Acamprosate	◆	◆	◆	◆	◆	◆
Acetazolamide	◆	◆	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆	◆	◆
Activated charcoal	◆	◆	▲	◆	▲	▲
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	▲	◆	■	◆
Allopurinol	◆	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆	◆
Birch tree pollen allergen extract	◆	◆	◆	◆	◆	◆
Brimonidine	◆	◆	◆	◆	◆	◆
Brinzolamide	◆	◆	◆	◆	■	◆
Bromocriptine	◆	◆	◆	◆	■	◆
Cabergoline (lactation suppression)	◆	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆	◆
Calcitonin	◆	◆	◆	◆	◆	◆
Calcium folinate	◆	◆	◆	◆	◆	◆
Cannabidiol (CBD)	◆	◆	◆	◆	■	◆
Carbamazole	◆	◆	◆	◆	◆	▲
Cinacalcet	◆	◆	▲	◆	■	◆
Clomifene	◆	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆	■	◆
Colestyramine (Cholestyramine)	◆	◆	▲	◆	▲	▲
Cyproterone acetate	◆	◆	◆	◆	■	◆
Cytisine	◆	◆	◆	◆	◆	◆
Dapoxetine	◆	◆	◆	◆	■	◆
Darbepoetin alfa	◆	◆	◆	◆	◆	◆
Deferasirox	◆	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆	◆
Desmopressin	◆	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆	◆
Drotaverine	◆	◆	◆	◆	◆	◆
Dupilumab	◆	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	▲	■
Elagolix	◆	◆	▲	◆	●	■
Epoetin alfa	◆	◆	◆	◆	◆	◆
Epoetin beta	◆	◆	◆	◆	◆	◆
Fampridine (Dalfampridine)	◆	◆	◆	◆	◆	◆
Febuxostat	◆	◆	◆	◆	◆	◆
Fezolinetant	◆	◆	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	●	▲
Flibanserin	◆	◆	◆	◆	◆	◆
Glacial acetic acid (topical)	◆	◆	◆	◆	◆	◆
Glucose monohydrate (IV)	◆	◆	◆	◆	◆	◆
Glyceryl trinitrate (Nitroglycerin)	◆	◆	◆	◆	◆	◆
Goserelin	◆	◆	▲	◆	◆	◆
Grass pollen allergen extract	◆	◆	◆	◆	◆	◆
Hexobarbital	◆	◆	●	◆	●	●
House dust mite allergen extract	◆	◆	◆	◆	◆	◆
Isosorbide mononitrate	◆	◆	◆	◆	◆	▲
Isotretinoin	◆	◆	◆	◆	▲	◆
Leuprorelin	◆	◆	◆	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆	◆
Medroxyprogesterone	◆	◆	◆	◆	▲	◆
Methylethergometrine (Methylethergonovine)	◆	◆	◆	◆	●	◆
Midodrine	◆	◆	◆	◆	◆	◆
Minoxidil (topical)	◆	◆	◆	◆	◆	◆
Modafinil	◆	◆	▲	◆	●	■
Nafidrofuryl	◆	◆	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆
Nicotine	◆	◆	◆	◆	◆	◆
Octreotide	◆	◆	◆	◆	▲	▲
Orlistat	◆	◆	▲	◆	◆	▲
Ospemifene	◆	◆	◆	◆	■	◆
Pancreatic enzymes	◆	◆	◆	◆	◆	◆
Penicillamine	◆	◆	◆	◆	◆	◆
Pentosan polysulfate sodium	◆	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆
Phentermine	◆	◆	◆	◆	◆	◆
Phenylephrine	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆
Piracetam	◆	◆	◆	◆	◆	◆
Pitolisant	◆	◆	▲	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆

Key to abbreviations

ABT	Albuvirtide (Aikening®)	IBA	Ibalizumab-uiyk (Trogarzo®)
ENF	Enfuvirtide (Fuzeon®)	LEN	Lenacapavir (Sunlenca®)
FTR	Fostemsavir (Rukobia®)	MVC	Maraviroc (Celsentri®, Selzentry®)

	ABT	ENF	FTR	IBA	LEN	MVC
Other (continued)						
Probenecid	◆	◆	◆	◆	▲	◆
Propylthiouracil	◆	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆	◆
Raloxifene	◆	◆	◆	◆	◆	◆
Ramelteon	◆	◆	◆	◆	▲	◆
Riluzole	◆	◆	◆	◆	◆	◆
Ruxolitinib (topical)	◆	◆	◆	◆	◆	◆
Sevelamer	◆	◆	▲	◆	▲	▲
Sodium phosphate	◆	◆	◆	◆	◆	◆
Sodium zirconium cyclosilicate	◆	◆	◆	◆	◆	◆
Strontium ranelate	◆	◆	▲	◆	▲	▲
Sulfasalazine	◆	◆	■	◆	◆	◆
Tamsulosin	◆	◆	◆	◆	■	◆
Tasimelteon	◆	◆	◆	◆	■	◆
Telotristat	◆	◆	▲	◆	●	■
Tenapanor	◆	◆	◆	◆	◆	◆
Terlipressin	◆	◆	■	◆	◆	◆
Tesamorelin	◆	◆	◆	◆	◆	▲
Thalidomide	◆	◆	◆	◆	◆	◆
Thiamazole (Methimazole)	◆	◆	◆	◆	◆	▲
Tolvaptan	◆	◆	◆	◆	■	◆
Triptorelin	◆	◆	◆	◆	◆	◆
Ursodeoxycholic acid	◆	◆	◆	◆	●	■
Varenicline	◆	◆	◆	◆	◆	◆
Zileuton	◆	◆	◆	◆	▲	◆
Overactive Bladder Agents						
Darifenacin	◆	◆	◆	◆	■	◆
Fesoterodine	◆	◆	◆	◆	▲	◆
Mirabegron	◆	◆	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	◆	■	◆
Silodosin	◆	◆	◆	◆	◆	◆
Solifenacin	◆	◆	◆	◆	■	◆
Tolterodine	◆	◆	▲	◆	■	◆
Trospium	◆	◆	◆	◆	◆	◆
Oxytocics						
Ergometrine (Ergonovine)	◆	◆	◆	◆	●	◆
Mifepristone	◆	◆	◆	◆	▲	◆
Misoprostol	◆	◆	◆	◆	◆	◆
Oxytocin	◆	◆	▲	◆	◆	◆
Parkinsonism Agents						
Apomorphine	◆	◆	▲	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆	◆
Benzatropine (Benztropine)	◆	◆	◆	◆	◆	◆
Cabergoline (Parkinson's)	◆	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆	◆
Entacapone	◆	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆
Orphenadrine	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆	◆
Procyclidine	◆	◆	◆	◆	▲	◆
Rasagiline	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆	◆
Safinamide	◆	◆	◆	◆	◆	◆
Selegiline	◆	◆	◆	◆	◆	◆
Steroids						
Beclomethasone	◆	◆	◆	◆	◆	◆
Betamethasone	◆	◆	▲	◆	●	■
Betamethasone (topical)	◆	◆	◆	◆	◆	◆
Budesonide	◆	◆	◆	◆	■	◆
Ciclesonide	◆	◆	◆	◆	■	◆
Clobetasol	◆	◆	◆	◆	■	◆
Cortisone	◆	◆	◆	◆	▲	◆
Cortisone (topical)	◆	◆	◆	◆	◆	◆
Deflazacort	◆	◆	◆	◆	■	◆
Dexamethasone (doses >16 mg)	◆	◆	▲	◆	●	■
Dexamethasone (low dose; ≤16 mg)	◆	◆	◆	◆	■	▲
Fludrocortisone	◆	◆	◆	◆	■	◆
Flunisolide	◆	◆	◆	◆	■	◆
Fluocinolone	◆	◆	◆	◆	■	◆
Fluticasone	◆	◆	◆	◆	■	◆
Hydrocortisone (oral)	◆	◆	◆	◆	▲	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	▲	◆
Mometasone	◆	◆	◆	◆	■	◆
Nandrolone	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆	◆
Oxymetholone	◆	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	▲	◆
Prednisone	◆	◆	◆	◆	▲	◆
Stanozolol	◆	◆	◆	◆	▲	◆
Testosterone	◆	◆	◆	◆	▲	◆
Triamcinolone	◆	◆	◆	◆	■	◆

For personal use only. Not for distribution.

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.