

Herbal & Mineral Supplements

Charts revised November 2024. Full information available at www.hiv-druginteractions.org

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

	ATV/c	ATV/r	DRV/c	DRV/r	LPV/r	DOR	EFV	ETV	NVP	RPV oral	FTR	LEN	MVC	BIC/F/TAF	CAB oral	CAB/RPV	DTG	EVG/c/F/TAF	EVG/c/F/TDF	RAL	FTC/TAF	FTC/TDF	
Herbal Supplements																							
African potato	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Aloe vera	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Black cohosh	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Cat's claw	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	
Cubeb pepper	↔	↔	↔	↔	↔	↑↑	↔	↔	↔	↑↑	↔	↑↑	↑↑	↔	↔	↔	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	
Echinacea	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Eucalyptus globulus	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Garlic	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	
Ginger	↔	↔	↔	↔	↔	↑↑	↔	↔	↔	↑↑	↔	↔	↑↑	↔	↔	↔	↑↑	↔	↔	↔	↔	↔	
Ginkgo biloba	↔	↔	↔	↔	↔	↔	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	
Ginseng	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Goldenseal root	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Grapefruit juice	↔	↔	↔	↔	↔	↑↑	↔	↔	↔	↑↑	↔	↔	↑↑	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Green tea extracts	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↑↑?	↔	↔	↔	↔	↔	↔	↔	
Guggulsterone	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	
Hops	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	
Inula racemosa	↔	↔	↔	↔	↔	↑↑	↔	↔	↔	↑↑	↔	↑↑	↔	↑↑	↔	↔	↑↑	↔	↔	↔	↔	↔	
Liquorice	↔	↔	↔	↔	↔	↔	↓↓	↔	↔	↓↓	↔	↔	↓↓	↔	↔	↔	↓↓	↑↑	↑↑	↑↑	↑↑	↑↑	
Malabar nut tree	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	
Menthol	↔	↔	↔	↔	↔	↑↑	↔	↔	↔	↑↑	↔	↑↑	↔	↔	↔	↔	↑↑	↔	↔	↔	↔	↔	
Milk thistle	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Quercetin	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	↑↑?	
Red yeast rice	↑↑	↑↑	↑↑	↑↑	↑↑	↑↑	↔	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↓↓	↑↑	↑↑	↑↑	↑↑	↑↑	
Saw palmetto	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Seville orange juice	↔	↔	↔	↔	↔	↔	↑↑	↔	↔	↑↑	↔	↔	↑↑	↔	↔	↔	↔	↔	↔	↔	↔	↔	
St John's wort	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c	↓↓c,d	↓↓c	
Turmeric	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↑↑?	?	b	↔	↔	?	b	?	b
Valerian	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Mineral supplements																							
Ascorbic acid	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↓e	↓e	↔	↓e	↓e	↓e	↔	↔
Calcium	↓f	↓f	↔	↔	↔	↔	↔	↔	↔	↓f	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Ferrous fumarate	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	
Folic acid	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↓e	↓e	↔	↓e	↓e	↓e	↔	↔
Iodine	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↓e	↓e	↔	↓e	↓e	↓e	↔	↔
Iron (infusion/injection)	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔
Iron (oral)	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↓	↓	↔	↓	↓	↓	↔	↔
Magnesium	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↓	↓	↔	↓	↓	↓	↔	↔
Multivitamins	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↓	↓	↔	↓	↓	↓	↔	↔
Nicotinamide	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↓e	↓e	↔	↓e	↓e	↓e	↔	↔
Various vitamins	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↓g	↓g	↔	↓g	↓g	↓g	↔	↔
Zinc	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↓	↓	↔	↓	↓	↓	↔	↔

Interactions with CAB/RPV long acting injections

Pharmacokinetic interactions shown are mostly with RPV.
QT interactions shown are with RPV.

Interactions with Lenacapavir

Residual LEN may affect exposure of sensitive CYP3A4 substrates initiated within 9 months after stopping subcutaneous LEN.

Interactions with Ibalizumab

None

Interactions with Abacavir (ABC), Lamivudine (3TC), Tenofovir-DF (TDF) or Zidovudine (ZDV)

ABC: No clinically relevant interactions expected.

3TC: No clinically relevant interactions expected.

TDF: The effect of green tea on tenofovir is unclear (b).

ZDV: Caution with Cat's claw and Cubeb pepper as tenofovir systemic concentrations could potentially increase.

Notes

a No effect on emtricitabine expected.

b The effect on tenofovir is unclear as green tea extracts or turmeric appeared to inhibit P-gp in vivo, but a contradictory effect was observed in vivo.

- c Coadministration is not recommended in product label. However, a low risk of a clinically relevant pharmacokinetic interaction has been shown with low-hyperforin formulations (<1 mg/day) of St John's Wort (hyperforin is the constituent responsible for induction of CYPs and P-gp). Coadministration may be considered with St John's Wort formulations that clearly state the hyperforin content and which have a total daily hyperforin dose of 1 mg or less.
- d No effect on emtricitabine is expected, but tenofovir alafenamide concentrations may decrease which may result in loss of therapeutic effect and development of resistance.
- e Only when used in multivitamin preparations as they can contain mineral supplements.
- f Calcium supplements containing calcium carbonate may decrease atazanavir or rilpivirine concentrations due to gastric pH increase.
- g Only for vitamin preparations containing divalent cations.

Abbreviations: ATV atazanavir DRV darunavir LPV lopinavir r/c cobicistat /r ritonavir DOR doravirine EFV efavirenz ETV etravirine NVP nevirapine RPV rilpivirine F or FTC emtricitabine TAF tenofovir alafenamide TDF tenofovir-DF

© Liverpool Drug Interactions Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Text Legend

↑ Potential increased exposure of the supplement

↓ Potential decreased exposure of the supplement

↔ No significant effect

↑ Potential increased exposure of HIV drug

↓ Potential decreased exposure of HIV drug