

Interactions with HDV Treatment

Charts created June 2023. Full information available at www.hep-druginteractions.org

Page 1 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Bulevirtide
Anaesthetics and muscle relaxants	
Bupivacaine	◆
Cisatracurium	◆
Isoflurane	◆
Ketamine	◆
Nitrous oxide	◆
Propofol	◆
Thiopental	◆
Tizanidine	◆
Analgesics	
Aceclofenac	◆
Alfentanil	■
Aspirin	◆
Buprenorphine	◆
Celecoxib	◆
Codeine	◆
Dexketoprofen	◆
Dextropropoxyphene	◆
Diamorphine	◆
Diclofenac	◆
Diffunisal	◆
Dihydrocodeine	◆
Etoricoxib	◆
Fentanyl (Prescribed)	■
Flurbiprofen	◆
Hydrocodone	■
Hydromorphone	◆
Ibuprofen	◆
Indometacin	◆
Ketoprofen	◆
Mefenamic acid	◆
Meloxicam	◆
Metamizole (Dipyrone)	◆
Methadone	◆
Morphine	◆
Naproxen	◆
Oxycodone	■
Paracetamol	◆
Pethidine (Meperidine)	◆
Piroxicam	◆
Tapentadol	◆
Tramadol	◆
Anthelmintics	
Albendazole	◆
Ivermectin	◆
Niclosamide	◆
Oxamniquine	◆
Praziquantel	◆
Pyrantel	◆
Antiarrhythmics	
Amiodarone	■
Bepidil	◆
Digoxin	◆
Disopyramide	◆
Dofetilide	■
Dronedarone	■
Flecainide	◆
Lidocaine (Lignocaine)	◆
Mexiletine	◆
Propafenone	◆
Quinidine	■
Vernakalant	◆

For personal use only. Not for distribution.

	Bulevirtide
Antibacterials	
Amikacin	◆
Amoxicillin	◆
Ampicillin	◆
Azithromycin	◆
Aztreonam	◆
Bedaquiline	■
Benzylpenicillin	◆
Capreomycin	◆
Cefaclor	◆
Cefadroxil	◆
Cefalexin	◆
Cefazolin	◆
Cefixime	◆
Cefotaxime	◆
Cefradine	◆
Ceftaroline	◆
Ceftazidime	◆
Ceftriaxone	◆
Cefuroxime	◆
Chloramphenicol	◆
Ciprofloxacin	◆
Clarithromycin	◆
Clavulanic acid	◆
Clindamycin	◆
Clofazimine	◆
Cloxacillin	◆
Dapsone	◆
Delamanid	◆
Ertapenem	◆
Erythromycin	◆
Ethambutol	◆
Flucloxacillin	◆
Gentamicin	◆
Imipenem	◆
Isoniazid	◆
Levofloxacin	◆
Linezolid	◆
Lymecycline	◆
Meropenem	◆
Methenamine	◆
Metronidazole	◆
Moxifloxacin	◆
Nitrofurantoin	◆
Norfloxacin	◆
Ofloxacin	◆
Penicillin V	◆
Piperacillin	◆
Pivmecillinam	◆
Pyrazinamide	◆
Rifabutin	◆
Rifampicin	◆
Rifapentine	◆
Rifaximin	◆
Spectinomycin	◆
Streptomycin	◆
Sulfadiazine	◆
Tazobactam	◆
Telithromycin	◆
Temocillin	◆
Tetracyclines	◆
Ticarcillin	◆
Trimethoprim/Sulfamethoxazole	◆
Troleandomycin	◆

For personal use only. Not for distribution.

	Bulevirtide
Anticoagulant, Anti-Platelet & Fibrinolytic	
Acenocoumarol	◆
Anagrelide	◆
Apixaban	■
Caplacizumab	◆
Clopidogrel	◆
Dabigatran	◆
Daletarin	◆
Danaparoid	◆
Dipyridamole	◆
Edoxaban	◆
Eltrombopag	◆
Enoxaparin	◆
Fluindione	◆
Fondaparinux	◆
Heparin	◆
Natalizumab	◆
Phenprocoumon	■
Prasugrel	◆
Rivaroxaban	■
Streptokinase	◆
Ticagrelor	◆
Ticlopidine	◆
Tinzaparin	◆
Warfarin	◆
Anticonvulsants	
Carbamazepine	■
Clonazepam	◆
Eslicarbazepine	◆
Ethosuximide	◆
Gabapentin	◆
Lacosamide	◆
Lamotrigine	◆
Levetiracetam	◆
Oxcarbazepine	◆
Perampanel	◆
Phenobarbital	◆
Phenytoin	◆
Pregabalin	◆
Primidone	◆
Retigabine	◆
Rufinamide	◆
Sultiame	◆
Tiagabine	◆
Topiramate	◆
Valproic acid (Divalproex)	◆
Vigabatrin	◆
Zonisamide	◆

For personal use only. Not for distribution.

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with HDV Treatment

Charts created June 2023. Full information available at www.hep-druginteractions.org

Page 2 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Bulevirtide
Antidepressants	
Agomelatine	◆
Amitriptyline	◆
Bupropion	◆
Citalopram	◆
Clomipramine	◆
Desipramine	◆
Desvenlafaxine	◆
Dosulepin	◆
Doxepin	◆
Duloxetine	◆
Escitalopram	◆
Fluoxetine	◆
Fluvoxamine	◆
Imipramine	◆
Lithium	◆
Maprotiline	◆
Mianserin	◆
Milnacipran	◆
Mirtazapine	◆
Moclobemide	◆
Nefazodone	◆
Nortriptyline	◆
Paroxetine	◆
Reboxetine	■
Sertraline	◆
Tianeptine	◆
Trazodone	◆
Trimipramine	◆
Venlafaxine	◆
Vortioxetine	◆
Antidiabetics	
Acarbose	◆
Albiglutide	◆
Alogliptin	◆
Canagliflozin	◆
Dapagliflozin	◆
Dulaglutide	◆
Empagliflozin	◆
Exenatide	◆
Glibenclamide (Glyburide)	■
Gliclazide	◆
Glimepiride	◆
Glipizide	◆
Insulin	◆
Linagliptin	◆
Liraglutide	◆
Lixisenatide	◆
Metformin	◆
Nateglinide	■
Pioglitazone	◆
Repaglinide	■
Rosiglitazone	◆
Saxagliptin	◆
Sitagliptin	◆
Tolbutamide	◆
Vildagliptin	◆

For personal use only. Not for distribution.

	Bulevirtide
Antifungals	
Amphotericin B	◆
Anidulafungin	◆
Caspofungin	◆
Fluconazole	◆
Flucytosine	◆
Griseofulvin	◆
Isavuconazole	◆
Itraconazole	◆
Ketoconazole	●
Miconazole	◆
Nystatin	◆
Posaconazole	◆
Terbinafine	◆
Voriconazole	◆
Antihistamines	
Astemizole	■
Bilastine	◆
Cetirizine	◆
Chlorphenamine	◆
Desloratadine	◆
Diphenhydramine	◆
Doxylamine	◆
Ebastine	■
Fexofenadine	■
Hydroxyzine	◆
Levocetirizine	◆
Loratadine	◆
Promethazine	◆
Terfenadine	■
Antimigraine Agents	
Almotriptan	◆
Dihydroergotamine	■
Eletriptan	◆
Erenumab	◆
Ergotamine	■
Fremanezumab	◆
Frovatriptan	◆
Galcanezumab	◆
Methylergonovine	■
Naratriptan	◆
Pizotifen	◆
Rizatriptan	◆
Sumatriptan	◆
Zolmitriptan	◆

For personal use only. Not for distribution.

	Bulevirtide
Antiprotozoals	
Amodiaquine	◆
Artemether	◆
Artemisinin	◆
Artesunate	◆
Atovaquone	◆
Chloroquine	◆
Dihydroartemisinin	◆
Doxycycline	◆
Halofantrine	◆
Hydroxychloroquine	◆
Lumefantrine	◆
Mefloquine	◆
Nitazoxanide	◆
Pentamidine	◆
Primaquine	◆
Proguanil	◆
Pyrimethamine	◆
Quinine	■
Sodium stibogluconate	◆
Sulfadoxine	◆
Antipsychotic/Neuroleptics	
Amisulpride	◆
Aripiprazole	■
Asenapine	◆
Chlorpromazine	◆
Chlorprothixene	◆
Clozapine	◆
Flupentixol	◆
Fluphenazine	◆
Haloperidol	◆
Iloperidone	◆
Levomepromazine	◆
Lurasidone	◆
Olanzapine	◆
Paliperidone	◆
Perazine	◆
Periciazine	◆
Perphenazine	◆
Pimozide	■
Pipotiazine	◆
Prochlorperazine	◆
Promazine	◆
Quetiapine	■
Risperidone	◆
Sulpiride	◆
Thioridazine	◆
Tiapride	◆
Trifluoperazine	◆
Ziprasidone	◆
Zuclopentixol	◆
Antivirals	
Aciclovir	◆
Amantadine	◆
Brincidofovir	■
Brivudine	◆
Cidofovir	◆
Favipiravir	◆
Foscarnet	◆
Molnupiravir	◆
Nirmatrelvir/ritonavir	●
Osetamivir	◆
Palivizumab	◆
Remdesivir	◆
Rimantadine	◆
Sotrovimab	◆
Tecovirimat	◆
Tixagevimab/cilgavimab	◆
Valaciclovir	◆
Zanamivir	◆

For personal use only. Not for distribution.

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with HDV Treatment

Charts created June 2023. Full information available at www.hep-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Bulevirtide
Anxiolytics/hypnotics/sedatives	
Alprazolam	◆
Amobarbital	◆
Bromazepam	◆
Bromperidol	◆
Buspirone	◆
Clobazam	◆
Clorazepate	◆
Clotiapine	◆
Diazepam	◆
Estazolam	◆
Flurazepam	◆
Lorazepam	◆
Lormetazepam	◆
Midazolam (oral)	◆
Midazolam (parenteral)	◆
Oxazepam	◆
Quazepam	◆
Temazepam	◆
Triazolam	◆
Zaleplon	◆
Zolpidem	◆
Zopiclone	◆
Beta Blockers	
Atenolol	◆
Bisoprolol	◆
Carvedilol	◆
Celiprolol	◆
Labetalol	◆
Metoprolol	◆
Nebivolol	◆
Oxprenolol	◆
Pindolol	◆
Propranolol	◆
Sotalol	◆
Timolol	◆
Bisphosphonates	
Alendronic acid	◆
Clodronate	◆
Ibandronic acid	◆
Pamidronate	◆
Risedronate	◆
Bronchodilators	
Formoterol	◆
Indacaterol	◆
Ipratropium bromide	◆
Montelukast	◆
Omalizumab	◆
Reslizumab	◆
Salbutamol	◆
Salmeterol	◆
Theophylline	◆
Tiotropium	◆
Umeclidinium bromide	◆
Vilanterol	◆
Calcium Channel Blockers	
Amlodipine	◆
Diltiazem	◆
Felodipine	◆
Nicardipine	◆
Nifedipine	◆
Nisoldipine	◆
Nitrendipine	◆
Verapamil	◆

For personal use only. Not for distribution.

	Bulevirtide
Cancer Therapies	
Abiraterone	◆
Acalabrutinib	◆
Anastrozole	◆
Apalutamide	◆
Avelumab	◆
Axitinib	◆
Belantamab mafodotin	◆
Bevacizumab	◆
Blinatumomab	◆
Bortezomib	◆
Bosutinib	◆
Brentuximab vedotin	◆
Capecitabine	◆
Carboplatin	◆
Cemiplimab	◆
Cetuximab	◆
Chlorambucil	◆
Cisplatin	◆
Cyclophosphamide	◆
Daratumumab	◆
Dasatinib	◆
Dinutuximab beta	◆
Doxorubicin	◆
Durvalumab	◆
Erlotinib	◆
Elotuzumab	◆
Enzalutamide	◆
Estramustine	◆
Etoposide	◆
Everolimus	◆
Exemestane	◆
Fludaurabine	◆
Gefitinib	◆
Gemcitabine	◆
Idarubicin	◆
Imatinib	◆
Ipilimumab	◆
Irinotecan	◆
Isatuximab	◆
Ixazomib	◆
Lapatinib	◆
Letrozole	◆
Medroxyprogesterone (oncology)	◆
Mercaptopurine	◆
Mesna	◆
Methotrexate	◆
Mitoxantrone	◆
Mogamulizumab	◆
Nilotinib	◆
Niraparib	◆
Nivolumab	◆
Obinutuzumab	◆
Ofatumumab	◆
Olaparib	◆
Olaratumab	◆
Oxaliplatin	◆
Paclitaxel	◆
Panitumumab	◆
Pembrolizumab	◆
Pertuzumab	◆
Ramucirumab	◆
Rituximab	◆
Ruxolitinib	◆
Sacituzumab govitecan	◆
Sunitinib	◆
Tamoxifen	◆
Temsirolimus	◆
Trastuzumab	◆
Trastuzumab deruxitecan	◆
Trastuzumab emtansine	◆
Vinblastine	◆
Vincristine	◆
Vinorelbine	◆

For personal use only. Not for distribution.

	Bulevirtide
Contraceptives and hormone replacement	
Conjugated estrogens (HRT)	◆
Desogestrel (POP)	◆
Desogestrel/ethinylestradiol (COC)	◆
Dienogest	◆
Drospirenone (POP)	◆
Drospirenone/estradiol (HRT)	◆
Drospirenone/ethinylestradiol (COC)	◆
Dydrogesterone/estradiol (HRT)	◆
Estradiol	◆
Ethinylestradiol	◆
Etonogestrel (implant)	◆
Etonogestrel (vaginal ring)	◆
Gestodene/ethinylestradiol (COC)	◆
Levonorgestrel (Emergency Contraception)	◆
Levonorgestrel (HRT)	◆
Levonorgestrel (implant)	◆
Levonorgestrel (IUD)	◆
Levonorgestrel (POP)	◆
Levonorgestrel/ethinylestradiol (COC)	◆
Medroxyprogesterone (depot)	◆
Medroxyprogesterone (oral)	◆
Medroxyprogesterone/conjugated estrogens (HRT)	◆
Medroxyprogesterone/estradiol (HRT)	◆
Micronized progesterone (HRT)	◆
Norelgestromin/ethinylestradiol (patch)	◆
Norethisterone (Norethindrone) (depot injection)	◆
Norethisterone (Norethindrone) (POP)	◆
Norethisterone (Norethindrone)/estradiol (HRT)	◆
Norethisterone (Norethindrone) ethinylestradiol (COC)	◆
Norethisterone (Norethindrone)/mestranol (COC)	◆
Norgestimate/ethinylestradiol (COC)	◆
Norgestrel/conjugated estrogens (HRT)	◆
Norgestrel/ethinylestradiol (COC)	◆
Testosterone	◆
Erectile Dysfunction Agents	
Sildenafil	◆
Tadalafil	◆
Vardenafil	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with HDV Treatment

Charts created June 2023. Full information available at www.hep-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Bulevirtide
Gastrointestinal Agents	
Aluminium hydroxide	◆
Alverine citrate	◆
Antacids	◆
Aprepitant	◆
Bisacodyl	◆
Cimetidine	◆
Cisapride	■
Cyclizine	◆
Dantron	◆
Domperidone	■
Droperidol	◆
Esomeprazole	◆
Famotidine	◆
Granisetron	◆
Hyoscine	◆
Ispaghula husk	◆
Lactulose	◆
Lansoprazole	◆
Linaclotide	◆
Loperamide	◆
Lubiprostone	◆
Macrogol	◆
Mebeverine	◆
Mesalazine	◆
Methylcellulose	◆
Metoclopramide	◆
Naloxegol	◆
Omeprazole	◆
Ondansetron	◆
Pantoprazole	◆
Prucalopride	◆
Rabeprazole	◆
Ranitidine	◆
Senna	◆
Simeticone	◆
Sulfasalazine	●
Trimebutine	◆
HCC Therapies	
Lenvatinib	◆
Pembrolizumab	◆
Regorafenib	◆
Sorafenib	◆
Hepatitis B Drugs	
Adefovir	◆
Entecavir	◆
Lamivudine	◆
Peginterferon alfa-2a	◆
Peginterferon alfa-2b	◆
Ribavirin	◆
Telbivudine	◆
Tenofovir alafenamide	◆
Tenofovir-DF	◆
Hepatitis C DAAs	
Daclatasvir	◆
Elbasvir/Grazoprevir	■
Glecaprevir/Pibrentasvir	■
Ledipasvir/Sofosbuvir	◆
OBV/PTV/r	●
OBV/PTV/r + Dasabuvir	●
Ribavirin	◆
Simeprevir	■
Sofosbuvir (SOF)	◆
SOF/Velpatasvir	◆
SOF/Velpatasvir/Voxilaprevir	■

For personal use only. Not for distribution.

	Bulevirtide
Herbals/Supplements/Vitamins	
Aloe vera	◆
Ascorbic acid (Vitamin C)	◆
Black cohosh (<i>A. racemosa</i>)	◆
Cat's claw (<i>U. tomentosa</i>)	◆
Colecalciferol (Vitamin D3)	◆
Cyanocobalamin (B12)	◆
Diosmin	◆
Echinacea	◆
Eucalyptus globulus	◆
Ferrous sulfate	◆
Folic acid	◆
Garlic	◆
Ginger (<i>Z. officinale</i>)	◆
Ginkgo biloba	◆
Ginseng	◆
Goldenseal (<i>H. canadensis</i>)	◆
Grape seed extract	◆
Grapefruit juice	◆
Green tea (<i>C. sinensis</i>)	◆
Homeopathic remedies	◆
Inula racemosa	◆
Iodine	◆
Kava kava (<i>P. methysticum</i>)	◆
L-lysine	◆
Milk thistle	◆
Omega-3-6-9 fatty acids	◆
Oregano oil	◆
Retinol (Vitamin A)	◆
Riboflavin (Vitamin B2)	◆
Saw palmetto (<i>S. repens</i>)	◆
St John's wort	◆
Thiamine (Vitamin B1)	◆
Turmeric (curcumin)	◆
Valerian	◆
Vitamin E	◆
HIV Drugs	
Entry/Integrase Inhibitors	
Albuvirtide	◆
Bictegravir/FTC/TAF	◆
Cabotegravir (oral)	◆
Cabotegravir/rilpivirine (LA)	▲
Dolutegravir	◆
Dolutegravir/rilpivirine	▲
Elvitegravir/cobi /FTC/TAF	●
Elvitegravir/cobi/FTC/TDF	●
Enfuvirtide	◆
Fostemsavir	◆
Ibalizumab-uiyk	◆
Maraviroc	▲
Raltegravir	◆
NNRTIs	
Dapivirine	◆
Doravirine	▲
Doravirine/3TC/TDF	▲
Efavirenz	●
Etravirine	●
Nevirapine	◆
Rilpivirine	▲
Rilpivirine/dolutegravir	▲
Rilpivirine/FTC/TAF	▲
NRTIs	
Abacavir	◆
Didanosine	◆
Emtricitabine (FTC)	◆
Emtricitabine + TAF	◆
Emtricitabine + TDF	◆
Lamivudine	◆
Stavudine	◆
Tenofovir-DF	◆
Zidovudine	◆
Protease Inhibitors	
Atazanavir alone	●
Atazanavir/cobicistat	●
Atazanavir + ritonavir	●
Darunavir/cobicistat	●
Darunavir/cobi/FTC/TAF	●
Darunavir + ritonavir	●
Fosamprenavir	●
Indinavir	●
Lopinavir	●
Ritonavir	●
Tipranavir	●

For personal use only. Not for distribution.

	Bulevirtide
Hypertension/Heart Failure Agents	
Acebutolol	◆
Aliskiren	◆
Ambrisentan	■
Amiloride	◆
Azilsartan	◆
Benazepril	◆
Bendroflumethiazide	◆
Bosentan	■
Bumetanide	◆
Candesartan	◆
Captopril	◆
Chlorthalidone	◆
Cilazapril	◆
Clevidipine	◆
Clonidine	◆
Doxazosin	◆
Enalapril	◆
Eplerenone	◆
Epoprostenol	◆
Eprosartan	◆
Fosinopril	◆
Furosemide	◆
Hydralazine	◆
Hydrochlorothiazide	◆
Iloprost	◆
Indapamide	◆
Irbesartan	●
Isradipine	◆
Ivabradine	◆
Lacidipine	◆
Lercanidipine	◆
Lisinopril	◆
Losartan	◆
Macitentan	◆
Methyldopa	◆
Metolazone	◆
Moxonidine	◆
Olmesartan	■
Perindopril	◆
Prazosin	◆
Quinapril	◆
Ramipril	◆
Ranolazine	◆
Rilmeneidine	◆
Riociguat	◆
Sacubitril/valsartan	■
Selexipag	◆
Sildenafil	◆
Spironolactone	◆
Tadalafil	◆
Telmisartan	■
Torasemide	◆
Trandolapril	◆
Treprostinil	◆
Valsartan	■
Xipamide	◆
Zofenopril	◆
Illicit/Recreational	
Alcohol	◆
Amphetamine	◆
Cannabis	◆
Carfentanil	■
Cocaine	◆
Ecstasy (MDMA)	◆
Etizolam	◆
Fentanyl (Recreational)	■
GHB (Gamma-hydroxybutyrate)	■
Heroin	◆
LSD (Lysergic acid diethylamide)	◆
Mephedrone	◆
Methamphetamine	◆
Phencyclidine (PCP)	■

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with HDV Treatment

Charts created June 2023. Full information available at www.hep-druginteractions.org

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	Bulevirtide
Hypertension/Heart Failure Agents	
Acebutolol	◆
Aliskiren	◆
Ambrisentan	■
Amiloride	◆
Azilsartan	◆
Benazepril	◆
Bendroflumethiazide	◆
Bosentan	■
Bumetanide	◆
Candesartan	◆
Captopril	◆
Chlorothiazide	◆
Chlortalidone	◆
Cilazapril	◆
Clevidipine	◆
Clonidine	◆
Doxazosin	◆
Enalapril	◆
Eplerenone	◆
Epoprostenol	◆
Eprosartan	◆
Fosinopril	◆
Furosemide	◆
Hydralazine	◆
Hydrochlorothiazide	◆
Iloprost	◆
Indapamide	◆
Irbesartan	●
Isradipine	◆
Ivabradine	◆
Lacidipine	◆
Lercanidipine	◆
Lisinopril	◆
Losartan	◆
Macitentan	◆
Methyldopa	◆
Metolazone	◆
Moxonidine	◆
Olmесartan	■
Perindopril	◆
Prazosin	◆
Quinapril	◆
Ramipril	◆
Ranolazine	◆
Rilmenidine	◆
Riociguat	◆
Sacubitril/valsartan	■
Selexipag	◆
Sildenafil	◆
Spirolactone	◆
Tadalafil	◆
Telmisartan	■
Torasemide	◆
Trandolapril	◆
Treprostinil	◆
Valsartan	■
Xipamide	◆
Zofenopril	◆
Illicit/Recreational	
Alcohol	◆
Amphetamine	◆
Cannabis	◆
Carfentanil	■
Cocaine	◆
Ecstasy (MDMA)	◆
Etizolam	◆
Fentanyl (Recreational)	■
GHB (Gamma-hydroxybutyrate)	■
Heroin	◆
LSD (Lysergic acid diethylamide)	◆
Mephedrone	◆
Methamphetamine	◆
Phencyclidine (PCP)	■

For personal use only. Not for distribution.

	Bulevirtide
Immunosuppressants	
Adalimumab	◆
Alemtuzumab	◆
Anakinra	◆
Azathioprine	◆
Baricitinib	◆
Basiliximab	◆
Belimumab	◆
Brodalumab	◆
Canakinumab	◆
Ciclosporin	●
Ecuzumab	◆
Etanercept	◆
Fingolimod	◆
Golimumab	◆
Guselkumab	◆
Infliximab	◆
Lenalidomide	◆
Mycophenolate	◆
Pirfenidone	◆
Ravulizumab	◆
Risankizumab	◆
Sarilumab	◆
Secukinumab	◆
Sirolimus	■
Siltuximab	◆
Tildrakizumab	◆
Tocilizumab	◆
Tralokinumab	◆
Tacrolimus	■
Upadacitinib	◆
Ustekinumab	◆
Vedolizumab	◆
Lipid Lowering Agents	
Alirocumab	◆
Atorvastatin	■
Bezafibrate	◆
Evolocumab	◆
Ezetimibe	●
Fenofibrate	◆
Fish oils	◆
Fluvastatin	■
Gemfibrozil	◆
Lovastatin	■
Pitavastatin	■
Pravastatin	■
Rosuvastatin	■
Simvastatin	■
Oxytocics	
Ergometrine (ergonovine)	■
Mifepristone	◆
Misoprostol	◆

For personal use only. Not for distribution.

	Bulevirtide
Parkinsonism Agents	
Benzotropine	◆
Carbidopa	◆
Orphenadrine	◆
Pramipexole	◆
Procyclidine	◆
Rasagiline	◆
Ropinrole	◆
PBC Agents	
Obeticholic acid	◆
Ursodeoxycholic acid	◆
Steroids	
Beclometasone	◆
Betamethasone	◆
Budesonide	◆
Ciclesonide	◆
Clobetasol (topical)	◆
Clobetasone (topical)	◆
Dexamethasone ≤16 mg	◆
Dexamethasone >16 mg	◆
Fludrocortisone	◆
Flunisolide	◆
Fluticasone	◆
Hydrocortisone (topical)	◆
Methylprednisolone	◆
Mometasone	◆
Prednicarbate	◆
Prednisone	◆
Triamcinolone	◆
Urological Agents	
Alfuzosin	◆
Desmopressin	◆
Dutasteride	◆
Finasteride	◆
Mirabegron	◆
Silodosin	◆
Solifenacin	◆
Tamsulosin	◆
Tolterodine	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with HDV Treatment

Charts created June 2023. Full information available at www.hep-druginteractions.org

Page 6 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

Other Drugs	Bulevirtide
Acamprosate	◆
Acetazolamide	◆
Acitretin	◆
Activated charcoal	◆
Allopurinol	◆
Atomoxetine	◆
Atropine	◆
Baclofen	◆
Bamlanivimab/Etesevimab	◆
Benralizumab	◆
Betahistine	◆
Bimatoprost	◆
Biperiden	◆
Brinzolamide	◆
Brolucizumab	◆
Bromocriptine	◆
Calcitonin	◆
Calcium carbimide	◆
Calcium resonium	◆
Cannabidiol (CBD)	◆
Carbamazole	◆
Carisoprodol	◆
Casirivimab/imdevimab	◆
Cilostazol	◆
Clomifene	◆
Colchicine	■
Colestyramine	◆
Conivaptan	◆
Convalescent plasma (COVID-19)	◆
COVID-19 vaccines	◆
Crizanlizumab	◆
Cyclobenzaprine	◆
Cyproterone acetate	▲
Cytisine	◆
Darbepoetin	◆
Deferiprone	◆
Denosumab	◆
Dexamfetamine	◆
Dextromethorphan	◆
Disulfiram	◆
Donepezil	◆
Dorzolamide	◆
Dupilumab	◆
Eliglustat	◆
Emicizumab	◆
Epoetin alfa	◆
Etelcalcetide	◆
Febuxostat	◆
Filgrastim	◆
Flibanserin	◆
Gadopentetate (gadolinium)	◆
Glycerol phenylbutyrate	◆
Goserelin acetate	◆
Idarucizumab	◆
Influenza vaccine	◆
Interferon beta	◆
Isosorbide mononitrate	◆
Isotretinoin	◆
Lanadelumab	◆
Lanreotide	◆
Leuprorelin acetate	◆
Levothyroxine	■
Lisdexamfetamine	◆
Lofexidine	◆
Lumacaftor/vacaftor	◆
Magnesium	◆
Melatonin	◆
Memantine	◆
Mepolizumab	◆
Methylphenidate	◆
Minoxidil	◆
Modafinil	◆

For personal use only. Not for distribution.

Other Drugs Continued	Bulevirtide
Naftidrofuryl	◆
Nalmefene	◆
Naloxone	◆
Naltrexone	◆
Neostigmine	◆
Nicorandil	◆
Nusinersen	◆
Ocrelizumab	◆
Orlistat	◆
Penicillamine	◆
Pentoxifylline	◆
Phenylephrine	◆
Pilocarpine	◆
Piracetam	◆
Potassium	◆
Propylthiouracil	◆
Protamine sulphate	◆
Pseudoephedrine	◆
Pyridostigmine	◆
Raloxifene	◆
Romosozumab	◆
Sevelamer	◆
Strontium ranelate	◆
Thalidomide	◆
Tranexamic acid	◆
Triptorelin	◆
Varenicline	◆

For personal use only. Not for distribution.

Key to symbols

●	These drugs should not be coadministered
■	Potential clinically significant interaction that is likely to require additional monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Notes

- Further information is available at www.hep-druginteractions.org
- Predicted interactions are based on known metabolic pathways and routes of clearance.
- Caution is required in patients with hepatic impairment as this may also increase drug levels and require dose modification.
- Where advice differs between countries, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group,
 University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.