Interactions with ARVs for PrEP

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
ADHD Agents					
Atomoxetine	◆	◆	◆	◆	◆
Dexamfetamine (dextroamphetamine)	◆	◆	◆	◆	◆
Dexmethylphenidate	◆	◆	◆	◆	◆
Guanfacine	◆	◆	◆	◆	■
Lisdexamfetamine	◆	◆	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆
Serdexmethylphenidate	◆	◆	◆	◆	◆
Anaesthetics & Muscle Relaxants					
Alcuronium	◆	◆	△	△	◆
Bupivacaine	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆
Cyclobenzaprine	◆	◆	◆	◆	△
Desflurane	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆
Esketamine (anaesthetic)	◆	◆	◆	◆	■
Etidocaine	◆	◆	◆	◆	■
Halothane	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	■
Methocarbamol	◆	◆	◆	◆	◆
Minaxolone	◆	◆	◆	◆	■
Nitrous oxide	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆
Ropivacaine	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	◆	◆	◆
Sufentanil	◆	◆	◆	◆	■
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆
Analgesics					
Alfentanil	◆	◆	◆	◆	■
Aspirin	◆	◆	◆	■	◆
Buprenorphine	◆	◆	◆	◆	△
Celecoxib	◆	◆	◆	■	◆
Codeine	◆	◆	◆	◆	△
Dexketoprofen	◆	◆	◆	■	◆
Dextropropoxyphene	◆	◆	◆	◆	●
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	■	◆
Dihydrocodeine	◆	◆	◆	◆	△
Etoricoxib	◆	◆	◆	■	◆
Fentanyl	◆	◆	◆	◆	■
Hydrocodone	◆	◆	◆	◆	■
Hydromorphone	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	■	◆
Indometacin (Indomethacin)	◆	◆	◆	■	◆
Ketoprofen	◆	◆	◆	■	◆
Ketorolac	◆	◆	◆	■	◆
Lornoxicam (Chlortenoxicam)	◆	◆	◆	■	◆
Mefenamic acid	◆	◆	◆	■	◆
Meloxicam	◆	◆	◆	■	◆
Metamizole	◆	◆	◆	◆	●
Methadone	△	◆	◆	◆	△
Morphine	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	■	◆
Nefopam	◆	◆	◆	◆	△
Nimesulide	◆	◆	◆	■	◆
Oxycodone	◆	◆	◆	◆	■
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	△
Piroxicam	◆	◆	◆	■	◆
Suzetrigine	◆	◆	◆	◆	■
Tapentadol	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	△
Anthelmintics					
Albendazole	◆	◆	◆	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	△
Pyrantel	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	◆	◆	◆

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Antiarrhythmics					
Amiodarone	◆	◆	■	■	●
Bepridil	◆	◆	◆	◆	■
Digoxin	◆	◆	◆	◆	■
Disopyramide	◆	◆	◆	◆	●
Dofetilide	◆	◆	◆	◆	◆
Dronedarone	◆	◆	◆	◆	■
Flecainide	◆	◆	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	■
Mexiletine	◆	◆	◆	◆	◆
Procainamide	◆	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆	△
Quinidine	◆	◆	■	■	●
Antibacterials					
Amikacin	◆	◆	◆	■	◆
Amoxicillin	◆	◆	◆	◆	◆
Ampicillin	◆	◆	△	△	◆
Azithromycin	◆	◆	◆	◆	◆
Bedaquiline	◆	◆	◆	◆	■
Capreomycin	◆	◆	△	■	◆
Cefalexin	◆	◆	◆	△	◆
Cefazolin	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆
Cefuroxime	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	◆	◆	◆
Clarithromycin	◆	◆	■	■	◆
Clavulanic acid	◆	◆	◆	◆	◆
Clindamycin	◆	■	◆	◆	△
Clofazimine	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆
Daptomycin	◆	◆	◆	◆	◆
Delamanid	◆	◆	◆	◆	△
Doxycycline	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆
Erythromycin	◆	◆	◆	◆	△
Ethambutol	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆
Flucloxacillin	◆	◆	◆	△	△
Fosfomycin	◆	◆	◆	◆	◆
Furazolidone	◆	◆	◆	◆	◆
Gatifloxacin (topical)	◆	◆	◆	◆	◆
Gemifloxacin	◆	◆	◆	◆	◆
Gentamicin	◆	◆	◆	■	◆
Gepotidacin	◆	◆	◆	◆	■
Imipenem/Cilastatin	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	■	◆
Levofloxacin	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆
Lymecycline	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆
Metronidazole	◆	■	◆	◆	◆
Minocycline	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	◆	◆
Nafcillin	◆	◆	◆	◆	●
Neomycin	◆	◆	◆	■	◆
Nitrofurantoin	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	◆	◆
Para-aminosalicylic acid	◆	◆	△	△	◆
Penicillins	◆	◆	◆	◆	◆
Piperacillin	◆	◆	◆	■	◆
Pretomanid	◆	◆	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆
Rifabutin	■	◆	■	◆	●
Rifampicin	●	◆	■	◆	●
Rifapentine (daily)	●	◆	■	◆	●
Rifapentine (weekly)	●	◆	■	◆	●
Rifaximin	◆	◆	◆	◆	◆
Roxithromycin	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	■	◆
Sulfadiazine	◆	◆	■	■	◆
Tazobactam	◆	◆	◆	■	◆
Teicoplanin	◆	◆	◆	■	◆
Telavancin	◆	◆	◆	■	◆
Telithromycin	◆	◆	◆	◆	◆
Tetracyclines	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆
Tobramycin	◆	◆	◆	■	◆
Trimethoprim/Sulfamethoxazole	◆	◆	△	△	◆
Vancomycin	◆	◆	◆	■	◆
Zoliflodacin	◆	◆	◆	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Using a saved or printed version? Click or scan to check for updates

Key to abbreviations

CAB LA	Cabotegravir long acting (Apretude®)	FTC/TAF	Emtricitabine / Tenofovir alafenamide
DPV	Dapivirine (vaginal ring)	FTC/TAF	Emtricitabine / Tenofovir-DF
		LEN	Lenacapavir (Yeytuo®, Yeztugo®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with ARVs for PrEP

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Anti-coagulant, Anti-platelet and Fibrinolytic					
Acenocoumarol	◆	◆	◆	◆	◆
Apixaban	◆	◆	◆	◆	■
Argatroban	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆
Betrixaban	◆	◆	◆	◆	■
Clopidogrel	◆	◆	◆	◆	●
Dabigatran	◆	◆	◆	◆	■
Dalteparin	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	■
Enoxaparin	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆
Nadroparin	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	■
Prasugrel	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	◆	■
Streptokinase	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	■
Tinzaparin	◆	◆	◆	◆	◆
Vorapaxar	◆	◆	◆	◆	◆
Warfarin	◆	◆	◆	◆	■
Anticonvulsants					
Brivaracetam	◆	◆	◆	◆	◆
Carbamazepine	●	◆	■	◆	●
Cenobamate	◆	◆	◆	△	●
Clonazepam	◆	◆	◆	◆	■
Eslicarbazepine	●	◆	◆	◆	●
Ethosuximide	◆	◆	◆	◆	■
Felbamate	◆	◆	◆	◆	◆
Fosphenytoin	●	◆	■	◆	●
Gabapentin	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆
Oxcarbazepine	●	◆	■	◆	●
Perampanel	◆	◆	◆	◆	■
Phenobarbital (Phenobarbitone)	●	◆	■	◆	●
Phenytoin	●	◆	■	◆	●
Pregabalin	◆	◆	◆	◆	◆
Primidone	●	◆	■	◆	●
Sodium valproate	◆	◆	◆	◆	◆
Tiagabine	◆	◆	◆	■	△
Topiramate	◆	◆	◆	■	◆
Valproate semisodium (Divalproex)	◆	◆	◆	◆	◆
Valproic acid	◆	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆
Antidepressants					
Agomelatine	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆
Amoxapine	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆	◆
Citalopram	◆	◆	◆	◆	◆
Clomipramine	◆	◆	◆	◆	◆
Desipramine	◆	◆	◆	◆	◆
Desvenlafaxine	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆
Escitalopram	◆	◆	◆	◆	◆
Esketamine (antidepressant)	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆
Imipramine	◆	◆	◆	◆	◆
Lithium	◆	◆	◆	■	◆
Maprotiline	◆	◆	◆	◆	◆
Mianserin	◆	◆	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	◆	◆
Moclobemide	◆	◆	◆	◆	◆
Nefazodone	◆	◆	◆	◆	△
Nortriptyline	◆	◆	◆	◆	◆
Opipramol	◆	◆	◆	◆	◆
Paroxetine	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆	△
Trimipramine	◆	◆	◆	◆	◆
Venlafaxine	◆	◆	◆	◆	◆
Vortioxetine	◆	◆	◆	◆	◆

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Anti-diabetics					
Acarbose	◆	◆	◆	◆	◆
Alogliptin	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	■	◆
Dapagliflozin	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	◆	■
Gliclazide	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆
Repaglinide	◆	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	■
Semaglutide	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆
Tirzepatide	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆
Antifungals					
Amphotericin B	◆	■	◆	■	◆
Anidulafungin	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆
Clotrimazole (pessary, troche)	◆	■	◆	◆	◆
Clotrimazole (topical)	◆	■	◆	◆	◆
Fluconazole	◆	◆	△	■	◆
Flucytosine	◆	◆	■	■	◆
Griseofulvin	■	◆	◆	◆	●
Ibrexafungerp	◆	◆	◆	◆	◆
Isavuconazole	◆	◆	△	◆	◆
Itraconazole	◆	◆	■	■	◆
Ketoconazole	◆	■	■	■	◆
Miconazole	◆	■	◆	◆	◆
Nystatin	◆	■	◆	◆	◆
Posaconazole	◆	◆	◆	■	◆
Rezafungin	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	■	◆
Antihaemorrhagics					
Avatrombopag	◆	◆	◆	◆	■
Eltrombopag	◆	◆	◆	◆	◆
Emicizumab	◆	◆	◆	◆	◆
Fostamatinib	◆	◆	◆	◆	■
Tranexamic acid	◆	◆	◆	◆	◆
Antihistamines					
Astemizole	◆	◆	◆	◆	●
Bilastine	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆
Clemastine	◆	◆	◆	◆	◆
Desloratadine	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆
Doxylamine	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	△
Promethazine	◆	◆	◆	◆	◆
Terfenadine	◆	◆	◆	◆	●
Antimigraine Agents					
Almotriptan	◆	◆	◆	◆	◆
Atogepant	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	●
Eletriptan	◆	◆	◆	◆	■
Eptinezumab	◆	◆	◆	◆	◆
Erenumab	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	●
Fremanezumab	◆	◆	◆	◆	◆
Frovatriptan	◆	◆	◆	◆	◆
Galcanezumab	◆	◆	◆	◆	◆
Methysergide	◆	◆	◆	◆	●
Naratriptan	◆	◆	◆	◆	◆
Pizotifen	◆	◆	◆	◆	◆
Rimegepant	◆	◆	◆	◆	■
Rizatriptan	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆
Ubrogepant	◆	◆	◆	◆	■
Zavegepant	◆	◆	◆	◆	◆
Zolmitriptan	◆	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

CAB LA	Cabotegravir long acting (Apretude®)	FTC/TAF	Emtricitabine / Tenofovir alafenamide
DPV	Dapivirine (vaginal ring)	FTC/TAF	Emtricitabine / Tenofovir-DF
		LEN	Lenacapavir (Yeytuo®, Yeztugo®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with ARVs for PrEP

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Antiprotozoals					
Amodiaquine	◆	◆	◆	◆	◆
Artemether	◆	◆	◆	◆	◆
Artesunate	◆	◆	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	◆	△
Diloxanide	◆	◆	◆	◆	◆
Eflornithine	◆	◆	△	△	◆
Halofantrine	◆	◆	◆	◆	●
Hydroxychloroquine	◆	◆	◆	◆	△
Lumefantrine	◆	◆	◆	◆	△
Mefloquine	◆	◆	◆	◆	△
Meglumine antimoniate	◆	◆	◆	■	◆
Melarsoprol	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆
Nitazoxanide	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	■	◆
Piperaquine	◆	◆	◆	◆	△
Primaquine	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	△	△	◆
Quinine	◆	◆	◆	◆	■
Sodium stibogluconate	◆	◆	◆	◆	◆
Sulfadoxine	◆	◆	△	△	◆
Antipsychotics/Neuroleptics					
Amisulpride	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	◆	△
Asenapine	◆	◆	◆	◆	◆
Brexpiprazole	◆	◆	◆	◆	■
Cariprazine	◆	◆	◆	◆	●
Chlorpromazine	◆	◆	◆	◆	◆
Clozapine	◆	◆	◆	◆	■
Flupentixol (Flupentixol)	◆	◆	◆	◆	◆
Fluphenazine	◆	◆	◆	◆	◆
Haloperidol	◆	◆	◆	◆	△
Iloperidone	◆	◆	◆	◆	△
Levomepromazine	◆	◆	◆	◆	◆
Lumateperone	◆	◆	◆	◆	■
Lurasidone	◆	◆	◆	◆	■
Milsaperidone	◆	◆	◆	◆	△
Olanzapine	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	◆	◆
Perazine	◆	◆	◆	◆	△
Periciazine	◆	◆	◆	◆	◆
Perospirone	◆	◆	◆	◆	■
Perphenazine	◆	◆	◆	◆	◆
Pimavanserin	◆	◆	◆	◆	■
Pimozide	◆	◆	◆	◆	●
Pipotiazine	◆	◆	◆	◆	◆
Quetiapine	◆	◆	◆	◆	■
Risperidone	◆	◆	◆	◆	△
Sertindole	◆	◆	◆	◆	●
Sulpiride	◆	◆	◆	◆	◆
Thioridazine	◆	◆	◆	◆	●
Tiapride	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	◆	◆
Zotepine	◆	◆	◆	◆	■
Zuclopenthixol	◆	◆	◆	◆	△
Antiretrovirals - Entry, Attachment and Capsid Inhibitors					
Albuvirtide	●	●	●	●	●
Enfuvirtide	●	●	●	●	●
Fostemsavir	●	●	●	●	●
Ibalizumab-uiyk	●	●	●	●	●
Lenacapavir	●	●	●	●	
Maraviroc	●	●	●	●	●
Antiretrovirals - Integrase Inhibitors					
Bictegravir/ Emtricitabine/ TAF	●	●	●	●	●
Bictegravir/ Lenacapavir [daily]	●	●	●	●	●
Cabotegravir [oral]	△	●	●	●	●
Cabotegravir/Rilpivirine [long acting]	●	●	●	●	●
Dolutegravir	●	●	●	●	●
Dolutegravir/ Abacavir/ Lamivudine	●	●	●	●	●
Dolutegravir/ Lamivudine	●	●	●	●	●
Dolutegravir/ Lamivudine/ Tenofovir-DF	●	●	●	●	●
Dolutegravir/Rilpivirine	●	●	●	●	●
Elvitegravir/ Cobi/ Emtricitabine/ TAF	●	●	●	●	●
Elvitegravir/ Cobi/ Emtricitabine/ TDF	●	●	●	●	●
Raltegravir	●	●	●	●	●

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Antiretrovirals - Non-nucleoside Reverse Transcriptase Inhibitors					
Doravirine	●	●	●	●	●
Doravirine/Islatravir	●	●	●	●	●
Doravirine/Lamivudine/Tenofovir-DF	●	●	●	●	●
Efavirenz	●	●	●	●	●
Etravirine	●	●	●	●	●
Nevirapine	●	●	●	●	●
Rilpivirine	●	●	●	●	●
Rilpivirine/ Emtricitabine/TAF	●	●	●	●	●
Rilpivirine/ Emtricitabine/Tenofovir-DF	●	●	●	●	●
Antiretrovirals - Nucleoside/tide Reverse Transcriptase Inhibitors					
Abacavir	●	●	●	●	●
Emtricitabine	●	●	●	●	●
Emtricitabine/Tenofovir alafenamide	●	●		●	●
Emtricitabine/Tenofovir-DF	●	●	●		●
Lamivudine	●	●	●	●	●
Tenofovir-DF	●	●	●	●	●
Zidovudine	●	●	●	●	●
Antiretrovirals - Protease Inhibitors					
Atazanavir alone	●	●	●	●	●
Atazanavir + ritonavir	●	●	●	●	●
Atazanavir/cobicistat	●	●	●	●	●
Darunavir + ritonavir	●	●	●	●	●
Darunavir/cobicistat	●	●	●	●	●
Darunavir/cobicistat/ Emtricitabine/TAF	●	●	●	●	●
Lopinavir/ritonavir	●	●	●	●	●
Ritonavir	●	●	●	●	●
Antivirals					
Aciclovir	◆	◆	◆	■	◆
Adefovir	◆	◆	●	●	◆
Amantadine	◆	◆	◆	◆	◆
Brincidofovir	◆	◆	△	△	◆
Bulevirtide	◆	◆	◆	◆	◆
Cidofovir	◆	◆	◆	■	◆
Daclatasvir	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	△	◆
Favipiravir	◆	◆	◆	■	◆
Foscarnet	◆	◆	◆	■	◆
Ganciclovir	◆	◆	◆	■	◆
Glecaprevir/Pibrentasvir	◆	◆	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	◆	■	◆
Letermovir	◆	◆	■	△	■
Maribavir	◆	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆
Nirmatrelvir/Ritonavir	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	◆	◆	■	◆	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	■	◆	◆
Oseltamivir	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	■	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	■	◆
Sotrovimab	◆	◆	◆	◆	◆
Tecovirimat	◆	◆	◆	◆	◆
Telbivudine	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	◆	◆	●	●	◆
Tixagevimab/Cilgavimab	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	■	◆
Valganciclovir	◆	◆	◆	■	◆
Zanamivir	◆	◆	◆	◆	◆

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

CAB LA	Cabotegravir long acting (Apretude®)	FTC/TAF	Emtricitabine / Tenofovir alafenamide
DPV	Dapivirine (vaginal ring)	FTC/TAF	Emtricitabine / Tenofovir-DF
		LEN	Lenacapavir (Yeytuo®, Yeztugo®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with ARVs for PrEP

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Anxiolytics/Hypnotics/ Sedatives					
Alprazolam	◆	◆	◆	◆	■
Bromazepam	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	■
Chlordiazepoxide	◆	◆	◆	◆	■
Clobazam	◆	◆	◆	◆	■
Clorazepate	◆	◆	◆	◆	■
Daridorexant	◆	◆	◆	◆	■
Diazepam	◆	◆	◆	◆	■
Estazolam	◆	◆	◆	◆	■
Eszopiclone	◆	◆	◆	◆	■
Flunitrazepam	◆	◆	◆	◆	■
Flurazepam	◆	◆	◆	◆	■
Hydroxyzine	◆	◆	◆	◆	△
Lorazepam	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆
Midazolam (buccal)	◆	◆	◆	◆	■
Midazolam (oral)	◆	◆	◆	◆	■
Midazolam (parenteral)	◆	◆	◆	◆	■
Oxazepam	◆	◆	◆	◆	◆
Secobarbital (quinalbarbitone)	◆	◆	◆	◆	●
Suvorexant	◆	◆	◆	◆	■
Temazepam	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	■
Zaleplon	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	△
Zopiclone	◆	◆	◆	◆	■
Beta Blockers					
Atenolol	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	△
Carvedilol	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆
Sotalol	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	◆
Bisphosphonates					
Alendronic acid (Alendronate)	◆	◆	◆	◆	◆
Ibandronic acid (Ibandronate)	◆	◆	◆	◆	◆
Risedronic acid (Risedronate)	◆	◆	◆	◆	◆
Zoledronic acid (Zoledronate	◆	◆	◆	■	◆
Bronchodilators					
Aclidinium bromide	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆
Arformoterol	◆	◆	◆	◆	◆
Formoterol	◆	◆	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	■
Terbutaline	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆
Zafirlukast	◆	◆	◆	◆	◆
Calcium Channel Blockers					
Amlodipine	◆	◆	◆	◆	■
Barnidipine	◆	◆	◆	◆	■
Diltiazem	◆	◆	◆	◆	△
Felodipine	◆	◆	◆	◆	■
Nicardipine	◆	◆	◆	◆	△
Nifedipine	◆	◆	◆	◆	■
Nimodipine	◆	◆	◆	◆	■
Nisoldipine	◆	◆	◆	◆	■
Nitrendipine	◆	◆	◆	◆	■
Verapamil	◆	◆	■	■	△

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Cancer Therapies					
Abemaciclib	◆	◆	◆	◆	■
Abiraterone	◆	◆	◆	◆	◆
Acalabrutinib	◆	◆	◆	◆	■
Afatinib	◆	◆	◆	◆	◆
Alectinib	◆	◆	△	◆	◆
Alemtuzumab	◆	◆	◆	◆	◆
Alpelisib	◆	◆	◆	◆	◆
Amivantamab	◆	◆	◆	◆	◆
Anastrozole	◆	◆	◆	◆	■
Apalutamide	●	◆	◆	◆	●
Arsenic trioxide	◆	◆	◆	◆	◆
Asciminib	◆	◆	◆	◆	△
Asparaginase	◆	◆	◆	◆	◆
Atezolizumab	◆	◆	◆	◆	◆
Avapritinib	◆	◆	◆	◆	●
Avelumab	◆	◆	◆	◆	◆
Axitinib	◆	◆	◆	◆	■
Azacitidine	◆	◆	◆	◆	◆
Bendamustine	◆	◆	◆	◆	◆
Bevacizumab	◆	◆	◆	◆	◆
Bexarotene	◆	◆	◆	◆	●
Bicalutamide	◆	◆	◆	△	◆
Binimetinib	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆
Blinatumomab	◆	◆	◆	◆	◆
Bortezomib	◆	◆	◆	◆	■
Bosutinib	◆	◆	◆	◆	●
Brentuximab vedotin	◆	◆	◆	◆	■
Brigatinib	◆	◆	◆	◆	■
Busulfan	◆	◆	◆	◆	■
Cabazitaxel	◆	◆	◆	◆	△
Cabozantinib	◆	◆	◆	◆	■
Capecitabine	◆	◆	△	△	◆
Capmatinib	◆	◆	◆	◆	△
Carboplatin	◆	◆	◆	■	◆
Carfilzomib	◆	◆	◆	◆	◆
Cedazuridine	◆	◆	◆	◆	◆
Cemiplimab	◆	◆	◆	◆	◆
Ceritinib	◆	◆	◆	◆	◆
Cetuximab	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆
Cisplatin	◆	◆	■	■	◆
Cladribine (injection)	◆	◆	●	●	◆
Clofarabine	◆	◆	◆	■	◆
Cobimetinib	◆	◆	◆	◆	■
Copanlisib	◆	◆	◆	◆	■
Crizotinib	◆	◆	◆	◆	■
Cyclophosphamide	◆	◆	◆	◆	■
Cytarabine	◆	◆	◆	◆	◆
Dabrafenib	●	◆	◆	◆	●
Dacarbazine	◆	◆	◆	■	◆
Dacomitinib	◆	◆	◆	◆	△
Dactinomycin	◆	◆	◆	◆	◆
Daratumumab	◆	◆	◆	◆	◆
Darolutamide	◆	◆	◆	◆	◆
Dasatinib	◆	◆	◆	◆	■
Daunorubicin	◆	◆	◆	◆	◆
Decitabine	◆	◆	△	△	◆
Docetaxel	◆	◆	◆	◆	■
Doxorubicin	◆	◆	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆
Durvalumab	◆	◆	◆	◆	◆
Duvelisib	◆	◆	◆	◆	◆
Elotuzumab	◆	◆	◆	◆	◆
Enasidenib	◆	◆	◆	◆	●
Encorafenib	●	◆	◆	◆	●
Enfortumab vedotin	◆	◆	◆	◆	■
Entrectinib	◆	◆	◆	◆	●
Enzalutamide	●	◆	◆	◆	●
Epcoritamab	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	◆	◆
Erdafitinib	◆	◆	◆	◆	◆
Eribulin	◆	◆	◆	◆	◆
Erlotinib	◆	◆	◆	◆	■
Estramustine	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	△
Everolimus	◆	◆	◆	◆	■
Exemestane	◆	◆	◆	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Key to abbreviations

CAB LA	Cabotegravir long acting (Apretude®)	FTC/TAF	Emtricitabine / Tenofovir alafenamide
DPV	Dapivirine (vaginal ring)	FTC/TAF	Emtricitabine / Tenofovir-DF
		LEN	Lenacapavir (Yeytuo®, Yeztugo®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with ARVs for PrEP

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Cancer Therapies (continued)					
Fedratinib	◆	◆	◆	◆	△
Fludarabine	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	△	△	◆
Flutamide	◆	◆	◆	◆	■
Formestane	◆	◆	◆	◆	◆
Fulvestrant	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	■
Gemcitabine	◆	◆	◆	◆	◆
Gilteritinib	◆	◆	◆	◆	■
Glasdegib	◆	◆	◆	◆	■
Hydroxycarbamide (Hydroxyurea)	◆	◆	◆	◆	◆
Ibrutinib	◆	◆	◆	◆	■
Idarubicin	◆	◆	◆	◆	◆
Idelalisib	◆	◆	◆	◆	△
Ifosfamide	◆	◆	■	■	●
Imatinib	◆	◆	◆	◆	△
Infigratinib	◆	◆	◆	◆	●
Inotuzumab ozogamicin	◆	◆	◆	◆	◆
Ipilimumab	◆	◆	◆	◆	◆
Irinotecan	◆	◆	◆	◆	■
Isatuximab	◆	◆	◆	◆	◆
Ivosidenib	●	◆	◆	◆	●
Ixazomib	◆	◆	◆	◆	◆
Lapatinib	◆	◆	◆	◆	■
Larotrectinib	◆	◆	◆	◆	■
Lenalidomide	◆	◆	■	■	◆
Lenvatinib	◆	◆	◆	◆	◆
Letrozole	◆	◆	◆	◆	■
Lomustine	◆	◆	◆	■	■
Lorlatinib	◆	◆	■	◆	●
Mercaptopurine	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	△	◆
Methotrexate	■	◆	◆	■	◆
Midostaurin	◆	◆	◆	◆	●
Mitomycin	◆	◆	◆	■	◆
Mitotane	◆	◆	◆	◆	●
Mitoxantrone	◆	◆	◆	◆	■
Mobocertinib	◆	◆	◆	◆	■
Necitumumab	◆	◆	◆	◆	◆
Neratinib	◆	◆	■	■	●
Nilotinib	◆	◆	◆	◆	■
Nilutamide	◆	◆	◆	◆	◆
Nintedanib	◆	◆	◆	◆	◆
Niraparib	◆	◆	△	△	◆
Nivolumab	◆	◆	◆	◆	◆
Obinutuzumab	◆	◆	◆	◆	◆
Ofatumumab	◆	◆	◆	◆	◆
Olaparib	◆	◆	◆	◆	■
Olaratumab	◆	◆	◆	◆	◆
Osimertinib	◆	◆	■	■	◆
Oxaliplatin	◆	◆	◆	■	◆
Paclitaxel	■	◆	◆	◆	■
Palbociclib	◆	◆	■	■	■
Panitumumab	◆	◆	◆	◆	◆
Panobinostat	◆	◆	◆	◆	■
Pazopanib	◆	◆	◆	◆	■
Pembrolizumab	◆	◆	◆	◆	◆
Pemetrexed	◆	◆	◆	◆	◆
Pemigatinib	◆	◆	■	■	●
Pentostatin	◆	◆	◆	◆	◆
Pertuzumab	◆	◆	◆	◆	◆
Pexidartinib	◆	◆	◆	◆	●
Polatuzumab vedotin	◆	◆	◆	◆	■
Pomalidomide	◆	◆	◆	◆	◆
Ponatinib	◆	◆	■	■	■
Pralsetinib	◆	◆	■	■	■
Procarbazine	◆	◆	◆	◆	◆
Regorafenib	◆	◆	◆	◆	●
Relugolix	◆	◆	◆	◆	◆
Repotrectinib	◆	◆	◆	◆	●
Ribociclib	◆	◆	■	■	■
Rituximab	◆	◆	◆	◆	◆
Romidpesin	◆	◆	◆	◆	■
Rucaparib	◆	◆	◆	◆	■
Ruxolitinib	◆	◆	■	■	■

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Cancer Therapies (continued)					
Selpercatinib	◆	◆	△	△	■
Sorafenib	◆	◆	◆	■	△
Sotorasib	◆	◆	■	■	●
Sunitinib	◆	◆	◆	◆	■
Talazoparib	◆	◆	◆	◆	△
Tamoxifen	◆	◆	◆	◆	■
Tegafur/ Gimeracil/ Oteracil	◆	◆	△	△	◆
Temsirolimus	◆	◆	◆	◆	■
Teniposide	◆	◆	◆	◆	■
Tepotinib	◆	◆	■	■	◆
Thiotepa	◆	◆	◆	◆	■
Tisotumab vedotin	◆	◆	◆	◆	■
Tivozanib	◆	◆	◆	◆	◆
Topotecan	◆	◆	◆	◆	◆
Toremifene	◆	◆	◆	◆	■
Trabectedin	◆	◆	◆	◆	■
Trametinib	◆	◆	◆	◆	◆
Trastuzumab	◆	◆	◆	◆	◆
Trastuzumab emtansine	◆	◆	◆	◆	■
Trifluridine/Tipiracil	◆	◆	◆	◆	◆
Tucatinib	◆	◆	△	△	◆
Vemurafenib	◆	◆	◆	◆	●
Venetoclax	◆	◆	◆	◆	■
Vinblastine	◆	◆	◆	◆	■
Vincristine	◆	◆	◆	◆	■
Vinorelbine	◆	◆	◆	◆	■
Vorinostat	◆	◆	◆	◆	◆
Contraceptives/HRT					
Bazedoxifene	◆	◆	◆	◆	◆
Chlormadinone (COC)	◆	◆	◆	◆	◆
Conjugated estrogens	◆	◆	◆	◆	△
Cyproterone acetate (2 mg or less)	◆	◆	◆	◆	■
Desogestrel (COC)	◆	◆	◆	◆	◆
Desogestrel (POP)	◆	◆	◆	◆	◆
Drospirenone (COC)	◆	◆	◆	◆	◆
Drospirenone (HRT)	◆	◆	◆	◆	△
Drospirenone (POP)	◆	◆	◆	◆	◆
Dydrogesterone (HRT)	◆	◆	◆	◆	△
Estradiol	◆	◆	◆	◆	◆
Ethinylestradiol	◆	◆	◆	◆	◆
Etonogestrel (implant)	◆	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	●	◆	◆	◆
Gestodene (COC)	◆	◆	◆	◆	◆
Levonorgestrel (COC)	◆	◆	◆	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	◆	△
Levonorgestrel (HRT)	◆	◆	◆	◆	△
Levonorgestrel (implant)	◆	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	△	◆
Medroxyprogesterone (HRT)	◆	◆	◆	◆	△
Norelgestromin (patch)	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	◆	◆	△
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	◆	◆
Norgestimate (COC)	◆	◆	◆	◆	◆
Norgestimate (HRT)	◆	◆	◆	◆	△
Norgestrel (COC)	◆	◆	◆	◆	◆
Norgestrel (HRT)	◆	◆	◆	◆	△
Progesterone (HRT)	◆	◆	◆	◆	△
Tibolone (HRT)	◆	◆	◆	◆	◆
Ulipristal	◆	◆	◆	◆	△
Cough and Cold Preparations					
Benzonatate	◆	◆	◆	◆	◆
Carbocisteine	◆	◆	◆	◆	◆
Dextromethorphan	◆	◆	◆	◆	◆
Pseudoephedrine	◆	◆	◆	◆	◆
Cystic Fibrosis Agents					
Deutivacaftor/Tezacaftor/ Vanzacaftor	◆	◆	△	△	■
Ivacaftor	◆	◆	△	△	■
Ivacaftor/Lumacaftor	◆	◆	◆	◆	●
Ivacaftor/Tezacaftor	◆	◆	△	△	■
Ivacaftor/Tezacaftor/ Elexacaftor	◆	◆	△	△	■

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

CAB LA	Cabotegravir long acting (Apretude®)	FTC/TAF	Emtricitabine / Tenofovir alafenamide
DPV	Dapivirine (vaginal ring)	FTC/TAF	Emtricitabine / Tenofovir-DF
		LEN	Lenacapavir (Yeytuo®, Yeztugo®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with ARVs for PrEP

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Dementia Therapies					
Donepezil	◆	◆	◆	◆	■
Ergoloid mesylates	◆	◆	◆	◆	●
Galantamine	◆	◆	◆	◆	△
Memantine	◆	◆	◆	◆	◆
Rivastigmine	◆	◆	◆	◆	◆
Erectile Dysfunctional Agents					
Alprostadil	◆	◆	◆	◆	◆
Avanafil	◆	◆	◆	◆	■
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆	■
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆	■
Vardenafil	◆	◆	◆	◆	■
Yohimbine	◆	◆	◆	◆	△
Gastrointestinal Agents					
Alosetron	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆
Bismuth subsalicylate	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	◆	●
Dexlansoprazole	◆	◆	◆	◆	◆
Docusate	◆	◆	◆	◆	◆
Eluxadoline	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆
Hyoscine butylbromide	◆	◆	◆	◆	◆
Ispaghula husk	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆
Linaclotide	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	■
Macrogol (PEG 3350, PEG 4000)	◆	◆	△	△	△
Mebeverine	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆
Naloxegol	◆	◆	◆	◆	■
Nizatidine	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆
Psyllium husk	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆
Roxatidine	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆
Sucralfate	◆	◆	◆	◆	◆
Vonoprazan	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)					
Aprepitant	◆	◆	◆	◆	■
Cyclizine	◆	◆	◆	◆	◆
Dolasetron	◆	◆	◆	◆	◆
Domperidone	◆	◆	◆	◆	●
Dronabinol	◆	◆	◆	◆	◆
Fosaprepitant	◆	◆	◆	◆	■
Granisetron	◆	◆	◆	◆	△
Hyoscine (Scopolamine)	◆	◆	◆	◆	△
Hyoscine hydrobromide	◆	◆	◆	◆	△
Metoclopramide	◆	◆	◆	◆	◆
Netupitant	◆	◆	◆	◆	◆
Ondansetron	◆	◆	◆	◆	◆
Palonosetron	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	◆
Rolapitant	◆	◆	■	■	◆
Tradipitant	◆	◆	◆	◆	■
Tropisetron	◆	◆	◆	◆	◆

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Herbals/Supplements/Vitamins					
African potato	●	◆	■	◆	△
Aloe vera	◆	◆	◆	◆	◆
Ascorbic Acid (vitamin C) [alone]	◆	■	◆	◆	◆
Ascorbic Acid [in multivitamins]	◆	◆	◆	◆	◆
Ashwagandha (Withania somnifera)	◆	◆	◆	◆	◆
Ayahuasca	◆	◆	◆	◆	◆
Berberine	◆	◆	◆	◆	◆
Beta-alanine	◆	◆	◆	◆	◆
Biotin (vitamin B7, vitamin H) [alone]	◆	◆	◆	◆	◆
Biotin (vitamin B7, vitamin H) [in multivitamins]	◆	◆	◆	◆	◆
Black cohosh	◆	◆	◆	◆	◆
Branched chain amino acids	◆	◆	◆	◆	◆
Caffeine (anhydrous powder)	◆	◆	◆	◆	◆
Calcifediol (Calcidiol)	◆	◆	◆	◆	△
Calcium supplements	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	◆	◆	◆	◆	◆
Coenzyme Q10 (Ubidecarenone)	◆	◆	◆	◆	◆
Colecalciferol (vitamin D3) [alone]	◆	◆	◆	◆	◆
Colecalciferol [in multivitamins]	◆	◆	◆	◆	◆
Collagen hydrolysate	◆	◆	◆	◆	◆
Creatine monohydrate	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	△	■	△
Cyanocobalamin [alone]	◆	◆	◆	◆	◆
Cyanocobalamin [in multivitamins]	◆	◆	◆	◆	◆
Ecdysterone (20-hydroxyecdysone)	◆	◆	◆	◆	◆
Echinacea	◆	◆	◆	◆	◆
Enteral Feeds	◆	◆	◆	◆	◆
Eucalyptus globulus	◆	◆	◆	◆	◆
Ferrous fumarate	◆	◆	◆	◆	◆
Ferrous sulfate	◆	◆	◆	◆	◆
Folic acid [alone]	◆	◆	◆	◆	◆
Folic acid [in multivitamins]	◆	◆	◆	◆	◆
Garlic	◆	◆	■	◆	◆
Ginger (Zinigiber officinale)	◆	◆	◆	◆	◆
Ginkgo biloba	◆	◆	◆	◆	■
Ginseng (P. ginseng, P. quinquefolius)	◆	◆	◆	◆	◆
Glucosamine	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	◆
Green tea extracts (Camellia sinensis)	◆	◆	△	△	◆
Guggulsterone	◆	◆	◆	◆	●
Homeopathic remedies	◆	◆	◆	◆	◆
Hops (Humulus lupulus)	◆	◆	■	◆	△
Inula racemosa	◆	◆	◆	◆	◆
Iodine [alone]	◆	◆	◆	◆	◆
Iodine [in multivitamins]	◆	◆	◆	◆	◆
Iron supplements (injection/infusion)	◆	◆	◆	◆	◆
Iron supplements (oral)	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	◆	△	■	■
Magnesium supplements	◆	◆	◆	◆	◆
Malabar nut tree	■	◆	◆	◆	■
Menthol	◆	◆	◆	◆	◆
Milk thistle (silymarin)	◆	◆	◆	◆	◆
Mucuna pruriens	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆
Nicotinamide [alone]	◆	◆	◆	◆	◆
Nicotinamide [in multivitamins]	◆	◆	◆	◆	◆
Omega-3 fatty acids [in multivitamins]	◆	◆	◆	◆	◆
Oral nutritional supplements	◆	◆	◆	◆	◆
Phytomenadione (vitamin K) [alone]	◆	◆	◆	◆	◆
Phytomenadione [in multivitamins]	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6) [alone]	◆	◆	◆	◆	◆
Pyridoxine [in multivitamins]	◆	◆	◆	◆	◆
Quercetin	◆	◆	◆	◆	◆
Red yeast rice	◆	◆	◆	◆	■
Retinol (vitamin A) [alone]	◆	◆	◆	◆	◆
Retinol (vitamin A) [in multivitamins]	◆	◆	◆	◆	◆
Riboflavin (vitamin B2) [alone]	◆	◆	◆	◆	◆
Riboflavin [in multivitamins]	◆	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	◆
St John's Wort	●	◆	■	◆	●
Thiamine (vitamin B1) [alone]	◆	◆	◆	◆	◆
Thiamine [in multivitamins]	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [alone]	◆	◆	◆	◆	◆
Tocopherol (vitamin E) [in multivitamins]	◆	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	△	△	◆
Valerian	◆	◆	◆	◆	◆
Whey protein	◆	◆	◆	◆	◆
Zinc	◆	◆	◆	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Key to abbreviations

CAB LA	Cabotegravir long acting (Apretude®)	FTC/TAF	Emtricitabine / Tenofovir alafenamide
DPV	Dapivirine (vaginal ring)	FTC/TAF	Emtricitabine / Tenofovir-DF
		LEN	Lenacapavir (Yeytuo®, Yeztugo®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with ARVs for PrEP

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Hypertension / Heart Failure Agents					
Aficamten	◆	◆	◆	◆	◆
Aliskiren	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆
Azilsartan	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆
Bosentan	◆	◆	◆	◆	●
Bumetanide	◆	◆	◆	■	◆
Candesartan	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	■
Enalapril	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	◆	■
Epoprostenol	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆
Finerenone	◆	◆	◆	◆	■
Fosinopril	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	△	◆
Hydralazine	◆	◆	◆	■	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	△
Irbesartan	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆
Ivabradine	◆	◆	◆	◆	■
Labetalol	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆	■
Lercanidipine	◆	◆	◆	◆	■
Lisinopril	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	■
Mavacamten	◆	◆	◆	◆	■
Methyldopa	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆
Minoxidil	◆	◆	◆	◆	◆
Moexipril	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	△	◆
Olmesartan	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆
Ranolazine	◆	◆	■	■	■
Riociguat	◆	◆	◆	◆	△
Sacubitril	◆	◆	◆	△	◆
Selexipag	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆	■
Sodium nitroprusside	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	●
Telmisartan	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	◆	◆
Torasemide	◆	◆	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆
Triamterene	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆
Illicit/Recreational					
Alcohol	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	△
Cocaine	◆	◆	◆	◆	△
Ecstasy (MDMA)	◆	◆	◆	◆	◆
Enobosarm (Ostarine)	■	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	■
Heroin	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆
Methylone	◆	◆	◆	◆	◆
Monkey dust	◆	◆	◆	◆	◆
Nitazenes	◆	◆	◆	◆	●
Phencyclidine (PCP)	◆	◆	◆	◆	■
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆
Psilocybin	◆	◆	◆	◆	◆
Trenbolone	■	◆	◆	◆	◆

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Immune Modulators					
Interferon alpha	◆	◆	■	■	◆
Interferon gamma-1b	◆	◆	■	■	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	■	◆
Peginterferon alfa-2a	◆	◆	■	■	◆
Peginterferon alfa-2b	◆	◆	■	■	◆
Immunosuppressants					
Abatacept	◆	◆	◆	◆	◆
Abrocitinib	◆	◆	◆	◆	◆
Adalimumab	◆	◆	◆	◆	◆
Anakinra	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆
Apremilast	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆
Baricitinib	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆
Belimumab	◆	◆	◆	◆	◆
Bimekizumab	◆	◆	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆
Certolizumab pegol	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	■	■	■
Cladribine (oral)	△	◆	●	●	△
Dimethyl fumarate	◆	◆	◆	■	◆
Etanercept	◆	◆	◆	◆	◆
Golimumab	◆	◆	◆	◆	◆
Guselkumab	◆	◆	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆
Ixekizumab	◆	◆	◆	◆	◆
Leflunomide	◆	◆	◆	◆	◆
Methotrexate	■	◆	◆	■	◆
Mycophenolate	◆	◆	◆	■	◆
Risankizumab	◆	◆	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆
Secukinumab	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	△	■
Tacrolimus	◆	◆	◆	◆	■
Tildrakizumab	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆
Tofacitinib	◆	◆	◆	◆	◆
Ustekinumab	◆	◆	◆	◆	◆
Vedolizumab	◆	◆	◆	◆	◆
Lipid Lowering Agents					
Alirocumab	◆	◆	◆	◆	◆
Atorvastatin	◆	◆	◆	◆	◆
Bempedoic acid	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆
Colesevelam	◆	◆	△	△	△
Evolocumab	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆
Icosapent ethyl	◆	◆	◆	◆	◆
Inclisiran	◆	◆	◆	◆	◆
Lomitapide	◆	◆	◆	◆	●
Lovastatin	◆	◆	◆	◆	■
Omega-3 fatty acids	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	◆	■

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

CAB LA	Cabotegravir long acting (Apretude®)	FTC/TAF	Emtricitabine / Tenofovir alafenamide
DPV	Dapivirine (vaginal ring)	FTC/TAF	Emtricitabine / Tenofovir-DF
		LEN	Lenacapavir (Yeytuo®, Yeztugo®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with ARVs for PrEP

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Other					
Acamprosate	◆	◆	△	△	◆
Acetazolamide	◆	◆	◆	■	◆
Acitretin	◆	◆	◆	◆	◆
Activated charcoal	◆	◆	△	△	△
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	◆	◆	■
Allopurinol	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆
Betahistine	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆
Birch tree pollen allergen extract	◆	◆	◆	◆	◆
Brimonidine	◆	◆	◆	◆	◆
Brinzolamide	◆	◆	◆	◆	■
Bromocriptine	◆	◆	◆	◆	■
Cabergoline (lactation suppression)	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆
Calcitonin	◆	◆	◆	◆	◆
Calcitriol	◆	◆	◆	◆	◆
Calcium folinate	△	◆	◆	◆	◆
Cannabidiol (CBD)	◆	◆	◆	◆	■
Carbimazole	◆	◆	◆	◆	◆
Cinacalcet	◆	◆	◆	◆	■
Clomifene	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆	■
Colestyramine (Cholestyramine)	◆	◆	△	△	△
Cyproterone acetate (≥50 mg)	◆	◆	◆	◆	■
Cytisine	◆	◆	◆	◆	◆
Dapoxetine	◆	◆	◆	◆	■
Darbepoetin alfa	◆	◆	◆	◆	◆
Deferasirox	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆
Desmopressin	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆
Drotaverine	◆	◆	◆	◆	◆
Dupilumab	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	△
Elagolix	◆	◆	■	■	●
Elinzanetant	◆	◆	◆	◆	■
Epoetin alfa	◆	◆	◆	◆	◆
Epoetin beta	◆	◆	◆	◆	◆
Fampridine (Dalfampridine)	◆	◆	◆	◆	◆
Febuxostat	◆	◆	◆	◆	◆
Fezolinetant	◆	◆	◆	◆	◆
Filgrastim	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆
Flibanserin	◆	◆	◆	◆	●
Glacial acetic acid (topical)	◆	◆	◆	◆	◆
Glucose monohydrate (IV)	◆	◆	◆	◆	◆
Glyceryl trinitrate (Nitroglycerin)	◆	◆	◆	◆	◆
Goserelin	◆	◆	◆	◆	◆
Grass pollen allergen extract	◆	◆	◆	◆	◆
Hexobarbital	●	◆	●	◆	●
House dust mite allergen extract	◆	◆	◆	◆	◆
Isosorbide mononitrate	◆	◆	◆	◆	◆
Isotretinoin	◆	◆	◆	◆	△
Leuprorelin	◆	◆	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆
Lofexidine	◆	◆	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆
Medroxyprogesterone	◆	◆	◆	◆	△
Methylergometrine (Methylergonovine)	◆	◆	◆	◆	●
Midodrine	◆	◆	◆	◆	◆
Minoxidil (topical)	◆	◆	◆	◆	◆
Modafinil	◆	◆	◆	◆	●
Naftidrofuryl	◆	◆	◆	◆	◆
Naloxone	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆
Nicotine	◆	◆	◆	◆	◆
Octreotide	◆	◆	◆	◆	△
Orforglipron	◆	◆	◆	◆	◆
Orlistat	◆	◆	△	△	△
Ospemifene	◆	◆	◆	◆	■
Pancreatic enzymes	◆	◆	◆	◆	◆
Penicillamine	◆	◆	◆	■	◆
Pentosan polysulfate sodium	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆
Phentermine	◆	◆	◆	◆	◆
Phenylephrine	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆
Piracetam	◆	◆	◆	◆	◆
Pitolisant	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆

	CAB LA	DPV	FTC/TAF	FTC/TDF	LEN
Other (continued)					
Probenecid	◆	◆	◆	■	◆
Propylthiouracil	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	△	△	◆
Raloxifene	◆	◆	◆	◆	◆
Ramelteon	◆	◆	◆	◆	△
Riluzole	◆	◆	◆	◆	◆
Ruxolitinib (topical)	◆	◆	◆	◆	◆
Samidorphan	◆	◆	◆	◆	◆
Sevelamer	◆	◆	△	△	△
Sodium phosphate	◆	◆	◆	◆	◆
Sodium zirconium cyclosilicate	◆	◆	◆	◆	◆
Strontium ranelate	◆	◆	△	△	△
Sulfasalazine	◆	◆	◆	◆	◆
Tamsulosin	◆	◆	◆	◆	■
Tasimelteon	◆	◆	◆	◆	■
Telotristat	◆	◆	◆	◆	●
Tenapanor	◆	◆	◆	◆	◆
Terlipressin	◆	◆	◆	◆	◆
Tesamorelin	◆	◆	◆	◆	◆
Thalidomide	◆	◆	◆	◆	◆
Thiamazole (Methimazole)	◆	◆	◆	◆	◆
Tolvaptan	◆	◆	△	△	■
Triptorelin	◆	◆	◆	◆	◆
Ursodeoxycholic acid	◆	◆	◆	◆	■
Varenicline	◆	◆	◆	◆	◆
Zileuton	◆	◆	◆	◆	△
Overactive Bladder Agents					
Darifenacin	◆	◆	◆	◆	■
Fesoterodine	◆	◆	◆	◆	△
Mirabegron	◆	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	◆	■
Silodosin	◆	◆	◆	◆	△
Solifenacin	◆	◆	◆	◆	■
Tolterodine	◆	◆	◆	◆	■
Trospium	◆	◆	◆	◆	◆
Oxytocics					
Ergometrine (Ergonovine)	◆	◆	◆	◆	●
Mifepristone	◆	◆	◆	◆	△
Misoprostol	◆	◆	◆	◆	◆
Oxytocin	◆	◆	◆	◆	◆
Parkinsonism Agents					
Apomorphine	◆	◆	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆
Benzatropine (Benztropine)	◆	◆	◆	◆	◆
Cabergoline (Parkinson's)	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆
Entacapone	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆
Orphenadrine	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆
Procyclidine	◆	◆	◆	◆	△
Rasagiline	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆
Safinamide	◆	◆	◆	◆	◆
Selegiline	◆	◆	◆	◆	◆
Steroids					
Beclometasone	◆	◆	◆	◆	◆
Betamethasone	◆	◆	◆	◆	●
Betamethasone (topical)	◆	◆	◆	◆	◆
Budesonide	◆	◆	◆	◆	■
Ciclesonide	◆	◆	◆	◆	■
Clobetasol	◆	◆	◆	◆	■
Cortisone	◆	◆	◆	◆	△
Cortisone (topical)	◆	◆	◆	◆	◆
Deflazacort	◆	◆	◆	◆	■
Dexamethasone (doses >16 mg)	◆	◆	◆	◆	●
Dexamethasone (low dose; ≤16 mg)	◆	◆	◆	◆	■
Fludrocortisone	◆	◆	◆	◆	■
Flunisolide	◆	◆	◆	◆	■
Fluocinolone	◆	◆	◆	◆	■
Fluticasone	◆	◆	◆	◆	■
Hydrocortisone (oral)	◆	◆	◆	◆	△
Hydrocortisone (topical)	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	△
Mometasone	◆	◆	◆	◆	■
Nandrolone	■	◆	◆	◆	◆
Oxandrolone	■	◆	◆	◆	◆
Oxymetholone	■	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	△
Prednisone	◆	◆	◆	◆	△
Stanozolol	■	◆	◆	◆	△
Testosterone	■	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	◆	■

For personal use only. Not for distribution. *For personal use only. Not for distribution.* *For personal use only. Not for distribution.*

Key to abbreviations

CAB LA	Cabotegravir long acting (Apretude®)	FTC/TAF	Emtricitabine / Tenofovir alafenamide
DPV	Dapivirine (vaginal ring)	FTC/TAF	Emtricitabine / Tenofovir-DF
		LEN	Lenacapavir (Yeytuo®, Yeztugo®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction - may require close monitoring, alteration of drug dosage or timing of administration
△	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool, 3rd Floor William Henry Duncan Building, 6 West Derby Street, Liverpool, L7 8TX.
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.